CLINICA CHIMICA ACTA

INTERNATIONAL JOURNAL OF CLINICAL CHEMISTRY

CUMULATIVE AUTHOR AND SUBJECT INDEX

Volumes 66-73

(Covering 1976)

UNIVERSITY OF HAWAII
LIBRARY
JUN 33 9 37 AM '78

ELSEVIER SCIENTIFIC PUBLISHING COMPANY
AMSTERDAM

1978

4 volumes now published

Cell Surface Reviews

A series of volumes on cell surface organization

edited by **GEORGE POSTE** and **GARTH L. NICOLSON**

This series provides authoritative coverage of the many important avenues of research on membrane biology and cell surface function. Each volume focuses on a well defined theme and contains comprehensive and critical reviews written by leading international researchers. The intention in each book is to provide an integrated framework that will help bridge the information gap for investigators working in related areas.

Volume 4

The Synthesis, Assembly and Turnover of Cell Surface Components

1977 xxiv + 864 pages
US $85.25/Dfl. 196.00 ISBN 0-444-00232-4

Leading authorities survey the metabolism of cell surface components in eukaryotic and prokaryotic cells, pointing out both the similarities and disparities in the mechanisms utilized by different cell types in the renewal and turnover of their surfaces. Throughout this comprehensive survey the contributors have stressed aspects of membrane assembly and turnover that influence the dynamic properties of membranes and associated structures. This perspective makes the volume a useful companion to volume 3 which analyzes membrane dynamics from a structural standpoint.

Volume 3

Dynamic Aspects of Cell Surface Organization

1977 xxiv + 750 pages
US $95.75/Dfl. 220.00 ISBN 0-7204-0623-4

This volume offers a broad perspective of current concepts of plasma membrane organization and the range of experimental strategies and techniques used to investigate this important structure.

Volume 2

Virus Infection and the Cell Surface

1977 xx + 342 pages
US $59.75/Dfl. 137.00 ISBN 0-7204-0598-x

'The book is well produced.... recommended reading for students of virology, immunology, and of the philosophy of science.'

Nature

'A well balanced, well presented, informative, and useful collection of articles about enveloped viruses and the cell membranes with which they interact.'

Trends in Biochemical Science

'.... enjoyable and informative reading... this volume provides concentrated information in several important areas of cell biology, virology, and immunology..... will interest microbiologists, cell biologists, and other experimentalists.... also a useful guide for graduate and postgraduate students.'

New Scientist

Volume 1

The Cell Surface in Animal Embryogenesis and Development

1976 xxiv + 766 pages
US $95.75/Dfl. 220.00 ISBN 0-7204-0597-1

'A coherent survey of the cell surface in development..... a valuable addition to graduate students' reading lists and researcher's personal libraries.'

Science

ELSEVIER/NORTH HOLLAND BIOMEDICAL PRESS

P.O. Box 211, Amsterdam, The Netherlands
Distributor in the U.S.A. and Canada:
ELSEVIER NORTH-HOLLAND, INC., 52 Vanderbilt Ave., New York, N.Y. 10017

The Dutch guilder price is definitive. US $ prices are subject to exchange rate fluctuations.

2175 BMP

CLINICA CHIMICA ACTA

CUMULATIVE AUTHOR AND SUBJECT INDEX

Vols. 66—73 (1976)

CLINICA CHIMICA ACTA

INTERNATIONAL JOURNAL OF CLINICAL CHEMISTRY

Sponsored by the following National Societies:

Association of Clinical Biochemists, *Great Britain*
Belgische Vereniging voor Klinische Chemie, Société belge de chimie clinique, *Belgium*
Nederlandse Vereniging voor Klinische Chemie, *The Netherlands*
Deutsche Gesellschaft für Klinische Chemie, *Germany*
Société française de biologie clinique, *France*
Société suisse de chimie clinique, Schweizerische Vereinigung für klinische Chemie, *Switzerland*

Editor-in-chief:

S.C. Frazer, Aberdeen

Editorial Secretary:
Th. Strengers, P.O. Box. 4073, 1009 AB Amsterdam, The Netherlands

Editors:
for the Americas — M. Rubin, Washington, D.C.
for the British Commonwealth — R. Gaddie, Cupar, Fife
for all other territories, including Europe — E.J. van Kampen, Groningen

Editor of the International Federation of Clinical Chemistry section:
N.E. Saris, Helsinki

CUMULATIVE AUTHOR AND SUBJECT INDEX
Vols. 66–73

ELSEVIER SCIENTIFIC PUBLISHING COMPANY
AMSTERDAM

© Elsevier/North-Holland Biomedical Press, 1978

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior permission of the copyright owner.

A

Abdolrasulnia, R., see Vessal, M. (68) 59
Abecassis, J., see Koehl, C. (70) 71
Abraham, C.V.
A modified o-toluidine reagent for glucose analysis (70) 209
Abrudan, O., Dejica, D.
Double sequential counterimmunoelectrophoresis (DCIEP): An improved method for detection of hepatitis-B antigen (HBAg) (69) 113
Abrudan, O., see Szántay, I. (69) 117
Ádám, J., see Stuber, A. (70) 221
Adam, M., Musilová, J., Deyl, Z.
Cartilage collagen in osteoarthrosis (69) 53
Adam, M., Vitášek, R., Deyl, Z., Felsch, G., Musilová, J., Olšovská, Z.
Collagen in rheumatoid arthritis (70) 61
Adams, E.C., see Davis, J.W. (66) 379
Adams, R.F., Vandermark, F.L., Schmidt, G.
The simultaneous determination of lidocaine and procainamide in serum by use of high pressure liquid chromatography (69) 515
Adams Cowley, R, see Vitek, V. (70) 227
Aeby, O., see Trechsel, U. (69) 367
Aerts, C., see Scharfman, A. (66) 371
Afonja, O.A., Boyo, A.E.
Alkaline phosphatase isoenzyme patterns in normal sera of Nigerians (73) 177
Agnese, S.T., Shaw, W., Spierto, F.W.
An evaluation of three commercially prepared anion-exchange resin columns for separation of tetraiodothyronine in serum (69) 285
Agnese, S.T., see Shaw, W. (72) 69
Akaoka, I., see Nishizawa, T. (67) 15
Åkesson, U., see Ohlsson, K. (73) 285
Alcindor, L.-G., see Salmon, S. (66) 311
Alexander, N.M.
Semi-automated competitive protein binding analysis of serum thyroxine on reusable Sephadex columns and its advantage over radioimmunoassay (69) 293
Al-Khalidi, U.A.S., see Turjuman, N. (67) 113
Ambert, J.P., Cahour, A., Hartmann, L.
Dosage en deux temps du cholestérol total et du cholestérol libre plasmatiques par chromatographie gaz-liquide. Proposition d'une méthode de référence (A two-step determination of plasma total cholesterol and free cholesterol by gas-liquid chromatography, Suggestion for a reference method) (68) 31
Ambler, P.K., Masarei, J.R.L.
A new fluorimetric method for procaineamide (70) 379
Amend, G., Bonnekoh, W., Wetter, O.
Circular dichroism of myeloma proteins of IgG_1, IgG_2 and IgG_4 subclass specificity (71) 339
Amerijckx, J.P., see Malmendier, C.L. (68) 259
Amino, N., see Tanaka, F. (68) 235
Amoroso, J., see Saifer, A. (67) 315
Andersen, G.E., Nielsen, H.G.
Neonatal screening for hyperlipoproteinaemia. Methods for direct estimation of cord serum VLDL+LDL (66) 29
Anderson, L.C., Smith, Q.T., Shapiro, B.L.
Cellular glycosaminoglycans in lymphocytes from patients with cystic fibrosis (73) 63
Andrews, T.M., Purkiss, P., Chalmers, R.A., Watts, R.W.E.
Effect of cotrimoxazole on the response to phenylalanine loading in man (68) 17
Angelico, M., see Rossi-Fanelli, F. (67) 255
Anker, N., see Mondrup, M. (69) 463
Aoyama, H., see Hayakawa, T. (71) 245
Aparicio, S.R., see Brocklehurst, D. (67) 269
Arnold, H., see Blume, K.G. (71) 331
Ataur Rahman, M., see Khanam, A. (71) 389

Attili, A., see Rossi-Fanelli, F. (67) 255
Aula, P., see Sugahara, K. (72) 265
Aunis, D., Miras-Portugal, M.-T., Coquillat, G., Warter, J.-M., Mandel, P. Plasma dopamine β-hydroxylase in noradrenalin-secreting pheochromocytoma (70) 455
Avenet, J.M., see Bardos, P. (66) 353
Aveynier, E., see Groulade, J. (67) 199
Axelsen, N.H., see Nørgaard-Pedersen, B. (71) 343
Ayrault-Jarrier, M., see Salmon, S. (66) 311

B

Baba, M., see Yamamoto, T. (68) 241

Bachmann, C., Baumgartner, R., Wick, H., Colombo, J.-P.
Quantitative gaschromatographic determination of short chain aldehydes and ketones in the urine of infants (66) 287

Baert, N., Cornelis, R., Hoste, J.
Molybdenum in human blood (68) 355

Baffoe, G., see Biswas, S. (69) 541

Bagchi, N., see Brown, T.R. (67) 321

Baglin, M.C., Bernot, J.L., Bremond, J.L., Lamy, J., Leroux, M., Weill, J.
Efficacité comparée du volume globulaire moyen (VGM) et de la gamma-glutamyltransferase (γ-GT) sérique comme tests de triage des buveurs excessifs d'alcool (Compared efficiency of mean corpuscular volume (MCV) and serum gamma-glutamyltransferase (γ-GT) as screening tests for excess-ethanol drinkers) (68) 321

Bagrel, A., see Museur, G. (66) 219

Baker, H.F., see Joseph, M.H. (72) 125

Bakhru-Kishore, R., Desjardins, L., Kelly, S.
A microfluorimetric assay of leukocyte α-1,4-glucosidase (73) 89

Bakhru-Kishore, R., Kelly, S.
A rapid method for hypoxanthine-guanine phosphoribosyl transferase in blood (70) 149

Ballantyne, D., Strevens, E.A., Lawrie, T.D.V.
Relationship of plasma uric acid to plasma lipids and lipoproteins in subjects with peripheral vascular disease (70) 323

Barbier, F., see Beke, R. (70) 197

Barbier, F., see Beke, R. (71) 27

Barbier, F., see Parijs, J. (66) 43

Bardoń, A., Sierakowska, H., Shugar, D.
Purification and properties of human acid-thermostable ribonucleases, and diagnosis of childhood pancreatic fibrosis (67) 231

Bardos, P., Luthier, B., Avenet, J.M., de Russe, J., Muh, J.P., Soutoul, J.H., Weill, J.D.
Variations des concentrations de certaines glycoprotéines au niveau du sang maternel, foetal et du liquide amniotique lors de la grossesse (Variations of the concentrations of certain glycoproteins in maternal serum, fetal serum and amniotic fluid during pregnancy) (66) 353

Baretz, B.H., Ramsdell, H.S., Tanaka, K.
Identification of n-hexanoylglycine in urines from two patients with Jamaican vomiting sickness (73) 199

Baretz, B.H., see Tanaka, K. (69) 105

Barry, R.E., see Morin, R.J. (69) 479

Bartstra, H.A., see Siegenbeek van Heukelom, L.H. (72) 109

Bartstra, H.A., see Siegenbeek van Heukelom, L.H. (72) 117

Baumgartner, R., see Bachmann, C. (66) 287

Bayliss, V.M., see Tárnoky, A.L. (69) 505

Beastall, G.H., McVeigh, S.
A semi-automated method for the determination of oestrogens in early morning urine specimens from normal and infertile women (70) 343

Becker, K., see Przyrembel, H. (66) 227

Becker, K., see Wadman, S.K. (71) 477

Beckers, C., see Leonard, J.P. (70) 119

Bedford, D.K., Shepherd, J., Morgan, H.G.
Radioimmunoassay for human plasma apolipoprotein B (70) 267

Bedford, D.K., see Shepherd, J. (66) 97

Beeler, M.F., see Boyett, J.D. (69) 233

Behal, R., see Verjee, Z.H. (70) 139

Beke, R., de Weerdt, G.A., Parijs, J., Huybrechts, W., Barbier, F.
Separation of conjugated and unconjugated bile acids by thin-layer chromatography (70) 197

Beke, R., de Weerdt, G.A., Parijs, J., Barbier, F.
Quantitative analysis of bile acids and

their conjugates in duodenal aspirate by fluorimetry after cellulose acetate electrophoresis (71) 27
Beke, R., see Parijs, J. (66) 43
Belderok, W.J., see Bottema, J.K. (68) 199
Bell, P., see Smeyers-Verbeke, J. (68) 343
Berends, G.T., see Degenaar, C.P. (67) 79
Berg, A., see Haralambie, G. (69) 433
Bernard, J.-F., see Kahn, A. (71) 379
Bernheimer, H., see Molzer, B. (73) 163
Bernot, J.L., see Baglin, M.C. (68) 321
Berrens, L., Bruynzeel, P.
Comparison of serum IgE determination by radioimmunoassay and by single radial immunodiffusion (70) 337
Berthelon, M., see Tuil, D. (72) 173
Bertrand, O., see Kahn, A. (66) 145
Beucler, I., see Salmon, S. (66) 311
Bezemer, P.D., see Smit, J.L.J. (71) 371
Bigham, D.A., Farrant, R.K., Phillipou, G., Seamark, R.F.
A rapid and simple procedure for the determination of urinary cholesterol (69) 537
Bindel, T.H., Fennessey, P.V., Miles, B.S., Goodman, S.I.
4-Hydroxycyclohexane-1-carboxylic acid: An unusual compound isolated from the urine of children with suspected disorders of metabolism (66) 209
Birkett, D.J., Kapitulnik, J.
The interactions between iophenoxic acid, iopanoic acid, bilirubin and human serum albumin as studied by fluorescence and Sephadex gel filtration (71) 129
Biserte, G., see Rousseaux, J. (71) 35
Biserte, G., see Scharfman, A. (66) 371
Bismuth, J., Castay, M., Lissitzky, S.
Binding of 3,5-diiodotyrosine to serum proteins (69) 417
Biswas, S.
Prolactin in amniotic fluid: Its correlation with maternal plasma prolactin (73) 363
Biswas, S., Norman, A.P., Baffoe, G., Graves, L.
Prolactin, growth hormone and alpha-fetoprotein in children with cystic fibrosis (69) 541
Björkhem, I., Blomstrand, R., Falk, O., Öhman, G.
The use of mass fragmentography in the evaluation of routine methods for glucose determination (72) 353
Björkhem, I., Blomstrand, R., Öhman, G.
Determination of serum urea by mass fragmentography (71) 199
Björkhem, I., Blomstrand, R., Svensson, L.
Determination of serum triglycerides by mass fragmentography (71) 191
Björkhem, I., Holmberg, I.
A novel specific assay of 25-hydroxy vitamin D_3 (68) 215
Blanken, R.M., see Khayam-Bashi, H. (66) 63
Blaskovics, M.E., see Trefz, F.K. (73) 431
Bleyl, U., see Seidel, D. (66) 195
Blödorn, A., see Schwedt, G. (69) 175
Blom, W., see Fernandes, J. (66) 345
Blomhoff, J.P., see Sauar, J. (71) 403
Blomstrand, R., see Björkhem, I. (71) 191
Blomstrand, R., see Björkhem, I. (71) 199
Blomstrand, R., see Björkhem, I. (72) 353
Blondet, P., see Goulle, J.P. (71) 143
Blume, K.G., Arnold, H., Hasslinger, K., Löhr, G.W.
Effect of riboflavin treatment on human red cell pyruvate kinase deficiency (71) 331
Bochnik, H.J., see Demisch, L. (70) 357
Bogaert, M.G., see Moerman, E.J. (72) 89
Boivin, P., Galand, C.
Isoelectric focusing of spectrin components in hereditary spherocytosis (71) 165
Boivin, P., see Kahn, A. (66) 145
Boivin, P., see Kahn, A. (69) 21
Boivin, P., see Kahn, A. (71) 379
Bolton, C.H., see Durrington, P.N. (71) 95
Bolton, P.D., see Faull, K.F. (73) 553
Bonnekoh, W., see Amend, G. (71) 339
Boom, A., see Siegenbeek van Heukelom, L.H. (72) 109
Booth, E., see Brown, T.R. (67) 321
Borel-Giraud, N., Maillavin, A., Vernet-Nyssen, M.
Dosage de l'alpha-1-foetoprotéine séri-

que par électroimmunodiffusion sur agarose (Determination of alpha-1-foetoprotein in human serum by electroimmunodiffusion on agarose) (71) 117
Bornschein, W., Goldmann, F.L., Otte, M.
Methodische und erste klinische Untersuchungsergebnisse mit einem indirekten Pankreasfunktionstest (67) 21
Borud, O., see Gutteberg, T. (69) 61
Bos, G., see Smith, S.J. (70) 127
Boscameric, M., see Giudicelli, Y. (71) 445
Bosman-Jacobs, E.P., see Van den Berg, J.W.O. (73) 277
Bottema, J.K., Belderok, W.J.
Some remarks on the simultaneous determination of pregnanediol and oestriol by gas chromatography (68) 199
Bouchier, I.A.D., see Murison, J. (68) 159
Bouillerot, A., see Goulle, J.P. (71) 143
Bowen, H.J.M., see Tárnoky, A.L. (69) 505
Bowie, L., Crawhall, J.C., Gochman, N., Johnson, K., Schneider, J.A.
Automated microanalysis of sulfur-containing amino acids and their derivatives (68) 349
Boyett, J. D., Lehmann, H.P., Beeler, M.F.
Automated assay of ceruloplasmin by kinetic analysis of *o*-dianiside oxidation (69) 233
Boyo, A.E., see Afonja, O.A. (73) 177
Bradwell, A.R., Burnett, D., Ramsden, D.B., Burr, W.A., Prince, H.P., Hoffenberg, R.
Preparation of a monospecific antiserum to thyroxine binding globulin for its quantitation by rocket immunoelectrophoresis (71) 501
Bradwell, A.R., see Sturdee, D.W. (72) 233
Bramhall, J., Britten, A.Z.
A new rapid assay of oestrogens in pregnancy urine using the substrate native fluorescence (68) 203
Brandt, K.D., see Palmoski, M. (70) 87
Bremer, H.J., see Przyrembel, H. (66) 227
Bremer, H.J., see Wadman, S.K. (71) 477
Bremond, J.L., see Baglin, M.C. (68) 321
Brewer, G.J., see Hayes, L.C. (66) 119
Britten, A.Z., see Bramhall, J. (68) 203
Brocklehurst, D., Lathe, G.H., Aparicio, S.R.
Serum alkaline phosphatase, nucleotide pyrophosphatase, 5′-nucleotidase and lipoprotein-X in cholestasis (67) 269
Brocklehurst, D., Wilde, C.E.
A simple method for the quantitation of amniotic fluid alpha-fetoprotein throughout pregnancy (70) 205
Broughton, A., Strong, J.E.
Radioimmunoassay of iodinated gentamicin (66) 125
Brown, F.C., see Zawad, J.S. (73) 187
Brown, N.D., Lofberg, R.T., Gibson, Th.P.
A study of the Bratton and Marshall hydrolysis procedure utilizing high performance liquid chromatography (70) 239
Brown, T.R., Bagchi, N., Mack, R.E., Booth, E., Jones, D.P.
Isolation of monoiodinated gastrin using DEAE-Sephadex and its characteristics in the gastrin radioimmunoassay (67) 321
Bruinvis, L., see Przyrembel, H. (66) 227
Bruinvis, L., see Wadman, S.K. (71) 477
Brundobler, M., see Neumeier, D. (73) 445
Brush, M.G., see Cooper, R.L.T. (69) 211
Bruynzeel, P., see Berrens, L. (70) 337
Buc, H.A., see Garreau, H. (68) 245
Buchet, J.P., Lauwerys, R., Roels, H., De Vos, C.
Determination of manganese in blood and urine by flameless atomic absorption spectrophotometry (73) 481
Büff, H.K., see Seidel, D. (66) 195
Burnett, D., see Bradwell, A.R. (71) 501
Burnett, D., see Sturdee, D.W. (72) 233
Burr, R.G.
The determination of silicates in urinary calculi (69) 259
Burr, W.A., see Bradwell, A.R. (71) 501
Burrin, J.M.
Comparison between human ^{125}I-labelled TSH labelled with lactoperoxidase or chloramine-T; advantages in the use of enzymically labelled antigen in a radioimmunoassay for human TSH (70) 153

Bussemas, H.H., see Schwedt, G. (69) 175
Buttery, J.E., Lim, H.H., De Witt, G.F.
The use of NADH as a standard in a modified PMS-INT colorimetric assay of lactate dehydrogenase (73) 109
Buursma, A., see Van Assendelft, O.W. (70) 161
Buzio, C., see Scarpioni, L. (68) 107
Byfield, P.G.H., see Whitaker, K.B. (71) 285
Byrd, D.J., see Trefz, F.K. (73) 431

C

Caffin, J.A., see McKeering, L.V. (67) 189

Cahour, A., see Ambert, J.P. (68) 31

Cain, O., see England, P. (72) 241

Calatroni, A., Tira, M.E.
Isolation of acidic glycopeptides from urine by means of anion-exchange resins. Application to some cases of glycosphingolipidosis or mucolipidosis (71) 137

Campillo, J.E., Garcia del Rio, C., Quesada, T., Osorio, C.
Simultaneous measurement of renin and renin substrate concentration in human plasma by a simple kinetic method (73) 475

Canale, D.D., see Cannarozzi, D.B. (66) 387

Cangiano, C., see Rossi-Fanelli, F. (67) 255

Cannarozzi, D.B., Canale, D.D., Donabedian, R.K.
Hypercalcitoninemia in infancy (66) 387

Capocaccia, L., see Rossi-Fanelli, F. (67) 255

Carey, W.F., see Meaney, R.F. (73) 127

Carlström, K., see Damber, M.-G. (66) 85

Carmack, C., see Rinderknecht, H. (73) 369

Carney, J.A.
Antiserum raised against human pancreatic α-amylase (67) 153

Carrell, R.W., see Munster, D.J. (68) 167

Carter, T., Wilding, P.
Factors involved in the determination of triglycerides in serum. An international study (70) 433

Cartier, P., Hamet, M.
Dosage de l'activité adénosine désaminasique dans les érythrocytes et les lymphocytes humains (Measurement of the activity of adenosine deaminase in human erythrocytes and lymphocytes) (71) 429

Casale, G., Gerber, G.B.
Determination of urinary pseudouridine by gas chromatography (69) 545

Cascino, A., see Rossi-Fanelli, F. (67) 255

Casey, R., see Hill, A. (72) 1

Castay, M., see Bismuth, J. (69) 417

Castleman, J., see Lam, K.W. (70) 289

Caut, P., see Tuil, D. (72) 173

Cederblad, G.
Plasma carnitine and body composition (67) 207

Cederblad, G., Korsan-Bengtsen, K.
Effect of clofibrate on plasma proteins including components of the hemostatic mechanism (66) 9

Čejka, J., van Nieuwkoop, J.A., Mood, D.W., Kithier, K., Rádl, J.
β_2-Microglobulin in human colostrum and milk: Effect of breast feeding and physico-chemical characterization (67) 71

Chabert, J.M., see Soummer-Dauphant, A.M. (67) 325

Chachra, K.L., see Das, K.C. (66) 263

Chakraborty, D.P., Roy Choudhury, S.K., Dey, R.N.
Psoralene and melanogenesis in relation to vitiligo (72) 219

Chalmers, A.H., see Farrington, C. (73) 217

Chalmers, R.A., see Andrews, T.M. (68) 17

Chambon, P., see Soummer-Dauphant, A.M. (67) 325

Cheung, S.W., Christian, J.C.
A comparison of heat-inactivated plasma and artificial substrates for lecithin:cholesterol acyltransferase assay in human plasma (69) 299

Chevet, D., see Salmon, S. (66) 311

Chibisov, I.V., see Rosenfeld, E. (67) 123

Chiga, M., see Hayes, L.C. (66) 119

Chisholm, G.D., see Ghanadian, R. (73) 521

Cho, H.W., Meltzer, H.Y., Joung, J.I., Goode, D.
Effect of incubation in human plasma on electrophoretic mobility of brain-type creatine phosphokinase (73) 257

Christian, J.C., see Cheung, S.W. (69) 299

Chu, P., Miller, A.L., Mills, G.L.
Assay of an activator for lipoprotein lipase (66) 281
Ciba, T., see Guzdek, A. (72) 401
Citrin, D.L., see Shenkin, A. (72) 223
Cittanova, N., see Sulon, J. (72) 275
Clark, P.I., Kostuk, W.J., Henderson, A.R.
A simple and rapid procedure for the preparation of human LDH-1 and LDH-5 using an ion-exchange mini-column (69) 361
Clark, P.I., Kostuk, W.J., Henderson, A.R.
The human red cell haemolysate: A source of LDH isoenzymes (73) 207
Collé, A., Guinet, R., Leclercq, M., Manuel, Y.
Occurrence of β_2-microglobulin and post-γ globulin in human semen (67) 93
Colombo, J.-P., see Bachmann, C. (66) 287
Columelli, S., see Garreau, H. (68) 245
Conn, A., see Vitek, V. (70) 227
Cook, S., see Parekh, A.C. (73) 221
Cooper, J.D.H., Titheradge, A., Legg, E.F.
Observations on the kinetic method for the estimation of serum haptoglobin as cyanmethaemoglobin binding capacity (72) 371
Cooper, K.D., Shukla, J.B., Rennert, O.M.
Polyamine distribution in cellular compartments of blood and in aging erythrocytes (73) 71
Cooper, R.L.T., Brush, M.G.
Amniotic fluid lipid profiles. A rapid gas chromatographic method (69) 211
Copland, W.A., see Yates, C.M. (71) 215
Coquillat, G., see Aunis, D. (70) 455
Corkill, J.A., Lloyd, E.J., Hoyle, P., Crout, D.H.G., Ling, R.S.M., James, M.L., Piper, R.J.
Toxicology of methyl methacrylate: The rate of disappearance of methyl methacrylate in human blood in vitro (68) 141
Cornelis, R., see Baert, N. (68) 355
Cottrall, K., see Finnie, M.D.A. (73) 513
Cottreau, D., see Kahn, A. (66) 145
Cottreau, D., see Kahn, A. (69) 21
Cottreau, D., see Kahn, A. (71) 379
Courvoisier, B., see Garcia-Pascual, B. (68) 99
Couture, J.-C., see Lafargue, P. (66) 181
Cowley, R.A., see Vitek, V. (70) 227
Cozzani, P., see Malvano, R. (66) 331
Craig, A.
A simple radioimmunological method for the determination of plasma total oestriol during pregnancy (68) 277
Cramers, C.A., Vermeer, E.A., Van Kuik, L.G., Hulsman, J.A., Meijers, C.A.
Quantitative determination of underivatized anti-convulsant drugs by high resolution gas chromatography with support-coated open tubular columns (73) 97
Crawford, J.W., see Young, J.L. (69) 11
Crawhall, J.C., see Bowie, L. (68) 349
Crifò, C., see Rossi-Fanelli, F. (67) 255
Cross, R.B., see Forgan-Smith, J. (69) 139
Crout, D.H.G., see Corkill, J.A. (68) 141
Cucuianu, M., Zdrenghea, D., Pop, M., Opincaru, A.
Increased serum gamma-glutamyltransferase in hypertriglyceridemia: comparison with serum pseudocholinesterase (71) 419
Curnow, R.N., see Tárnoky, A.L. (69) 505

D

Daegelen, D., see Koster, J.F. (69) 121
Dall'Aglio, P.P., see Scarpioni, L. (68) 107
Daly, J.R., see Durber, S.M. (68) 43
Damber, M.-G., von Schoultz, B., Stigbrand, T., Carlström, K.
A radioimmunoassay for "the pregnancy zone protein" (66) 85
Damjær Nielsen, M., see Kappelgaard, A.M. (67) 299
Danks, D.M., see Faull, K.F. (73) 553
Danzer, L.A., see Sebesta, P.A. (68) 309
Das, K.C., Sharma, G., Mohanty, D., Chachra, K.L.
Estimation of methylmalonic acid in urine by thin-layer chromatography (66) 263
Dautreaux, B., see Tuil, D. (72) 173
Dautrevaux, M., see Racadot, A. (66) 171
Dautrevaux, M., see Rousseaux, J. (71) 35
Davidson, D., see Yates, C.M. (71) 215
Davidson, D.F.
A simple chemical method for the assay of amoxycillin in serum and urine (69) 67
Davies, C., see Stormont, D. (71) 303
Davis, J.W., Yoder, J.M., Adams, E.C.
Rapid, column, flow-through radioimmunoassay for insulin (66) 379
Dean, F.D.
Xanthelasma and hyperlipoproteinaemia (66) 189
Debeaumont, D., see Rousseaux, J. (71) 35
De Bree, P.K., see Wadman, S.K. (71) 477
De Calmanovici, R.W., see San Martin de Viale, L.C. (69) 375
Degenaar, C.P., Thijssen, C., van der Wal, G., Berends, G.T.
Electrophoresis of γ-glutamyltranspeptidase on Cellogel. The appearance of the α_2-β band in positive LP-X sera (67) 79
De Goeij, A.F.P.M., van Steveninck, J.
Photodynamic effects of protoporphyrin on cholesterol and unsaturated fatty acids in erythrocyte membranes in protoporphyria and in normal red blood cells (68) 115
De Goeij, A.F.P.M., van Straalen, R.J.C., van Steveninck, J.
Photodynamic modification of proteins in human red blood cell membranes, induced by photoporphyrin (71) 485
Dejica, D., see Abrudan, O. (69) 113
Dejica, D., see Szántay, I. (69) 117
De Jonge, H., see Hessel, L.W. (69) 405
Dekker, P.T., see Lam, K.W. (70) 289
Del C. Ríos de Molina, M., see San Martin de Viale, L.C. (69) 375
De Leenheer, A.P., de Ruyter, M.G.M., Steyaert, H.L.C.
A method for the statistical evaluation of results in external quality control surveys (71) 229
Delente, J.J., see Dietschy, J.M. (73) 407
Delves, H.T.
The microdetermination of copper in plasma protein fractions (71) 495
Demisch, L., Bochnik, H.J., Seiler, N.
A routine assay procedure for monoamine oxidase and its application to human blood platelets (70) 357
Demos, J., see Tuil, D. (72) 173
Denis, M.C., see Groulade, J. (67) 199
De Pagter, H.A.Th., see Hessel, L.W. (69) 405
De Russe, J., see Bardos, P. (66) 353
De Ruyter, M.G.M., see De Leenheer, A.P. (71) 229
De Schaepdryver, A.F., see Moerman, E.J. (72) 89
Desfosses, B., see Sulon, J. (72) 275
Desjardins, L., see Bakhru-Kishore, R. (73) 89
Desplanque, J., see Van der Heiden, C. (73) 117
Deutschmann, P., see Schwedt, G. (69) 175
De Vos, C., see Buchet, J.P. (73) 481
De Vries, A., see Klibansky, C. (72) 141
De Weerdt, G.A., see Beke, R. (70) 197
De Weerdt, G.A., see Beke, R. (71) 27
De Weerdt, G.A., see Parijs, J. (66) 43

De With, C., see Smit, J.L.J. (71) 371
De Witt, G.F., see Buttery, J.E. (73) 109
De Wolff, F.A., see Osinga, A. (73) 505
Dey, R.N., see Chakraborty, D.P. (72) 219
Deyl, Z., see Adam, M. (69) 53
Deyl, Z., see Adam, M. (70) 61
Dieryck, B., see Goulle, J.P. (71) 143
Dietschy, J.M., Weeks, L.E., Delente, J.J.
Enzymatic measurement of free and esterified cholesterol levels in plasma and other biological preparations using the oxygen electrode in a modified glucose analyzer (73) 407
Dijkhuizen, P., Kwant, G., Zijlstra, W.G.
A new reference method for the determination of the oxygen content of blood (68) 79
Dodinval-Versie, J., see Schoos-Barbette, S. (71) 239
Doi, K., see Yamamoto, T. (67) 223
Doi, K., see Yamamoto, T. (68) 241
Dolan, M.L., see Sudbury, B. (71) 81
Domán, J.
Quantitative determination of antigens in biological fluid by the antibody radial immunodiffusion method. Antigens in agar gel (69) 153
Donabedian, R.K., see Cannarozzi, D.B. (66) 387
Dondlinger, T., see Liskowski, L. (71) 309
Dormandy, T.L., see Scudder, P. (69) 397
Dorn, D., see Fuchs, Ch. (67) 99
Dorticós, A., see Heredero, L. (71) 515
Douglas, A.P.
The binding of a glycopeptide component of wheat gluten to intestinal mucosa of normal and coeliac human subjects (73) 357
Dreyfus, J.-C., see Koster, J.F. (69) 121
Dreyfus, J.-C., see Skala-Rubinson, H. (70) 385
Drivas, G., see Melissinos, K.G. (66) 267
Dulaney, J.T., Milunsky, A., Moser, H.W.
Detection of the carrier state of Hurler's syndrome by assay of α-L-iduronidase in leukocytes (69) 305
Duran, M., see Wadman, S.K. (71) 477
Duranti, P., see Malvano, R. (66) 331
Durber, S.M., Daly, J.R.
A simple method for the determination of free cortisol in plasma, with normal levels in men and women including women taking low oestrogen contraceptives (68) 43
Durrington, P.N., Whicher, J.T., Warren, C., Bolton, C.H., Hartog, M.
A comparison of methods for the immunoassay of serum apolipoprotein B in man (71) 95
Dusci, L.J., see Hackett, L.P. (66) 443
Dyr, J.E., Vodrážka, Z.
Suitability and limitation of the clot-weight method for the determination of fibrinogen in plasma (66) 277

E

Eckhard, J., see Wirth, A. (71) 47
Edwards, J.S., Muckle, Th.J.
Changes in the immunoelectrophoretic characteristics of serum alpha-1 lipoprotein induced by various dyes (67) 35
Ellis, B.G., see Wellwood, J.M. (69) 85
Ellis, G., see Goldberg, D.M. (72) 379
Emes, A.V., Latner, A.L., Rahbani-Nobar, M., Tan, B.H.A.
The separation of plasma lipoproteins using gel electrofocusing and polyacrylamide gradient gel electrophoresis (71) 293
Emmerson, B.T., see Stormont, D. (71) 303
Endo, H., see Suzuki, Y. (69) 219
England, P., Cain, O.
A simple method for the interpolation of radioimmunoassay data (72) 241
Ersser, R.S., see Finnie, M.D.A. (70) 171
Esseveld, M.R., see Smith, S.J. (70) 127
Etienne, J., Pardaens, Y.
Comparison of a simplified radioimmunoassay with a gas-liquid chromatographic method for urinary aldosterone (72) 201
Etienne, J., Taelman, H.
Interference of bamifylline with the Zimmerman reaction for 17-ketosteroids (69) 147
Evans, R.T.
A search for methyl urea in the blood and urine of patients with chronic renal disease (69) 357

F

Færch, T.
Purification of thyroxine and triiodothyronine for radioassay with sephadex (66) 137
Falk, O., see Björkhem, I. (72) 353
Farrant, R.K., see Bigham, D.A. (69) 537
Farrington, C., Chalmers, A.H.
The effect of dilution on creatine kinase activity (73) 217
Faull, K.F., Bolton, P.D., Halpern, B., Hammond, J., Danks, D.M.
The urinary organic acid profile associated with 3-hydroxy-3-methylglutaric aciduria (73) 553
Faull, K.F., Schier, G.M., Schlesinger, P., Halpern, B.
The mass spectrometric identification of dipeptides in the urine of a patient suffering from chronic skin ulceration and oedema (70) 313
Fauser, U., see Seidel, D. (66) 195
Fellenberg, A.J., Pollard, A.C.
A rapid and sensitive spectrophotometric procedure for the micro determination of carbamazepine in blood (69) 423
Fellenberg, A.J., Pollard, A.C.
A rapid spectrophotometric procedure for the simultaneous micro determination of carbamazepine and 5,5-diphenylhydantoin in blood (69) 429
Fellows, L.E., see Goodwin, B.L. (73) 191
Felsch, G., see Adam, M. (70) 61
Felt, V., see Hušek, P. (72) 195
Feng, P.H., see Lim, P. (66) 405
Fennessey, P.V., see Bindel, T.H. (66) 209
Ferber, E., see Kohlschütter, A. (70) 463
Ferguson, E., Vaughan, A., Swale, J.
A method for the estimation of total calcium in serum or heparinized plasma (67) 281
Fernandes, J., Blom, W.
Urinary lactate excretion in normal children and children with enzyme defects of carbohydrate metabolism (66) 345
Fernandes, J., see Koster, J.F. (69) 121
Fernlund, P.
γ-Carboxyglutamic acid in human urine (72) 147
Festi, D., see Murison, J. (68) 159
Fiehn, W., Seiler, D., Heimberg, K.-W.
Transport ATPases of cardiac sarcolemma in experimental uremia (73) 93
Finnie, M.D.A., Cottrall, K., Seakins, J.W.T., Snedden, W.
Massive excretion of 2-oxoglutaric acid and 3-hydroxyisovaleric acid in a patient with a deficiency of 3-methylcrotonyl-CoA carboxylase (73) 513
Finnie, M.D.A., Ersser, R.S., Seakins, J.W.T., Snedden, W.
The occurrence and identification of o-hydroxyhippuric acid (salicyluric acid) in the urine of sick children (70) 171
Fisher, M.T., Petrie, A., Tondowski, A., Joplin, G.F.
A method for performing a calcium balance study in man and the interpretation of results (70) 297
Fleisch, H., see Trechsel, U. (69) 367
Fluharty, A.L., see Fujimoto, A. (68) 177
Flynn, F.V., Piper, K.A.J., Garcia-Webb, P., McPherson, K., Healy, M.J.R.
Biological and analytical variation of commonly determined blood constituents in healthy blood donors (70) 179
Flynn, N.W., see Petty, F. (66) 111
Forgan-Smith, J., Slaughter, B.D., Cross, R.B.
The estimation of ammonia in kidney slices in the presence of added glutamine and other amino acids (69) 139
Forman, D.T., Moss, D.W., Whitaker, K.B.
Determination of human placental alkaline phosphatase by an electroimmunoassay ("rocket") technique (68) 287
Forrest, G.C., see Nye, L. (69) 387
Forrest, T., see Herd, J.K. (68) 1

Forstner, G., Koheil, A., Forstner, J.
Isoelectric focusing of serum in cystic fibrosis. Failure to distinguish between homozygote and heterozygote sera (70) 459
Forstner, J., see Forstner, G. (70) 459
Fotherby, K., see Ghanadian, R. (73) 521
Francis, M.J.O., see Whiteley, J. (71) 157
Franzini, C., Panseri, C.
Diluted human serum as a suitable diluent in the preparation of bilirubin reference solutions (69) 73
Freise, J., Schmidt, E., Magerstedt, P.
Studies on the multiple forms of γ-glutamyltransferase (73) 267
Frenkel, M., see Van den Berg, J.W.O. (73) 277
Frommer, D.J.
Direct measurement of serum non-caeruloplasmin copper in liver disease (68) 303
Fuchs, Ch., Dorn, D., McIntosh, Ch., Scheler, F., Kraft, B.
Comparative calcium ion determinations in plasma and whole blood with a new calcium ion analyser (67) 99
Fujimoto, A., Fluharty, A.L., Stevens, R.L., Kihara, H., Wilson, M.G.
Two alpha-glucosidases in cultured amniotic fluid cells and their differentiation in the prenatal diagnosis of Pompe's disease (68) 177
Fujisawa, K., Kimura, A., Minato, S., Tamaoki, H., Mizushima, H.
Application of nicotinamide-adenine dinucleotide analogs for clinical enzymology. Alcohol dehydrogenase activity in liver injury (69) 251
Fuke, H., Yagi, H., Takegoshi, C., Kondo, T.
A sensitive automated colorimetric method for the determination of serum gamma-glutamyl transpeptidase (69) 43
Fukutani, C., see Uete, T. (70) 329
Fung, K.P., see Leung, K.C. (72) 295
Furumi, K., see Takeoka, T. (71) 149
Fushimi, H., Tarui, S.
Retina, tear and serum β-N-acetylglucosaminidase activities in diabetic patients (71) 1
Fuyamada, H., see Hayakawa, T. (71) 245
Fuyamada, H., see Hino, M. (67) 103
Fyffe, J.A., Harrower, A.D.B.
The measurement of T_3 in plasma specimens (72) 261

G

Gabl, F., see Spath, P. (73) 171
Gaffney, P.J., see Rampling, M.W. (67) 43
Galand, C., see Boivin, P. (71) 165
Galand, C., see Kahn, A. (69) 21
Galteau, M.M., Siest, G., Poortmans, J. Continuous in vivo measurement of creatine kinase variations in man during an exercise (66) 89
Gambert, P., Lallement, C., Padieu, P. Glyceride content of amniotic fluid cells as an index of fetal maturity (68) 271
Garcia del Rio, C., see Campillo, J.E. (73) 475
Garcia-Pascual, B., Peytremann, A., Courvoisier, B., Lawson, D.E.M. A simplified competitive protein-binding assay for 25-hydroxycalciferol (68) 99
Garcia-Webb, P., see Flynn, F.V. (70) 179
Gardner, J.S., see Nye, L. (69) 387
Garreau, H., Buc, H.A., Columelli, S., Najman, A. Molecular alterations in congenital erythrocyte pyruvate kinase deficiencies (68) 245
Gatz, J., see Hesch, R.-D. (70) 33
Geerdink, R.P., see Staal, G.E.J. (68) 11
Gejyo, F., Kinoshita, Y., Ikenaka, T. Identification of β-aminoisobutyric acid in uremic serum (70) 407
Gelpí, E., see Peralta, E. (73) 13
Genard, P., see Sulon, J. (72) 275
Gerber, G.B., see Casale, G. (69) 545
Gerok, W., see Matern, S. (72) 39
Gerwig, G.J., see Wadman, S.K. (71) 477
Ghanadian, R., Chisholm, G.D., Fotherby, K. Intracellular localisation of 5α-dihydrotestosterone in human benign prostatic hypertrophy (73) 521
Gibson, Th.P., see Brown, N.D. (70) 239
Giese, J., see Kappelgaard, A.M. (67) 299
Gijzen, A.H.J. Further investigations on the affinity chromatography of unlabeled and labeled cortisol-binding immunoglobulin (66) 77
Gill, W., see Vitek, V. (70) 227
Giovanniello, T.J., Pecci, J. Simultaneous isothermal determination of diphenylhydantoin and phenobarbital serum levels by gas-liquid chromatography following flash-heater hexylation (67) 7
Giudicelli, Y., Pecquery, R., Lacasa, M., Boscameric, M., Nordmann, R. Structure of the phosphatidylcholines of the lung surfactant at birth in normal full term infants (71) 445
Gjone, E., see Ritland, S. (67) 63
Gjone, E., see Sauar, J. (71) 403
Gochman, N., see Bowie, L. (68) 349
Gold, P., see Shuster, J. (67) 307
Goldberg, D.M., Ellis, G., Ward, A.M. A diagnostic triad for portal cirrhosis (72) 379
Goldberg, D.M., Rider, C.C., Taylor, C.B. Total and immunologically reacting muscle enolase in blood serum of Duchenne muscular dystrophy patients and carriers (71) 89
Goldmann, F.L., see Bornschein, W. (67) 21
Goode, D., see Cho, H.W. (73) 257
Goodman, S.I., see Bindel, T.H. (66) 209
Goodman, S.I., see Stokke, O. (66) 411
Goodwin, B.L., Ruthven, C.R.J., Fellows, L.E., Sandler, M. A specific method for the recovery of aromatic acids from biological fluids (73) 191
Gorgels, J.P.M.C., Van Manen, L., Peters, H.J. An assessment of the suitability of p-methoxybenzene diazoniumfluoborate (p-MDFB) for the determination of urinary urobilinogens (73) 179
Got, R., see Simonnet, H. (72) 33
Gotoh, F., see Takeoka, T. (71) 149
Goulle, J.P., Laine, G., Sauger, F., Maitrot, B., Bouillerot, A., Gray, H., Blondet, P., Dieryck, B. Modifications biochémiques dans un cas d'analbuminémie (Biochemical modifications in a case of analbuminemia (71) 143

Grabert, K., see Jockers-Wretou, E. (73) 183
Granda, H., see Heredero, L. (71) 515
Grandchamp, B., Phung, N'G., Grelier, M., Nordmann, Y.
The spectrophotometric determination of uroporphyrinogen I synthetase activity (70) 113
Grant, C., Routh, J.I., Lawton, W., Witte, D.L.
The effects of therapy for mild hypertension on circulating level of dopamine beta-hydroxylase (69) 333
Graves, L., see Biswas, S. (69) 541
Gray, D.O., see Reynolds, G.P. (70) 213
Gray, H., see Goulle, J.P. (71) 143
Green, J.
Lipoprotein pre-staining: Comparison of Nitroblue tetrazolium and Sudan Black B (66) 295
Greenwald, R.A., Moy, W.W.
Effect of agarose variability on the measurement of lysozyme activity (73) 299
Greenwood, H., see Nye, L. (69) 387
Gregersen, N., Lauritzen, R., Rasmussen, K.
Suberylglycine excretion in the urine from a patient with a dicarboxylic aciduria (70) 417
Grelier, M., see Grandchamp, B. (70) 113
Griffiths, R., Tudball, N.
Studies on the use of skin fibroblasts for the measurement of cystathionine synthase activity with respect to homocystinuria (73) 157
Grinstein, M., see San Martin de Viale, L.C. (69) 375
Groulade, J., Denis, M.C., Aveynier, E.
Méthodes immunochimiques d'identification de protéines après migration electrophorétique sur différents supports (Identification of proteins by immunochemical methods after electrophoretic runs on different supports) (67) 199
Grussendorf, M., see Hüfner, N. (69) 497
Guilbaud, J., see Lafargue, P. (66) 181
Guinet, R., see Collé, A. (67) 93
Gumiński, T.
Some glycolytic enzymes in normal cerebrospinal fluid, brain tissue and blood plasma of infants (71) 61
Gutteberg, T., Borud, O., Strømme, J.H.
Dopamine β-hydroxylase activity in serum following acute myocardial infarction: An evaluation of this parameter for routine use as an index of sympathetic activity (69) 61
Guzdek, A., Ciba, T., Sarnecka-Keller, M.
The influence of insulin on the proportion of neutral sugars in seromucoid of diabetic patients (72) 401
Guzdek, A., Kordowiak, A., Sarnecka-Keller, M.
The level and composition of seromucoid and nondialysable serum sugar-peptide fraction compared with the activity of galactosyl transferase (EC 2.4.1.38) of liver Golgi membranes in insulin-treated rats (72) 393

H

Hackett, L.P., Dusci, L.J.
Gas-liquid chromatographic determination of sulthiame in human plasma (66) 443
Hagen, C., McNeilly, A.S.
Evaluation of the specificity of a luteinizing hormone β and α subunit assay (69) 193
Hähnel, R., see Nicholls, T. (69) 127
Hähnel, R., see Ratajczak, T. (73) 379
Hähnel, R., see Wysocki, S.J. (67) 219
Hähnel, R., see Wysocki, S.J. (70) 399
Hähnel, R., see Wysocki, S.J. (71) 349
Hähnel, R., see Wysocki, S.J. (73) 373
Hallak, G.J., Wilkinson, J.H.
Action of metabolic inhibitors on the release of intracellular enzymes from human and rat lymphocytes and human erythrocytes (66) 251
Hallak, G.J., Wilkinson, J.H.
Membrane permeability in normal human lymphocytes and lymphocytes from patients with chronic lymphatic leukaemia (69) 341
Halliday, J.W., see McKeering, L.V. (67) 189
Halpern, B., see Faull, K.F. (70) 313
Halpern, B., see Faull, K.F. (73) 553
Hamada, S., Ishikawa, N., Imura, T., Torizuka, K., Matsumoto, Y., Honjo, K., Mayumi, T.
Detection of circulating carcinoembryonic antigen (CEA) by counter-immunoelectrophoresis (66) 365
Hamelink, M.L., see Staal, G.E.J. (68) 11
Hamet, M., see Cartier, P. (71) 429
Hamilton, W.
Long-term effects of aminoglutethimide on steroid metabolism in congenital adrenal hyperplasia (73) 135
Hammond, J., Wentz, P., Statland, B.E., Phillips, J.C., Winkel, P.
Daily variation of lipids and hormones in sera of healthy subjects (73) 347
Hammond, J., see Faull, K.F. (73) 553
Hansen, Sh., see Perry, T.L. (69) 441
Harada, S., see Inokuma, S. (69) 185
Haralambie, G.
Serum gamma-glutamyltranspeptidase and physical exercise (72) 363
Haralambie, G., Berg, A.
Resting muscle levels and the influence of exercise on serum amino acid-arylpeptidase activity in man (69) 433
Harrower, A.D.B., see Fyffe, J.A. (72) 261
Hartmann, L., see Ambert, J.P. (68) 31
Hartog, M., see Durrington, P.N. (71) 95
Hasslinger, K., see Blume, K.G. (71) 331
Hayakawa, T., Hino, M., Fuyamada, H., Nagatsu, T., Aoyama, H., Izawa, Y.
Lysyl oxidase activity in human normal skins and postburn scars (71) 245
Hayashi, C., see Yamaguchi, Y. (66) 449
Hayashi, Ch., see Tanaka, F. (68) 235
Hayem, A., see Laine, A. (67) 159
Hayes, L.C., Plapp, F.V., Brewer, G.J., Rucker, M., Moore, D., Tilzer, L.L., Chiga, M.
Electrophoresis of human multiple myeloma and Waldenström's macroglobulinaemia sera in sodium dodecyl sulfate polyacrylamide gels (66) 119
Healy, M.J.R., see Flynn, F.V. (70) 179
Hehrmann, R., see Hesch, R.-D. (70) 33
Heimberg, K.-W., see Fiehn, W. (73) 93
Helenius, T., see Liewendahl, K. (72) 301
Henderson, A.R., see Clark, P.I. (69) 361
Henderson, A.R., see Clark, P.I. (73) 207
Henderson, A.R., see McKenzie, D. (70) 333
Henderson, A.R., see Nealon, D.A. (66) 131
Herd, J.K., Forrest, T., Tschida, J.
Separation of dermatan sulfate from heparan sulfate in mucopolysaccharidosis urine by chromatography on Sephadex G-75 (68) 1
Heredero, L., Granda, H., Dorticós A.
A new form of the solubility test for hemoglobin S; Results from a survey of 3000 cases (71) 515
Herschkowitz, N.N., see Kohlschütter, A. (70) 463

Hesch, R.-D., Gatz, J., McIntosh, Chr.H. S., Janzen, J., Hehrmann, R. Radioimmunoassay of thyroxine-binding globulin in human plasma (70) 33
Hessel, L.W., Vermeer, B.J., Polano, M.K., De Jonge, H., De Pagter, H.A. Th., Van Gent, C.M. Primary hypolipoproteinemia in xanthomatosis (69) 405
Higgings, J.V., see Wilson, R.W. (69) 323
Hilgertová, J., see Rosenauerová-Ostrá, A. (73) 39
Hill, A., Casey, R., Zaleski, W.A. Difficulties and pitfalls in the interpretation of screening tests for the detection of inborn errors of metabolism (72) 1
Hindle, E.J., see Horrocks, R.H. (69) 93
Hino, M., Fuyamada, H., Nagatsu, T., Kurokawa, S., Okuyama, S. Glycylpropyl β-naphthylamidase activities in serum, liver and kidney of rats in chronic carbon tetrachloride intoxication (67) 103
Hino, M., see Hayakawa, T. (71) 245
Hirayama, C., Irisa, T. Serum cholesterol and bile acid in primary hepatoma (71) 21
Hoffenberg, R., see Bradwell, A.R. (71) 501
Hoffmann, J.J.M.L., van den Broek, W.G.M., Jansen, A.P. Automated determination of the antitrypsin activity of serum (71) 251
Hofmann, A.F., see Van Berge Henegouwen, G.P. (73) 469
Hohenwallner, W., Sommer, R., Wimmer, E. Über die Zuverlässigkeit der Bestimmung des Gesamtcholesterins im Rahmen regionaler Rundversuche (Studies on the accuracy and precision of total serum cholesterol in regional interlaboratory trials) (66) 19
Holmberg, I., see Björkhem, I. (68) 215
Holton, J.B., see Monk, A.M. (73) 537
Holtz, A.H., see Van Assendelft, O.W. (70) 161
Honda, N., see Igarashi, S. (68) 255
Honjo, I., see Ohshita, I. (67) 145
Honjo, K., see Hamada, S. (66) 365
Honour, J.W., see Shackleton, C.H.L. (69) 267
Hörchner, P., see Van den Berg, J.W.O. (73) 277
Hori, T., see Uete, T. (70) 329
Horiuchi, Y., see Inokuma, S. (69) 185
Hörnell, H., see Larsson, A. (73) 19
Horrocks, R.H., Hindle, E.J., Lawson, P.A., Orrell, D.H., Poole, A.J. A new method for the gas chromatographic examination of urinary organic acids (69) 93
Hoste, J., see Baert, N. (68) 355
Houpert, Y., Tarallo, P., Siest, G. Quantitative determination of granulocytic amino acids in healthy men and women (69) 383
Hoyle, P., see Corkill, J.A. (68) 141
Hrnčíř, Z., see Tichý, M. (70) 201
Hubert, I.L., see Shaw, W. (72) 69
Hubert, I.L., see Shaw, W. (73) 25
Hüfner, M., Knöpfle, M. Pharmacological influences on T_4 to T_3 conversion in rat liver (72) 337
Hüfner, N., Grussendorf, M. Radioimmunoassay for 3,3',5'-triiodothyronine (reverse T_3,R-T_3) in unextracted human serum (69) 497
Hulsman, J.A., see Cramers, C.A. (73) 97
Humbel, R. Rapid method for measuring arylsulfatase A and B in leucocytes as a diagnosis for sulfatidosis, mucosulfatidosis and mucopolysaccharidosis VI (68) 339
Humbel, R. Quantitative determination of dermatan sulfate in urine (69) 137
Hunt, E.G., see Metcalf, M.G. (67) 29
Hurst, N.P., see Rosalki, S.B. (73) 149
Hurst, R.E., Settine, J.M., Lorincz, A.E. A method for the quantitative determination of urinary glycosaminoglycans (70) 427
Hušek, P., Felt, V. Rapid and effective separation of thyroid hormones and iodide by thin-layer chromatography (72) 195
Huybrechts, W., see Beke, R. (70) 197

I

Ibayashi, H., see Kozuru, M. (66) 53
Ibrahim, I.I., see Premachandra, B.N. (70) 43
IFCC Section (1976) No. 1, (69) following p. 152
Provisional recommendation (1975) on Quality Control in Clinical Chemistry. Part 2. Assessment of analytical methods for routine use (Expert panel) (69) F 1
IFCC Section (1976) No. 2, (70) following p. 336
Provisional Recommendations on IFCC Methods for the measurement of catalytic concentrations of enzymes. Part 2. IFCC Method for aspartate aminotransferase (Expert Panel on Enzymes) (70) F 19
IFCC Section (1976) No. 3, (70) following p. 470
Current general regulations for preparation of IFCC Recommendations (70) F 43
Igarashi, S., Nagase, M., Oda, T., Honda, N.
Molecular sieving by glomerular basement membrane isolated from normal and nephrotic rabbits (68) 255
Ikenaka, T., see Gejyo, F. (70) 407
Imai, K., see Mashige, F. (70) 79
Imanari, T., Wilcox, G.M., Pisano, J.J.
Sensitive radiochemical esterolytic assays for urokinase (71) 267
Imura, T., see Hamada, S. (66) 365
Infante, R., see Salmon, S. (66) 311
Inokuma, S., Harada, S., Koyasako, F., Miyamoto, T., Horiuchi, Y.
Electrophoretic variation of serum α_1-antitrypsin treated with neuraminidase (69) 185
Irisa, T., see Hirayama, C. (71) 21
Irvine, W.J., see Seth, J. (68) 291
Ishibashi, K., see Miyai, K. (67) 263
Ishikawa, N., see Hamada, S. (66) 365
Issachar, D., Yinon, J.
Diagnosis of disorders in amino acid metabolism by chemical ionization mass spectrometry (73) 307
Ito, Y., see Ozeki, T. (71) 363
Izawa, Y., see Hayakawa, T. (71) 245

J

James, M.L., see Corkill, J.A. (68) 141
Jansen, A.P., see Hoffmann, J.J.M.L. (71) 251
Januszewicz, W., see Wocial, B. (66) 273
Janzen, J., see Hesch, R.-D. (70) 33
Jarofke, R., see Siegert, M. (73) 423
Jarrett, R.J., Verma, N.P., Keen, H.
Urinary albumin excretion in normal and diabetic subjects (71) 55
Jay, R., see Nye, L. (69) 387
Jenkins, M.V., see Wills, M.R. (73) 121
Jezuita, J.
Phosphate compounds in the erythrocytes of newborns with haemolytic disease (66) 303
Jezuita, J.
Phosphate compounds in the erythrocytes of newborns with ABO systems haemolytic disease (73) 387
Jindal, S.P., see Kahane, Z. (73) 203
Jockers-Wretou, E., Grabert, K., Müller, E., Pfleiderer, G.
Serum creatine kinase isoenzyme pattern in nervous system atrophies and neuromuscular disorders (73) 183
Johnson, B., see Tanaka, K. (69) 105
Johnson, K., see Bowie, L. (68) 349
Johnson, K., see Miller, J.P. (69) 81
Johnson, K.R., see Twigger, S. (72) 161
Jones, D.P., see Brown, T.R. (67) 321
Jongejan-Timmer, A., see Rademaker, B. (70) 349
Joplin, G.F., see Fisher, M.T. (70) 297
Joseph, M.H., Baker, H.F.
The determination of 5-hydroxytryptophan and its metabolites in plasma following administration to man (72) 125
Joshi, U.M., Sankolli, G.M., Rajani, U.
Secretion of oestrogens into saliva during pregnancy in the human (73) 565
Joung, J.I., see Cho, H.W. (73) 257
Jung, D.H., see Parekh, A.C. (73) 221
Just, H.-J., see Neumeier, D. (73) 445
Justová, V., Stárka, L., Wilczek, H., Pacovská, V.
A simple radioassay for 25-hydroxycholecalciferol without chromatography (70) 97

K

Kaczmarek, M.J., see Rosenmund, H. (71) 185
Kahane, Z., Jindal, S.P., Vestergaard, P.
Gaschromatographic estimation of 3,4-dihydroxy-phenylglycol in urine as the diacetyl-phenyl-bis(trimethyl)-silyl ether (73) 203
Kahn, A., Cottreau, D., Galand, C., Boivin, P.
Human erythrocyte phosphoglycerate kinase deficiency: Presence in a deficient patient of a stable variant with lowered catalytic activity (69) 21
Kahn, A., Marie, J., Bernard, J.-F., Cottreau, D., Boivin, P.
Mechanisms of the acquired erythrocyte enzyme deficiencies in blood diseases (71) 379
Kahn, A., Vives, J.-L., Bertrand, O., Cottreau, D., Marie, J., Boivin, P.
Glucose-phosphate isomerase deficiency due to a new variant (GP I Barcelona) and to a silent gene: Biochemical, immunological and genetic studies (66) 145
Kakimoto, F., see Sumi, T. (73) 233
Kakinuma, K., see Nakagawara, A. (70) 133
Kakkar, V.V., see Lane, D.A. (71) 15
Kalaidzidou, C., see Trichopoulou, A. (69) 355
Kalandidi, A., see Trichopoulou, A. (69) 355
Kaloud, H., see Sitzmann, F.C. (72) 343
Kamerling, J.P., see Wadman, S.K. (71) 477
Kamiyama, Y., see Ohshita, M. (67) 145
Kamyab, S., Kamyab, S.D.
Variations in serum iron and total iron binding capacity with the time of intake of combined oral contraceptives (66) 439
Kamyab, S.D., see Kamyab, S. (66) 439
Kan, M., see Ozeki, T. (71) 363
Kanno, T., see Sudo, K. (73) 1
Kapitulnik, J., see Birkett, D.J. (71) 129
Kappelgaard, A.M., Damjær Nielsen, M., Giese, J.
Measurement of angiotensin II in human plasma: Technical modifications and practical experience (67) 299
Kar, N.C., Pearson, C.M.
Arylamidases in normal and diseased human muscle (69) 311
Kar, N.C., Pearson, C.M.
A calcium-activated neutral protease in normal and dystrophic human muscle (73) 293
Karobath, M., see Röthler, F. (69) 457
Kather, H., Simon, B.
Catecholamine-sensitive adenylate cyclase of human fat cell ghosts. Characteristics of the GMP(PNP)-liganded state (73) 497
Kawai, S., see Suzuki, Y. (69) 219
Kawashima, M., see Miyai, K. (73) 241
Kean, E.A., see Tanaka, K. (69) 105
Keefe, M.B., see Tanaka, K. (69) 105
Keen, H., see Jarrett, R.J. (71) 55
Kelly, S., see Bakhru-Kishore, R. (70) 149
Kelly, S., see Bakhru-Kishore, R. (73) 89
Kennedy, J.H., Kricka, L.J., Wilding, P.
Protein-protein coupling reactions and the applications of protein conjugates (70) 1
Keränen, A., Lempinen, M., Puro, K.
Ganglioside pattern and neuraminic acid content of human gastric and colonic carcinoma (70) 103
Ketting, D., see Przyrembel, H. (66) 227
Ketting, D., see Wadman, S.K. (71) 477
Ketting, D., see Wadman, S.K. (72) 49
Khanam, A., Ataur Rahman, M.
Studies on blood saccharoid fraction in normal and diabetic subjects (71) 389
Khayam-Bashi, H., Sims, C., Parekh, A.C.
Interference of sodium azide with the quantitation of serum cholesterol: A comparative study (66) 69
Khayam-Bashi, H., Slaughter, S., Blanken, R.M.
Quantitative estimation of secretory immunoglobulin A by radial immunodiffusion technique (66) 63

Kihara, H., see Fujimoto, A. (68) 177
Kim, Y.S., see Whitehead, J.S. (72) 315
Kimura, A., see Fujisawa, K. (69) 251
King, J., see Nowniaz, F.N. (71) 109
King, S.W., Statland, B.E., Savory, J.
The effect of a short burst of exercise on activity values of enzymes in sera of healthy young men (72) 211
Kinoshita, Y., see Gejyo, F. (70) 407
Kishi, Y., see Sumi, T. (73) 233
Kitamura, M., see Nishina, T. (73) 463
Kitazawa, S., Komuro, T.
High-speed liquid chromatographic determination of antiepileptic drugs in human plasma (73) 31
Kithier, K., see Čejka, J. (67) 71
Klein, K., see Sudbury, B. (71) 81
Klein Elhorst, J.T., see Krugers Dagneaux, P.G.L.C. (71) 319
Klibansky, C., Ossimi, Z., Matoth, Y., Pinkhas, J., De Vries, A.
Accumulation of lactosyl ceramide in leukocytes of patients with adult Gaucher's disease (72) 141
Knedel, M., see Neumeier, D. (73) 445
Knoll, E., Wisser, H.
Radioimmunologische Bestimmung von 3,4-Dimethoxyphenyläthylamin im Urin (Radioimmunological estimation of 3,4-dimethoxyphenylethylamine in urine) (68) 327
Knöpfle, M., see Hüfner, M. (72) 337
Kobayashi, A., see Suzuki, Y. (69) 219
Kobayashi, K., see Taniguchi, N. (69) 471
Kochen, W., see Trefz, F.K. (73) 431
Koehl, C., Abecassis, J.
Determination of oxalic acid in urine by atomic absorption spectrophotometry (70) 71
Koheil, A., see Forstner, G. (70) 459
Kohlschütter, A., Wiesmann, U.N., Herschkowitz, N.N., Ferber, E.
Phospholipid composition of cultivated skin fibroblasts in Duchenne's muscular dystrophy (70) 463
Kolář, J., see Štěphán, J. (69) 1
Kolodny, E.H., Mumford, R.A.
Human leukocyte acid hydrolases: Characterization of eleven lysosomal enzymes and study of reaction conditions for their automated analysis (70) 247
Komoda, T., Sakagishi, Y., Mizushima, H.
Determination of isoenzyme contents for lactate dehydrogenase activity and 2-hydroxybutyrate dehydrogenase activity in lactate dehydrogenase preparations (72) 285
Komuro, T., see Kitazawa, S. (73) 31
Kondo, T., see Fuke, H. (69) 43
Konrad, P.N., see Paglia, D.E. (73) 395
Koorevaar, G., Van Stekelenburg, G.J.
Mammalian acetoacetate decarboxylase activity. Its distribution in subfractions of human albumin and occurrence in various tissues of the rat (71) 173
Kordowiak, A., see Guzdek, A. (72) 393
Korsan-Bengtsen, K., see Cederblad, G. (66) 9
Koster, J.F., Slee, R.G., Daegelen, D., Meienhofer, M.-C., Dreyfus, J.-C., Niermeyer, M.F., Fernandes, J.
Isoenzyme pattern of phosphorylase in white blood cells and fibroblasts from patients with liver phosphorylase deficiency (69) 121
Koster, J.F., Slee, R.G., van der Klei-van Moorsel, J.M., Rietra, P.J.G.M., Lucas, C.J.
Physico-chemical and immunological properties of acid α-glucosidase from various human tissues in relation to glycogenosis type II (Pompe's disease) (68) 49
Kostuk, W.J., see Clark, P.I. (69) 361
Kostuk, W.J., see Clark, P.I. (73) 207
Koyasako, F., see Inokuma, S. (69) 185
Kozuru, M., Nakashima, K., Ibayashi, H.
Specific precipitating antibody to human urinary erythropoietin (66) 53
Kraft, B., see Fuchs, Ch. (67) 99
Kricka, L.J., see Kennedy, J.H. (70) 1
Krieger, R., see Matern, S. (72) 39
Krishnamoorthy, R., Wajcman, H., Labie, D.
Isoelectrofocusing: A method of multiple applications for hemoglobin studies (69) 203
Krishnaswamy, K., see Shastri, R.A. (66) 157
Krugers Dagneaux, P.G.L.C., Klein Elhorst, J.T., Olthuis, F.M.F.G.
Oxalic acid determination in plasma (71) 319

Kubota, Y., see Ozeki, T. (71) 363
Kudchodkar, B.J., Sodhi, H.S.
Plasma cholesteryl esters turnover in man: comparison of in vivo and in vitro methods (68) 187
Kudoh, T., Orii, T., Nakao, T., Sakagami, T.
Three cases of G_{M_1}-gangliosidosis (70) 277
Kumahara, Y., see Miyai, K. (67) 263
Kumahara, Y., see Tanaka, F. (68) 235
Kumahara, Y., see Yamamoto, T. (67) 223
Küppers, H., Wiesen, K., Schnurr, E.
Determination of plasma angiotensin-II concentration; reliability of a practicable method for clinical purposes. R.A.A.-system during furosemide administration (71) 469
Kurokawa, S., see Hino, M. (67) 103
Kwant, G., see Dijkhuizen, P. (68) 79
Kyaw, A.
A new colorimetric method for serum iron determination (69) 351

L

Labie, D., see Krishnamoorthy, R. (69) 203

Lacasa, M., see Giudicelli, Y. (71) 445

Lafargue, P., Couture, J.-C., Monteil, R., Guilbaud, J., Saliou, L.
Evolution des concentrations sériques du cuivre et du zinc chez le brûlé (Evolution of serum copper and zinc levels in burn patients) (66) 181

Laine, A., Hayem, A.
Identification et caractérisation des constituants protéiques de la sécrétion bronchique humaine (Identification and characterization of proteins from human bronchial secretion) (67) 159

Laine, G., see Goulle, J.P. (71) 143

Lallement, C., see Gambert, P. (68) 271

Lam, K.W., Dekker, P.T., Castleman, J., Yam, L.T.
Studies of intracellular distribution of acid phosphatase 5 in the spleen cells of leukemic reticuloendotheliosis by isopycnic gradient centrifugation (70) 289

Lambotte, C., see Schoos-Barbette, S. (71) 239

Lamy, J., see Baglin, M.C. (68) 321

Landon, J., see Nye, L. (69) 387

Landon, J., see Watson, R.A.A. (73) 51

Lane, D.A., Rampling, M.W., Kakkar, V.V.
A comparison of the sulphite and thrombin methods for measuring fibrinogen concentration of plasma from patients undergoing thrombolytic therapy (71) 15

Lang, D.J., see Vitek, V. (70) 227

Lang, H., see Neumeier, D. (73) 445

Larsson, A., Mattsson, B.
On the mechanism of 5-oxoproline overproduction in 5-oxoprolinuria (67) 245

Larsson, A., Zetterström, R., Hörnell, H., Porath, U.
Erythrocyte glutathione synthetase in 5-oxoprolinuria: Kinetic studies of the mutant enzyme and detection of heterozygotes (73) 19

Larsson, I., see Von Schenck, H. (69) 225

Lathe, G.H., see Brocklehurst, D. (67) 269

Latner, A.L., see Emes, A.V. (71) 293

Lauber, K.
Photometric determination of nitrogen. Wet incineration followed by formation of Indophenol Blue with salicylate/hypochlorite (67) 107

Lauritzen, R., see Gregersen, N. (70) 417

Lauwerys, R., see Buchet, J.P. (73) 481

Lawrie, T.D.V., see Ballantyne, D. (70) 323

Lawson, D.E.M., see Garcia-Pascual, B. (68) 99

Lawson, P.A., see Horrocks, R.H. (69) 93

Lawton, W., see Grant, C. (69) 333

Leathem, A., Wiggins, R.
Cryoglobulins in urine (71) 353

Lechner, M.C., see Virella, G. (67) 137

Leclercq, M., see Collé, A. (67) 93

Lee, L.M.Y.
An unusual alkaline phosphatase isoenzyme in a patient with concomitant marked elevation of acid phosphatase without clinical evidence of prostatic carcinoma (71) 221

Lee, Y.T., see Leung, K.C. (72) 295

Le Gaillard, F., see Racadot, A. (66) 171

Legg, E.F., see Cooper, J.D.H. (72) 371

Lehmann, H.P., see Boyett, J.D. (69) 233

Lempinen, M., see Keränen, A. (70) 103

Leonard, J.P., Beckers, C.
Limits of the estimate of serum folate-binding protein by radioassay (70) 119

Lerário, A.C., see Wajchenberg, B.L. (68) 67

Leroux, M., see Baglin, M.C. (68) 321

Leung, K.C., Lee, Y.T., Fung, K.P., Yu, W.N., Yu, C.C.
β-Glucuronidase and oestrogens in hydatidiform mole (72) 295

Lever, M., see Munster, D.J. (68) 167

Lewis, B., see Ononogbu, I.C. (71) 397

Lie-Injo, L.E.
α-Antitrypsin with unusual behaviour (72) 83

Liewendahl, K., Helenius, T.
Effect of fatty acids on thyroid function tests in vitro and in vivo (72) 301

Lillienberg, L., Svanborg, A.
Determination of plasma cholesterol (Comparison of gas-liquid chromatographic, colorimetric and enzymatic analyses) (68) 223
Lim, H.H., see Buttery, J.E. (73) 109
Lim, P., Tan, I.K., Feng, P.H.
Elevated serum enzymes in patients with wasp/bee sting and their clinical significance (66) 405
Ling, R.S.M., see Corkill, J.A. (68) 141
Link, E., Schmidt-Wiederkehr, P.
Eine Modifikation der Eindimensionalen Immunelektrophorese nach Laurell unter Verwendung Polyvalenter Antiseren (A modification of Laurell's one-dimension electrophoresis using polyvalent antisera) (69) 447
Liskowski, L., Rose, D.P.
Experience with a simple method for estrogen receptor assay in breast cancer (67) 175
Liskowski, L., Rose, D.P., Dondlinger, T., Olenick, J.S.
The determination of progesterone receptors in breast cancer and their relationship to estrogen receptors (71) 309
Liskowski, L., see Rose, D.P. (67) 183
Lissitzky, S., see Bismuth, J. (69) 417
Lloyd, E.J., see Corkill, J.A. (68) 141
Lofberg, R.T., see Brown, N.D. (70) 239
Löhr, G.W., see Blume, K.G. (71) 331
Lorincz, A.E., see Hurst, R.E. (70) 427
Lowenthal, A., see Smeyers-Verbeke, J. (68) 343
Lucas, C.J., see Koster, J.F. (68) 49
Lust, G., Seegmiller, J.E.
A rapid, enzymatic assay for measurement of inorganic pyrophosphate in biological samples (66) 241
Lustig, V., Patten, R.
Activation of aspartate transaminase by pyridoxal 5′-phosphate in the serum of normal subjects (69) 101
Luthier, B., see Bardos, P. (66) 353
Lutz, P., see Trefz, F.K. (73) 431

M

McIntosh, Ch., see Fuchs, Ch. (67) 99
McIntosh, Chr.H.S., see Hesch, R.-D. (70) 33
Mack, R.E., see Brown, T.R. (67) 321
Mack, U., see McKeering, L.V. (67) 189
McKeering, L.V., Halliday, J.W., Caffin, J.A., Mack, U., Powell, L.W.
Immunological detection of isoferritins in normal human serum and tissue (67) 189
McKenzie, D., Henderson, A.R.
An artefact in lactate dehydrogenase isoenzyme patterns, assayed by fluorescence, occurring in the serum of patients with end-stage renal disease requiring maintenance haemodialysis (70) 333
MacLean, J., see Perry, T.L. (69) 441
McNeilly, A.S., see Hagen, C. (69) 193
McPherson, K., see Flynn, F.V. (70) 179
McVeigh, S., see Beastall, G.H. (70) 343
Maddrey, W.C., see Mezey, E. (68) 313
Madelian, V., see Warren, W.A. (70) 285
Magerstedt, P., see Freise, J. (73) 267
Maillavin, A., see Borel-Giraud, N. (71) 117
Maitrot, B., see Goulle, J.P. (71) 143
Mäkinen, K.K., Virtanen, K.K.
Aminopeptidase B in human serum (67) 213
Malmendier, C.L., Amerijckx, J.P.
Apoprotein profile of plasma and chylous ascites lipoproteins (68) 259
Malvano, R., Orlandini, S., Cozzani, P., Duranti, P., Simonini, N., Salvetti, A.
Methodological simplifications in radioimmunoassay of urinary aldosterone (66) 331
Malvano, R., see Quihillalt, L. (72) 187
Malvano, R., see Rolleri, E. (66) 319
Mandel, P., see Aunis, D. (70) 455
Mansour, M.M., see Mikhail, M.M. (71) 207
Manuel, Y., see Collé, A. (67) 93
Marie, J., see Kahn, A. (66) 145
Marie, J., see Kahn, A. (71) 379
Marshall, R.W., Robertson, W.G.
Nomograms for the estimation of the saturation of urine with calcium oxalate, calcium phosphate, magnesium ammonium phosphate, uric acid, sodium acid urate, ammonium acid urate and cystine (72) 253
Martel, M.B., see Simonnet, H. (72) 33
Maruhn, D.
Rapid colorimetric assay of β-galactosidase and N-acetyl-β-glucosaminidase in human urine (73) 453
Masarei, J.R.L., see Ambler, P.K. (70) 379
Mashige, F., Imai, K., Osuga, T.
A simple and sensitive assay of total serum bile acids (70) 79
Massart, D.L., see Smeyers-Verbeke, J. (68) 343
Massart, D.L., see Wuyts, L. (72) 405
Massi, G., see Musiani, P. (73) 561
Matern, S., Krieger, R., Gerok, W.
Radioimmunoassay of serum conjugated cholic acid (72) 39
Matoth, Y., see Klibansky, C. (72) 141
Matsuda, I., see Taniguchi, N. (69) 471
Matsumiya, H., see Tamachi, H. (68) 195
Matsumoto, Y., see Hamada, S. (66) 365
Mattar, E., see Wajchenberg, B.L. (68) 67
Mattson, B., see Larsson, A. (67) 245
Maury, P.
Excretion of neuraminic acid-containing trisaccharides in the urine during pregnancy (71) 335
Mayumi, T., see Hamada, S. (66) 365
Meaney, R.F., Carey, W.F., Pollard, A.C.
A transient variant of serum lactate dehydrogenase isoenzymes (73) 127
Meienhofer, M.-C., see Koster, J.F. (69) 121
Meijers, C.A., see Cramers, C.A. (73) 97
Melissinos, K.G., Vlassopoulos, K., Drivas, G., Tsoukantas, A.
The catalase activity of erythrocytes in chronic renal failure (66) 267
Meltzer, H.Y., see Cho, H.W. (73) 257
Mesquita, C.H., see Wajchenberg, B.L. (68) 67
Metcalf, M.G., Hunt, E.G.
Use of small samples of urine to monitor testicular response to human/chorionic gonadotropin (67) 29

Meunier, J.C.
A low cost gamma-vial for counting ^{125}I with a liquid scintillation counter (66) 141
Mezey, E., Potter, J.J., Maddrey, W.C.
Hepatic collagen proline hydroxylase activity in alcoholic liver disease (68) 313
Mikac-Dević, D., see Stanković, H. (70) 123
Mikhail, M.M., Mansour, M.M.
The relationship between serum carnitine levels and the nutritional status of patients with schistosamiasis (71) 207
Miles, B.S., see Bindel, T.H. (66) 209
Miller, A.L., see Chu, P. (66) 281
Miller, J.P., Johnson, K.
A critical examination of the value of combined determinations of lecithin: cholesterol acyltransferase and lipoprotein-X in the differential diagnosis of liver diseases (69) 81
Millner, S.N., Taber, C.A.
Rapid determination of urine estriol by an on-column derivatization procedure (71) 67
Mills, G.L., see Chu, P. (66) 281
Milunsky, A., see Dulaney, J.T. (69) 305
Minakami, S., see Nakagawara, A. (70) 133
Minato, S., Tamaoki, H., Mizushima, H.
Application of nicotinamide-adenine dinucleotide analogs for clinical enzymology. A spectrophotometric method for clinical analysis of lactate dehydrogenase patterns with the use of a nicotinamide-adenine dinucleotide analog (69) 243
Minato, S., see Fujisawa, K. (69) 251
Miras-Portugal, M.-T., see Aunis, D. (70) 455
Miwa, S., see Oda, E. (68) 93
Miyai, K., Ishibashi, K., Kumahara, Y.
Enzyme-linked immunoassay of thyrotropin (67) 263
Miyai, K., Nishi, K., Kawashima, M., Oura, T., Tsuruhara, T.
An improved assay of thyrotropin in dried blood samples on filter paper as a screening test for neonatal hypothyroidism (73) 241
Miyai, K., see Tanaka, F. (68) 235
Miyai, K., see Yamamoto, T. (67) 223
Miyamoto, T., see Inokuma, S. (69) 185
Miyazaki, S., see Nakagawara, A. (70) 133
Mizushima, H., see Fujisawa, K. (69) 251
Mizushima, H., see Komoda, T. (72) 285
Mizushima, H., see Minato, S. (69) 243
Moe, P.G., see Stokke, O. (66) 411
Moerman, E.J., Bogaert, M.G., De Schaepdryver, A.F.
Estimation of plasma catecholamines in man (72) 89
Mohanty, D., see Das, K.C. (66) 263
Molinary, S.V., see Petty, F. (66) 111
Molzer, B., Bernheimer, H.
Detection of G_{M_2}-gangliosidosis (Tay-Sachs and Sandhoff disease) gene carriers by serum hexosaminidase assay (73) 163
Mondrup, M., Anker, N.
Carbonic anhydrase isoenzyme B in erythrocytes of subjects with different types of anemia (69) 463
Monk, A.M., Holton, J.B.
Galactose-1-phosphate uridyltransferase in cultured cells (73) 537
Monteil, R., see Lafargue, P. (66) 181
Mood, D.W., see Čejka, J. (67) 71
Moore, B., see Sturdee, D.W. (72) 233
Moore, D., see Hayes, L.C. (66) 119
Moore, R.A., Ryan, M., Penfold, W.A.F.
An improved manifold design for rapid automated oestrogen assay (67) 1
Morgan, H.G., see Bedford, D.K. (70) 267
Morgan, H.G., see Shepherd, J. (66) 97
Mori, K., see Takeoka, T. (71) 149
Morin, L.G.
A single nonaqueous diazo reagent for the rapid determination of bilirubin in serum without lipemic interference (71) 9
Morin, R.J.
Rapid enzymatic determination of free and esterified cholesterol content of serum and tissues (71) 75
Morin, R.J., Barry, R.E.
Lipid composition of bile in morbid obesity before and after jejunoileal bypass surgery (69) 479
Morris, B.J.
Specific radioactivity of radioimmunoassay tracer determined by self-displacement: A re-evaluation (73) 213
Morris, D., see Scherz, R. (69) 551
Morris, J.F., Peacock, M.
Assay of plasma 25-hydroxy vitamin D (72) 383
Moser, H.W., see Dulaney, J.T. (69) 305

Moss, D.W.
Reactivation of the apoenzyme of aspartate aminotransferase in serum (67) 169
Moss, D.W., see Forman, D.T. (68) 287
Moss, D.W., see Samuelson, R.C. (72) 157
Moss, D.W., see Whitaker, K.B. (71) 277
Moss, D.W., see Whitaker, K.B. (71) 285
Motoyama, E.K., Namba, Y., Rooney, S.A.
Phosphatidylcholine content and fatty acid composition of tracheal and gastric liquids from premature and full-term newborn infants (70) 449
Motoyama, E.K., see Rooney, S.A. (69) 525
Moy, W.W., see Greenwald, R.A. (73) 299
Muckle, T.J.
A third form of electrophoretic dye-induced-mobility alteration (DIMA): Polymorphism of alpha-1 lipoprotein as revealed by immunoelectrophoresis with Thymol Blue (73) 57
Muckle, Th.J., see Edwards, J.S. (67) 35
Muh, J.P., see Bardos, P. (66) 353
Müller, E., see Jockers-Wretou, E. (73) 183
Mumford, R.A., see Kolodny, E.H. (70) 247
Munster, D.J., Lever, M., Carrell, R.W.
Contributions of other sterols to the estimation of cholesterol (68) 167
Murison, J., Festi, D., Ross, P.E., Bouchier, I.A.D.
The estimation of phospholipids in bile (68) 159
Museur, G., Bagrel, A., Siest, G.
Ornithine carbamoyltransferase activity. Use of bovine liver extract in quality control (66) 219
Musiani, P., Massi, G., Piantelli, M.
Separation of different molecular forms of serum α_1-antitrypsin (73) 561
Musilová, J., see Adam, M. (69) 53
Musilová, J., see Adam, M. (70) 61

N

Nachbaur, E., see Spath, P. (73) 171
Nagaki, J., Teraoka, M.
Age and sex differences of sodium and potassium concentration in red blood cells (66) 453
Nagase, M., see Igarashi, S. (68) 255
Nagatsu, T., see Hayakawa, T. (71) 245
Nagatsu, T., see Hino, M. (67) 103
Najman, A., see Garreau, H. (68) 245
Nakagawara, A., Kakinuma, K., Shin, H., Miyazaki, S., Minakami, S.
Lack of cytochalasin E-induced superoxide release by polymorphonuclear leucocytes of patients with chronic granulomatous disease: A new diagnostic test (70) 133
Nakamura, E., Rosenberg, L.E., Tanaka, K.
Microdetermination of methylmalonic acid and other short chain dicarboxylic acids by gas chromatography: Use in prenatal diagnosis of methylmalonic acidemia and in studies of isovaleric acidemia (68) 127
Nakao, T., see Kudoh, T. (70) 277
Nakashima, K., see Kozuru, M. (66) 53
Nakashima, K., see Oda, E. (68) 93
Nakayama, K., see Noma, A. (73) 487
Namba, Y., see Motoyama, E.K. (70) 449
Nasrallah, S.M., see Turjuman, N. (67) 113
Nealon, D.A., Henderson, A.R.
The apparent Arrhenius relationships of the human creatine kinase isoenzymes using the Oliver-Rosalki assay (66) 131
Neumeier, D., Prellwitz, W., Würzburg, U., Brundobler, M., Olbermann, M., Just, H.-J., Knedel, M., Lang, H.
Determination of creatine kinase isoenzyme MB activity in serum using immunological inhibition of creatine kinase M subunit activity. Activity kinetics and diagnostic significance in myocardial infarction (73) 445
Nicholls, T., Hähnel, R., Wilkinson, S., Wysocki, S.
Identification of 2-hydroxybutyric acid in human amniotic fluid (69) 127
Niebrój-Dobosz, I.
Application of an exponential curve equation for calculation of serum creatine kinase activity (66) 165
Niebrój-Dubosz, I.
The influence of cysteine, reduced glutathione and 2-mercaptoethanol on creatine phosphokinase activity in muscular diseases (71) 327
Nielsen, H.G., see Andersen, G.E. (66) 29
Niermeyer, M.F., see Koster, J.F. (69) 121
Nieschlag, E., see Wickings, E.J. (71) 439
Nishi, K., see Miyai, K. (73) 241
Nishibe, H.
Ultramicromethod for the determination of human arginase in the presence of urea (71) 413
Nishida, Y., see Nishizawa, T. (67) 15
Nishimura, K., see Sugahara, K. (72) 265
Nishina, T., Okoshi, K., Kitamura, M.
Improved method for measurement of serum levels of phenobarbital, carbamazepine, primidone and diphenylhydantoin by gas-liquid chromatography (73) 463
Nishizawa, T., Nishida, Y., Akaoka, I.
Erythrocyte adenosine kinase activity in gout (67) 15
Noma, A., Nakayama, K.
Comparative studies on cholesterol oxidases from different sources (73) 487
Nordmann, R., see Giudicelli, Y. (71) 445
Nordmann, Y., see Grandchamp, B. (70) 113
Nørgaard-Pedersen, B., Axelsen, N.H.
Alpha-fetoprotein-like activity in sera from patients with malignant and non-malignant disease and healthy individuals (71) 343
Norman, A.P., see Biswas, S. (69) 541
Nowniaz, F.N., King, J.
Oxidation of lactate by human serum (71) 109
Nye, L., Forrest, G.C., Greenwood, H., Gardner, J.S., Jay, R., Roberts, J.R., Landon, J.
Solid-phase, magnetic particle radioimmunoassay (69) 387

O

Oberholzer, V.G., Palmer, T.
Increased excretion of N-carbamoyl compounds in patients with urea cycle defects (68) 73
Oda, E., Nakashima, K., Shinohara, K., Miwa, S.
Isoelectric focusing of normal human erythrocyte pyruvate kinase (PK) and PK variants with abnormal electrophoretic patterns (68) 93
Oda, T., see Igarashi, S. (68) 255
Oda, T., see Oka, H. (67) 131
Ogasawara, T., see Ozeki, T. (71) 363
Ohbe, Y., see Suzuki, Y. (69) 219
Ohlsson, K., Åkesson, U.
α_1-Antichymotrypsin interaction with cationic proteins from granulocytes (73) 285
Ohlsson, K., Skude, G.
Demonstration and semiquantitative determination of complexes between various proteases and human α_2-macroglobulin (66) 1
Öhman, G., see Björkhem, I. (71) 199
Öhman, G., see Björkhem, I. (72) 353
Ohno, H., see Taniguchi, N. (69) 471
Ohsawa, Y., see Tamachi, H. (68) 195
Ohshita, M., Takeda, H., Kamiyama, Y., Ozawa, K., Honjo, I.
A direct method for the estimation of ornithine carbamoyltransferase activity in serum (67) 145
Oka, H., Suzuki, S., Suzuki, H., Oda, T.
Increased urinary excretion of L-xylulose in patients with liver cirrhosis (67) 131
Okoshi, K., see Nishina, T. (73) 463
Okuyama, S., see Hino, M. (67) 103
Olberman, M., see Neumeier, D. (73) 445
Olenick, J.S., see Liskowski, L. (71) 309
Olesen, H., see Soliman, H.A. (69) 543
Oliver, L.K., Sweet, R.V.
A system of interpretation of infrared spectra of calculi for routine use in the clinical laboratory (72) 17
Olšovská, Z., see Adam, M. (70) 61
Olthuis, F.M.F.G., see Krugers Dagneaux, P.G.L.C. (71) 319
Ononogbu, I.C., Lewis, B.
Lipoprotein fractionation by a precipitation method. A simple quantitative procedure (71) 397
Oost-Harwig, O.I., see Van den Berg, J.W.O. (73) 277
Opincaru, A., see Cucuiani, M. (71) 419
Orii, T., see Kudoh, T. (70) 277
Orlandini, S., see Malvano, R. (66) 331
Orlandini, S., see Rolleri, E. (66) 319
Orrell, D.H., see Horrocks, R.H. (69) 93
Orrell, D.H., see Poole, A.J. (73) 527
Osang, M., see Shin-Bühring, Y. (70) 371
Osinga, A., de Wolff, F.A.
Determination of quinidine in human serum in the presence of diuretics (73) 505
Osorio, C., see Campillo, J.E. (73) 475
Ossimi, Z., see Klibansky, C. (72) 141
Osuga, T., see Mashige, F. (70) 79
Otte, M., see Bornschein, W. (67) 21
Oura, T., see Miyai, K. (73) 241
Ove, P., see Sudbury, B. (71) 81
Ozawa, K., see Ohshita, M. (67) 145
Ozeki, T., Tokawa, Y., Ogasawara, T., Kubota, Y., Takenaka, K., Ito, Y., Sato, K., Kan, M.
Degradation of arylsulfate by hepatic microsomes (71) 363

P

Pacovská, V., see Justová, V. (70) 97
Padieu, P., see Gambert, P. (68) 271
Paglia, D.E., Konrad, P.N., Wolff, J.A., Valentine, W.N.
Biphasic reaction kinetics in an anomalous isozyme of erythrocyte pyruvate kinase (73) 395
Palem-Vliers, M., see Sulon, J. (72) 275
Palmer, T., see Oberholzer, V.G. (68) 73
Palmoski, M., Brandt, K.D.
Hyaluronate-binding by proteoglycans. Comparison of mildly and severely osteoarthritic regions of human femoral cartilage (70) 87
Panegyres, P.K., see Wysocki, S.J. (70) 399
Panseri, C., see Franzini, C. (69) 73
Pardaens, Y., see Etienne, J. (72) 201
Parekh, A.C., Cook, S., Sims, C., Jung, D.H.
A new method for the determination of serum creatinine based on reaction with 3,5-dinitrobenzoyl chloride in an organic medium (73) 221
Parekh, A.C., see Khayam-Bashi, H. (66) 69
Parijs, J., de Weerdt, G.A., Beke, R.. Barbier, F.
Stereospecific distribution of fatty acids in human plasma triglycerides (66) 43
Parijs, J., see Beke, R. (70) 197
Parijs, J., see Beke, R. (71) 27
Pasternack, A., Tenhunen, R.
Low serum bilirubin in chronic renal failure. Relation to haem metabolism (67) 85
Pattabiraman, T.N., see Rambabu, K. (73) 251
Patten, R., see Lustig, V. (69) 101
Payne, R.B., see Twigger, S. (72) 161
Peacock, M., see Morris, J.F. (72) 383
Pearson, C.M., see Kar, N.C. (69) 311
Pearson, C.M., see Kar, N.C. (73) 293
Pecci, J., see Giovanniello, T.J. (67) 7
Pecquery, R., see Giudicelli, Y. (71) 445
Penfold, W.A.F., see Moore, R.A. (67) 1
Pennock, C.A., see Sewell, A.C. (68) 123
Peralta, E., Gelpí, E.
Simultaneous analysis of catecholamine acidic metabolites by single ion monitoring and manual control of the magnetic field (73) 13
Percy-Robb, I.W., see Telfer Brunton, W.A. (69) 131
Perle, G., see Saifer, A. (67) 315
Perry, T.L., Hansen, Sh., MacLean, J.
Cerebrospinal fluid and plasma glutamine elevation by anticonvulsant drugs: A potential diagnostic and therapeutic trap (69) 441
Peters, H.J., see Gorgels, J.P.M.C. (73) 179
Petrie, A., see Fisher, M.T. (70) 297
Petty, F., Tucker, H.N., Molinary, S.V., Flynn, N.W., Wander, J.D.
Quantitation of glycine in plasma and urine by chemical ionization mass fragmentography (66) 111
Peytremann, A., see Garcia-Pascual, B. (68) 99
Pfeiffer, C.C., see Sohler, A. (70) 391
Pfleiderer, G., see Jockers-Wretou, E. (73) 183
Phillipou, G., Poulos, A.
The quantitation of plasma phytanic acid by mass fragmentography (72) 319
Phillipou, G., see Bigham, D.A. (69) 537
Phillips, J.C., see Hammond, J. (73) 347
Phung, N'G., see Grandchamp, B. (70) 113
Piantelli, M., see Musiani, P. (73) 561
Pierides, A.M., see Skillen, A.W. (72) 245
Pieroni, R.R., see Wajchenberg, B.L. (68) 67
Pinkhas, J., see Klibansky, C. (72) 141
Pinon, J.-C., Turpin, G.
Apoliprotein of the low density of lipoprotein of human plasma: Structural study of familial hyperbetalipoproteinemia (70) 259
Piper, K.A.J., see Flynn, F.V. (70) 179
Piper, R.J., see Corkill, J.A. (68) 141
Pisano, J.J., see Imanari, T. (71) 267
Pitkänen, E.
Changes in serum and urinary myo-inositol levels in chronic glomerulonephritis (71) 461

Plapp, F.V., see Hayes, L.C. (66) 119
Poisetti, P.G., see Scarpioni, L. (68) 107
Polano, M.K., see Hessel, L.W. (69) 405
Pollard, A.C., see Fellenberg, A.J. (69) 423
Pollard, A.C., see Fellenberg, A.J. (69) 429
Pollard, A.C., see Meaney, R.F. (73) 127
Pollard, A.C., see Poulos, A. (72) 327
Pollard, A.C., see Poulos, A. (73) 353
Polonovski, J., see Salmon, S. (66) 311
Pommelet, P., see Rousseaux, J. (71) 35
Poole, A.J., Slater, D.I., Orrell, D.H.
The preparation of trimethylsilyl derivatives of sodium salts of organic acids (73) 527
Poole, A.J., see Horrocks, R.H. (69) 93
Poortman, J., see Rademaker, B. (70) 349
Poortmans, J., see Galteau, M.M. (66) 89
Pop, M., see Cucuianu, M. (71) 419
Popova, I.A., see Rosenfeld, E. (67) 123
Porath, U., see Larsson, A. (73) 19
Potter, J.J., see Mezey, E. (68) 313
Poulik, M.D., see Shuster, J. (67) 307
Poulos, A., Pollard, A.C.
A rapid method for the estimation of β-galactocerebrosidase, β-glucocerebrosidase and sphingomyelinase activities in leukocytes (72) 327
Poulos, A., Pollard, A.C.
A potential source of error in the enzymatic diagnosis of the neurolipidoses when radiolabelled sphingolipids are used as substrates (73) 353
Poulos, A., see Phillipou, G. (72) 319
Powell, J., see Shaw, W. (73) 25
Powell, L.W., see McKeering, L.V. (67) 189
Pratt, J.J., Woldring, M.G.
Radioimmunoassay specificity and the "first-come, first served effect" (68) 87
Prellwitz, W., see Neumeier, D. (73) 445
Premachandra, B.N., Ibrahim, I.I.
A simple and rapid thyroxine radioimmunoassay (T_4-RIA) in unextracted human serum; a comparison on T_4-RIA and T_4 displacement assay, T_4(D), in normal and pathologic sera (70) 43
Premeau, M.R., see Tewksbury, D.A. (73) 67
Price, C.P., see Standing, S. (66) 393
Price, J.
Increased tryptaminuria after an acid load (72) 269
Price, R.G., see Wellwood, J.M. (69) 85
Prince, H.P., see Bradwell, A.R. (71) 501
Prizont, R., see Whitehead, J.S. (72) 315
Przyrembel, H., Wendel, U., Becker, K., Bremer, H.J., Bruinvis, L., Ketting, D., Wadman, S.K.
Glutaric aciduria Type II: Report on a previously undescribed metabolic disorder (66) 227
Przyrembel, H., see Wadman, S.K. (71) 477
Purkiss, P., see Andrews, T.M. (68) 17
Puro, K., see Keränen, A. (70) 103

Q

Quesada, T., see Campillo, J.E. (73) 475
Quihillalt, L., Rolleri, E., Malvano, R.
Solid-phase radioimmunoassay of
plasma triiodothyronine (72) 187

R

Racadot, A., Racadot-Leroy, N., Le Gaillard, F., Dautrevaux, M.
Dosage de la transcortine sérique par électro-immunodiffusion (Determination of serum transcortin levels by electroimmunodiffusion) (66) 171

Racadot-Leroy, N., see Racadot, A. (66) 171

Rademaker, B., Jongejan-Timmer, A., Poortman, J., Thijssen, J.H.H.
A semi-automated method for the determination of 11-deoxy-17-oxosteroids in urine (70) 349

Rádl, J., see Čejka, J. (67) 71

Rahbani-Nobar, M., see Emes, A.V. (71) 293

Rajani, U., see Joshi, U.M. (73) 565

Rambabu, K., Pattabiraman, T.N.
Studies on γ-glutamyl transpeptidase of human urine (73) 251

Rampling, M.W., Gaffney, P.J.
The sulphite precipitation method for fibrinogen measurement: Its use on small samples in the presence of fibrinogen degradation products (67) 43

Rampling, M.W., see Lane, D.A. (71) 15

Ramsdell, H.S., see Baretz, B.H. (73) 199

Ramsdell, H.S., see Tanaka, K. (69) 105

Ramsden, D.B., see Bradwell, A.R. (71) 501

Raptis, S., see Schlegel, W. (73) 439

Rasmussen, K., see Gregersen, N. (70) 417

Ratajczak, T., Hähnel, R.
An assay for sex hormone binding globulin based on affinity chromatography (73) 379

Ravnskov, U., see Svensson, L. (73) 415

Raymakers, J.A., see Roelofs, J.M.M. (67) 53

Reid, R.G., see Young, J.L. (69) 11

Reinders, J., see Reman, F.C. (71) 261

Reman, F.C., van der Voort, H., van Gent, C.M., Reinders, J.
Zero electrophoretic mobility of very low density lipoproteins in Type III hyperlipidemic patients during treatment (71) 261

Renner, I.G., see Rinderknecht, H. (73) 369

Rennert, O.M., see Cooper, K.D. (73) 71

Reynolds, G.P., Gray, D.O.
A method for the estimation of 2-phenylethylamine in human urine by gas chromatography (70) 213

Rider, C.C., see Goldberg, D.M. (71) 89

Rietra, P.J.G.M., see Koster, J.F. (68) 49

Rinderknecht, H., Renner, I.G., Carmack, C.
Activation of human pancreatic juice (73) 369

Ripoll, J.-P.
Détermination du calcium sérique par une technique utilisant le bleu de méthylthymol (Colorimetric determination of calcium in serum using methylthymol blue) (72) 133

Ritland, S., Stokke, K.T., Gjone, E.
Changes in the concentration of lipoprotein-X during incubation of post-heparin plasma from patients with familial lecithin:cholesterol acyltransferase (LCAT) deficiency (67) 63

Roberts, J.R., see Nye, L. (69) 387

Robertson, W.G., see Marshall, R.W. (72) 253

Roelofs, J.M.M., Raymakers, J.A.
Calculation of three hours calcium absorption from a double isotope test: A simplified method (67) 53

Roels, H., see Buchet, J.P. (73) 481

Rolleri, E., Zannino, M., Orlandini, S., Malvano, R.
Direct radioimmunoassay of plasma cortisol (66) 319

Rolleri, E., see Quihillalt, L. (72) 187

Rooney, S.A., Motoyama, E.K.
Studies on the biosynthesis of pulmonary surfactant. The role of the methylation pathway of phosphatidylcholine biosynthesis in primate and non-primate lung (69) 525

Rooney, S.A., see Motoyama, E.K. (70) 449

Rosalki, S.B., Hurst, N.P.
Transient presence in serum of an atypical alkaline phosphatase (73) 149

Rose, D.P., Liskowski, L.
Corticosteroid sulfate excretion and estrogen receptors in breast cancer (67) 183
Rose, D.P., see Liskowski, L. (67) 175
Rose, D.P., see Liskowski, L. (71) 309
Roseleur, O.J., van Gent, C.M.
Alkaline and enzymatic hydrolysis of conjugated bile acids (66) 269
Rosenauerová-Ostrá, A., Hilgertová, J., Šonka, J.
Urinary formiminoglutamate in man: Normal values related to sex and age. Effects of low calorie intake and alcohol consumption (73) 39
Rosenberg, L.E., see Nakamura, E. (68) 127
Rosenfeld, E., Popova, I.A., Chibisov, I.V.
Some cases of Type III glycogen storage disease (67) 123
Rosenmund, H., Kaczmarek, M.J.
Isolation and characterization of isoenzymes of human salivary and pancreatic alpha-amylase (71) 185
Ross, E.J., see Scandrett, M.S. (72) 97
Ross, E.J., see Scandrett, M.S. (72) 165
Ross, P.E., see Murison, J. (68) 159
Rossi-Fanelli, F., Cangiano, C., Attili, A., Angelico, M., Cascino, A., Capocaccia, L., Strom, R., Crifò, C.
Octopamine plasma levels and hepatic encephalopathy: A re-appraisal of the problem (67) 255
Röthler, F., Karobath, M.
Quantitative determination of unconjugated pterins in urine by gas chromatography/mass fragmentography (69) 457
Rousseaux, J., Debeaumont, D., Scharfman, A., Pommelet, P., Dautrevaux, M., Biserte, G.
Bisalbuminémies au cours des pancréatites: Modifications structurales de la sérumalbumine humaine par les enzymes protéolytiques du pancréas (Bisalbuminaemia in pancreatitis: structural modifications of human serum albumin by proteolytic enzymes of the pancreas) (71) 35
Roussel, P., see Scharfman, A. (66) 371
Routh, J.I., see Grant, C. (69) 333
Rowan, R.M., see Shenkin, A. (72) 223
Roy Choudhury, S.K., see Chakraborty, D.P. (72) 219
Ruben, A.Th., see Van Berge Henegouwen, G.P. (73) 469
Rucker, M., see Hayes, L.C. (66) 119
Ruhenstroth-Bauer, G., see Scherer, R. (66) 417
Ruthven, C.R.J., see Goodwin, B.L. (73) 191
Ryan, M., see Moore, R.A. (67) 1

S

Saifer, A., Amoroso, J., Perle, G.
Urinary hexosaminidase analysis for the identification of Tay-Sachs genotypes (67) 315
Sakagami, T., see Kudoh, T. (70) 277
Sakagishi, Y., see Komoda, T. (72) 285
Sakai, T., see Yoshida, A. (73) 315
Saliou, L., see Lafargue, P. (66) 181
Salmon, S., Alcindor, L.-G., Beucler, I., Ayrault-Jarrier, M., Infante, R., Chevet, D., Polonovski, J.
Etude immunoélectrophorétique des lipoprotéines plasmatiques dans un cas de déficience familiale en lécithine-cholestérol acyltransferase (An immunoelectrophoretic study of plasma lipoproteins in a case of familial deficiency of lecithin-cholesterol acyltransferase) (66) 311
Salvetti, A., see Malvano, R. (66) 331
Samuelson, R.C., Moss, D.W.
Comparison of ethanol-precipitation and heat-inactivation in the identification of alkaline phosphatases from bone and liver in serum (72) 157
Sandler, M., see Goodwin, B.L. (73) 191
Sankolli, G.M., see Joshi, U.M. (73) 565
San Martin de Viale, L.C., De Calmanovici, R.W., Del C. Ríos de Molina, M., Grinstein, M.
Studies on porphyrin biosynthesis in lead-intoxicated rabbits (69) 375
Sarnecka-Keller, M., see Guzdek, A. (72) 393
Sarnecka-Keller, M., see Guzdek, A. (72) 401
Sato, K., see Ozeki, T. (71) 363
Sato, T., see Taniguchi, N. (69) 471
Sauar, J., Blomhoff, J.P., Gjone, E.
Triglyceride lipases in acute hepatitis (71) 403
Sauger, F., see Goulle, J.P. (71) 143
Savory, J., see King, S.W. (72) 211
Scandrett, M.S., Ross, E.J.
Polyamide thin-layer chromatography of corticosteroids: a substitute for column chromatography with LH-20 (72) 165
Scandrett, M.S., Wilson, M., Ross, E.J.
An isolation system for aldosterone and tetrahydroaldosterone prior to estimation by gas-liquid chromatography or radioimmunoassay (72) 97
Scarpioni, L., Dall'Aglio, P.P., Poisetti, P.G., Buzio, C.
Retinol binding protein in serum and in urine of glomerular and tubular nephropathies (68) 107
Scharfman, A., Roussel, P., Biserte, G., Aerts, C., Tonnel, A.B., Voisin, C.
Etude des activités de peptidases des leucocytes humains et des macrophages alvéolaires de l'homme et du cobaye (Studies on the activities of peptidases from human leucocytes, and human and guinea pig alveolar macrophages) (66) 371
Scharfman, A., see Rousseaux, J. (71) 35
Schaub, J., see Shin-Bühring, Y. (70) 371
Scheler, F., see Fuchs, Ch. (67) 99
Scherer, R., Ruhenstroth-Bauer, G.
Plasma protein profiling: The diagnostic evaluation of disorders in plasma protein composition by a new immunoelectrophoretic method (66) 417
Scherz, R., Morris, D.
A simple cuvette for densitometric scanning of polyacrylamide gel electrophoresis cylinders. Quantitation of aggregates in preparations of human serum albumin (69) 551
Schier, G.M., see Faull, K.F. (70) 313
Schlegel, W., Raptis, S.
A reliable method for generating antibodies against pancreozymin, secretin and gastrin (73) 439
Schlesinger, P., see Faull, K.F. (70) 313
Schmidt, E., see Freise, J. (73) 267
Schmidt, G., see Adams, R.F. (69) 515
Schmidt-Wiederkehr, P., see Link, E. (69) 447
Schneider, J.A., see Bowie, L. (68) 349
Schnurr, E., see Küppers, H. (71) 469
Schoen, R.L., see Sims, G.M. (69) 317
Schoos-Barbette, S., Dodinval-Versie, J., Lambotte, C.
Modification of neonatal screening test for erythrocyte glucose-6-phosphate dehydrogenase deficiency (71) 239
Schützler, G., see Siegert, M. (73) 423

Schwedt, G., Bussemas, H.H., Blödorn, A., Deutschmann, P.
Abtrennung von Metanephrin und Normetanephrin aus Urin zur automatisch-fluorimetrischen Bestimmung (Separation of metanephrine and normetanephrine from urine for automated fluorimetric routine determination) (69) 175
Scott, E., see Shepherd, J. (66) 97
Scudder, P., Stocks, J., Dormandy, T.L.
The relationship between erythrocyte superoxide dismutase activity and erythrocyte copper levels in normal subjects and in patients with rheumatoid arthritis (69) 397
Seakins, J.W.T., see Finnie, M.D.A. (70) 171
Seakins, J.W.T., see Finnie, M.D.A. (73) 513
Seamark, R.F., see Bigham, D.A. (69) 537
Sebesta, P.A., Danzer, L.A.
Sample treatment to prevent calcium loss in saliva electrolyte analysis (68) 309
Seegmiller, J.E., see Lust, G. (66) 241
Seidel, D., Büff, H.K., Fauser, U., Bleyl, U.
On the metabolism of lipoprotein-X (LP-X) (66) 195
Seiler, D., see Fiehn, W. (73) 93
Seiler, N., see Demisch, L. (70) 357
Seth, J., Toft, A.D., Irvine, W.J.
Simple solid-phase radioimmunoassays for total tri-iodothyronine and thyroxine in serum, and their clinical evaluation (68) 291
Settine, J.M., see Hurst, R.E. (70) 427
Sewell, A.C., Pennock, C.A.
The chemistry of human neonatal femoral epiphyseal cartilage (68) 123
Shackleton, C.H.L.
Congenital adrenal hyperplasia caused by defect in steroid 21-hydroxylase. Establishment of definitive urinary steroid excretion pattern during first weeks of life (67) 287
Shackleton, C.H.L., Honour, J.W.
Simultaneous estimation of urinary steroids by semi-automated gas chromatography. Investigation of neo-natal infants and children with abnormal steroid synthesis (69) 267
Shapiro, B.L., see Anderson, L.C. (73) 63
Sharma, G., see Das, K.C. (66) 263
Shastri, R.A., Krishnaswamy, K.
Undernutrition and tetracycline half life (66) 157
Shaw, E.J., see Watson, R.A.A. (73) 51
Shaw, W., Hubert, I.L., Agnese, S.T., Spierto, F.W.
Optimization of T_4-assay: A model study (72) 69
Shaw, W., Powell, J., Hubert, I.L., Spierto, F.W.
A comparison of the interference of fatty acids in the competitive binding radioassay and radioimmunoassay for serum T_4 (73) 25
Shaw, W., see Agnese, S.T. (69) 285
Shenkin, A., Citrin, D.L., Rowan, R.M.
An assessment of the clinical usefulness of plasma ribonuclease assays (72) 223
Shepherd, J.
Diagnosis of dyslipoproteinaemia by molecular sieve chromatography (69) 161
Shepherd, J., Bedford, D.K., Morgan, H.G., Scott, E.
Radioiodination of human low density lipoprotein: A comparison of four methods (66) 97
Shepherd, J., see Bedford, D.K. (70) 267
Sherington, J., see Tárnoky, A.L. (69) 505
Shilotri, P.G.
Hydrogen peroxide production by leukocytes in protein-calorie malnutrition (71) 511
Shin, H., see Nakagawara, A. (70) 133
Shin-Bühring, Y., Osang, M., Ziegler, R., Schaub, J.
A method for galactose-1-phosphate uridyltransferase assay and the separation of its isozymes by DEAE-cellulose column chromatography (70) 371
Shinohara, K., see Oda, E. (68) 93
Shugar, D., see Bardoń, A. (67) 231
Shukla, J.B., see Cooper, K.D. (73) 71
Shuster, J., Gold, P., Poulik, M.D.
β_2-Microglobulin levels in cancerous and other disease states (67) 307
Siegenbeek van Heukelom, L.H., Boom, A., Bartstra, H.A., Staal, G.E.J.
Characterization of adenosine deaminase isozymes from normal human erythrocytes (72) 109

Siegenbeek van Heukelom, L.H., Staal, G.E.J., Stoop, J.W., Zegers, B.J.M., Van der Vlist, M.J.M., Bartstra, H.A.
An abnormal form of purine nucleoside phosphorylase in a family with a child with severe defective T-cell- and normal B-cell immunity (72) 117
Siegert, M., Schützler, G., Jarofke, R.
The effect of various stains on quantitative agarose-gel electrophoresis: Evaluation of the results with the aid of an analog computer (73) 423
Sierakowska, H., see Bardoń, A. (67) 231
Siertsema, L.H.
Continuous UV spectrum of NaCl enhanced by TCA and HCl in atomic absorption spectrophotometry (69) 533
Siest, G., see Galteau, M.M. (66) 89
Siest, G., see Houpert, Y. (69) 383
Siest, G., see Museur, G. (66) 219
Simon, B., see Kather, H. (73) 497
Simonini, N., see Malvano, R. (66) 331
Simonnet, H., Martel, M.B., Got, R.
Transfert de l'acide sialique dans le mélanome malin humain (Sialyltransferase in human malignant melanoma) (72) 33
Sims, C., see Khayam-Bashi, H. (66) 69
Sims, C., see Parekh, A.C. (73) 221
Sims, G.M., Schoen, R.L.
A quantitation of lactate dehydrogenase non-linearity (69) 317
Sitzmann, F.C., Kaloud, H.
Biokinetics of galactose in the homozygotes and heterozygotes of both forms of galactosemia (72) 343
Skala-Rubinson, H., Vibert, M., Dreyfus, J.C.
Electrophoretic modifications of three enzymes in extracts of human and bovine lens. Posttranslational "aging" of lens enzymes (70) 385
Skillen, A.W., Pierides, A.M.
Serum gamma-glutamyltransferase and alkaline phosphatase activities in epileptics receiving anticonvulsant therapy (72) 245
Skórka, B., see Wocial, B. (66) 273
Skrzydlewski, Z., Worowski, K.
An increase in the basic protein content of atheromatous arteries (66) 435
Skude, G., see Ohlsson, K. (66) 1
Slater, D.I., see Poole, A.J. (73) 527
Slaughter, B.D., see Forgan-Smith, J. (69) 139
Slaughter, S., see Khayam-Bashi, H. (66) 63
Slee, R.G., see Koster, J.F. (68) 49
Slee, R.G., see Koster, J.F. (69) 121
Smeyers-Verbeke, J., Bell, P., Lowenthal, A., Massart, D.L.
Distribution of Mn in human brain tissue (68) 343
Smeyers-Verbeke, J., see Wuyts, L. (72) 405
Smit, J.L.J., de With, C., Bezemer, P.D., Smits, G.
Evaluation of the Vitatron "AKES". Modifications for optimal use in routine enzyme analysis (71) 371
Smith, A.F., see Wong, P.C.-P. (68) 147
Smith, A.F., see Wong, P.C.-P. (72) 409
Smith, D.P.
The relationship between serum creatine kinase and thyroid hormones: in vivo and in vitro studies (68) 333
Smith, D.S., see Watson, R.A.A. (73) 51
Smith, Q.T., see Anderson, L.C. (73) 63
Smith, R., see Whiteley, J. (71) 157
Smith, S.J., Bos, G., Esseveld, M.R., van Eijk, H.G.
Liver reaction to tissue injury: Do therapeutic measures trigger the acute phase reaction? (70) 127
Smits, G., see Smit, J.L.J. (71) 371
Snedden, W., see Finnie, M.D.A. (70) 171
Snedden, W., see Finnie, M.D.A. (73) 513
Sodhi, H.S., see Kudchodkar, B.J. (68) 187
Sohler, A., Wolcott, P., Pfeiffer, C.C.
Determination of zinc in fingernails by non-flame atomic absorption spectroscopy (70) 391
Soliman, H.A., Olesen, H.
Concentration of the secretory IgA of seminal fluid in normal subjects, in decreased fertility and in aspermia (69) 543
Sommer, R., see Hohenwallner, W. (66) 19
Šonka, J., see Rosenauerová-Ostrá, A. (73) 39
Sonnenberg, A., Von Lilienfeld-Toal, H.
Improvement of the radioimmunological standard curve for steroid assay using ammonium sulphate (70) 191
Soummer-Dauphant, A.M., Chambon, P., Chabert, J.M.
Conversion of sorbitol to mannitol when used parenterally (67) 325
Soutoul, J.H., see Bardos, P. (66) 353

Spath, P., Gabl, F., Nachbaur, E.
Critical role of the conversion of the third complement component C 3 (β 1C/β 1A) for its immunochemical quantitation (73) 171
Spierto, F.W., see Agnese, S.T. (69) 285
Spierto, F.W., see Shaw, W. (72) 69
Spierto, F.W., see Shaw, W. (73) 25
Staal, G.E.J., Geerdink, R.P., Vlug, A.M.C., Hamelink, M.L.
Defective erythrocyte pyruvate kinase (68) 11
Staal, G.E.J., see Siegenbeek van Heukelom, L.H. (72) 109
Staal, G.E.J., see Siegenbeek van Heukelom, L.H. (72) 117
Staal, G.E.J., see Troost, J. (73) 321
Staal, G.E.J., see Troost, J. (73) 329
Standing, S., Price, C.P.
A kinetic method for the determination of haptoglobin as haemoglobin binding capacity (66) 393
Stanković, H., Mikac-Dević, D.
Zinc and copper in human serum (70) 123
Stárka, L., see Justová, V. (70) 97
Statland, B.E., see Hammond, J. (73) 347
Statland, B.E., see King, S.W. (72) 211
Štěphán, J., Volek, V., Kolář, J.
A modified inactivation-inhibition method for determining the serum activity of alkaline phosphatase isoenzymes (69) 1
Stevens, R.L., see Fujimoto, A. (68) 177
Steyaert, H.L.C., see De Leenheer, A.P. (71) 229
Stigbrand, T., see Damber, M.-G. (66) 85
Stocks, J., see Scudder, P. (69) 397
Stokke, K.T., see Ritland, S. (67) 63
Stokke, O., Goodman, S.I., Moe, P.G.
Inhibition of brain glutamate decarboxylase by glutarate, glutaconate and β-hydroxyglutarate: explanation of the symptoms in glutaric aciduria? (66) 411
Stoop, J.W., see Siegenbeek van Heukelom, L.H. (72) 117
Stormont, D., Davies, C., Emmerson, B.T.
Urate production in heterozygotes for glucose-6-phosphatase deficiency (71) 303
Strevens, E.A., see Ballantyne, D. (70) 323
Strom, R., see Rossi-Fanelli, F. (67) 255
Strømme, J.H., see Gutteberg, T. (69) 61
Strømme, J.H., see Theodorsen, L. (72) 205
Strong, J.E., see Broughton, A. (66) 125
Stuber, A., Ádám, J., Szónyi, G.
A simple and rapid determination of the lecithin/sphingomyelin ratio in amniotic fluids and in pharyngeal aspirates of newborn infants (70) 221
Sturdee, D.W., Burnett, D., Moore, B., Bradwell, A.R.
Pregnancy associated α_2-glycoprotein in post-menopausal women receiving hormone replacement therapy (72) 233
Sudbury, B., Dolan, M.L., Klein, K., Ove, P.
Elevation of a serum protein in pregnant rats (71) 81
Sudo, K., Kanno, T.
Properties of the amylase produced in the carcinoma of the lung (73) 1
Sugahara, K., Nishimura, K., Aula, P., Yamashina, I.
Enzymatic determination of urinary aspartylglycosylamine: A rapid and sensitive method to detect aspartylglycosylaminuria (AGU) (72) 265
Sugawara, S.H., see Wajchenberg, B.L. (68) 67
Sulon, J., Palem-Vliers, M., Genard, P., Cittanova, N., Desfosses, B.
Radioimmunoassay for aldosterone and deoxycorticosterone (DOC) in human plasma: Comparison of various antisera and determination of normal values (72) 275
Sumi, T., Umeda, Y., Kishi, Y., Takahashi, K., Kakimoto, F.
The enzymatic spectrofluorimetric determination of uric acid in microsamples of plasma by using p-hydroxyphenylacetic acid as a fluorophor (73) 233
Suzuki, H., see Oka, H. (67) 131
Suzuki, H., see Tamachi, H. (68) 195
Suzuki, S., see Oka, H. (67) 131
Suzuki, Y., Kawai, S., Kobayashi, A., Ohbe, Y., Endo, H.
Partial deficiency of acid lipase with storage of triglycerides and cholesterol esters in liver. A genetic variant of Wolman's disease? (69) 219

Svanborg, A., see Lillienberg, L. (68) 223
Svensson, L., Ravnskov, U.
α_1-Microglobulin, a new low molecular weight plasma protein (73) 415
Svensson, L., see Björkhem, I. (71) 191
Swale, J., see Ferguson, E. (67) 281
Sweet, R.V., see Oliver, L.K. (72) 17
Szántay, I., Dejica, D., Abrudan, O.
Comparative study of two methods for hepatitis B antigen detection: Double sequential counterimmunoelectrophoresis (DCIEP) and Ausria II-^{125}I radioimmunoassay (69) 117
Sznajderman, M., see Wocial, B. (66) 273
Szónyi, G., see Stuber, A. (70) 221

T

Taber, C.A., see Millner, S.N. (71) 67
Taelman, H., see Etienne, J. (69) 147
Takahashi, K., see Sumi, T. (73) 233
Takakuwa, E., see Taniguchi, N. (69) 471
Takeda, H., see Ohshita, M. (67) 145
Takegoshi, C., see Fuke, H. (69) 43
Takenaka, K., see Ozeki, T. (71) 363
Takeoka, T., Gotoh, F., Furumi, K., Mori, K.
Polyacrylamide-gel disc electrophoresis of unconcentrated urine samples with special reference to Bence Jones proteins (71) 149
Takeuchi, Y., see Yamamoto, T. (68) 241
Tamachi, H., Suzuki, H., Ohsawa, Y., Matsumiya, H.
Studies on the flotation phenomenon in the determination of β-lipoproteins by the immunocrit method (68) 195
Tamaoki, H., see Fujisawa, K. (69) 251
Tamaoki, H., see Minato, S. (69) 243
Tamura, Z., see Yoshida, A. (73) 315
Tan, B.H.A., see Emes, A.V. (71) 293
Tan, I.K., see Lim, P. (66) 405
Tanaka, F., Amino, N., Hayashi, Ch., Miyai, K., Kumahara, Y.
Abnormal serum lactate dehydrogenase isoenzyme in a case of laryngeal carcinoma and thyrotoxicosis (68) 235
Tanaka, K., Ramsdell, H.S., Baretz, B.H., Keefe, M.B., Kean, E.A., Johnson, B.
Identification of ethylmalonic acid in urine of two patients with the vomitting sickness of Jamaica (69) 105
Tanaka, K., see Baretz, B.H. (73) 199
Tanaka, K., see Nakamura, E. (68) 127
Tanaka, M., see Taniguchi, N. (69) 471
Tanaka, M., see Yamamoto, T. (68) 241
Taniguchi, N., Tanaka, M., Kobayashi, K., Matsuda, I., Ohno, H., Sato, T., Takakuwa, E.
A solid-phase radioimmunoassay for human β_2-microglobulin (69) 471
Tarallo, P., see Houpert, Y. (69) 383
Tárnoky, A.L., Bayliss, V.M., Bowen, H.J.M., Cornow, R.N., Sherington, J.
The use of electrolyte measurements in the detection of cystic fibrosis (69) 505
Tarui, S., see Fushimi, H. (71) 1
Tateishi, K., see Yamaguchi, Y. (66) 449
Taylor, C.B., see Goldberg, D.M. (71) 89
Taylor, S., Watts, R.
The automated determination of serum phospholipids (73) 547
Telfer Brunton, W.A., Percy-Robb, I.W.
A rapid method for the measurement of plasma glucose concentration (69) 131
Tenhunen, R., see Pasternack, A. (67) 85
Teraoka, M., see Nagaki, J. (66) 453
Tewksbury, D.A., Premeau, M.R.
The effect of proteolytic activity on plasma renin activity assay (73) 67
Theodorsen, L., Strømme, J.H.
γ-Glutamyl-3-carboxy-4-nitroanilide: The substrate of choice for routine determinations of γ-glutamyltransferase activity in serum? (72) 205
Thijssen, C., see Degenaar, C.P. (67) 79
Thijssen, J.H.H., see Rademaker, B. (70) 349
Thompson, A.E., see Wellwood, J.M. (69) 85
Thorell, J.I., see Von Schenck, H. (69) 225
Tichý, M., Hrnčíř, Z., Urbánková, J.
Transient IgM-lambda paraprotein in a 15-month-old child (70) 201
Tilzer, L.L., see Hayes, L.C. (66) 119
Tira, M.E., see Calatroni, A. (71) 137
Titheradge, A., see Cooper, J.D.H. (72) 371
Toft, A.D., see Seth, J. (68) 291
Tokawa, Y., see Ozeki, T. (71) 363
Tomokuni, K.
Stability of erythrocyte aminolaevulinate dehydratase under several conditions of storage of the hemolysate from human blood (69) 547
Tondowski, A., see Fisher, M.T. (70) 297
Tonnel, A.B., see Scharfman, A. (66) 371
Torizuka, K., see Hamada, S. (66) 365

Trechsel, U., Aeby, O., Fleisch, H.
A new device for ultrafiltration. The ultrafiltrability of calcium and inorganic phosphate in human serum (69) 367
Trefz, F.K., Byrd, D.J., Blaskovics, M.E., Kochen, W., Lutz, P.
Determination of deuterium labeled phenylalanine and tyrosine in human plasma with high pressure liquid chromatography and mass spectrometry (73) 431
Trichopoulou, A., Kalaidzidou, C., Kalandidi, A.
The relationship between plasma non-esterified fatty acids concentration and conditions of storage (69) 355
Troost, J., Van der Heijden, M.C.M., Staal, G.E.J.
Human leukocyte alpha-L-fucosidase (73) 321
Troost, J., Van der Heijden, M.C.M., Staal, G.E.J.
Characterization of alpha-L-fucosidase from two different families with fucosidosis (73) 329
Tschida, J., see Herd, J.K. (68) 1
Tsoukantas, A., see Melissinos, K.G. (66) 267
Tsuruhara, T., see Miyai, K. (73) 241
Tucker, H.N., see Petty, F. (66) 111
Tudball, N., see Griffiths, R. (73) 157
Tuil, D., Berthelon, M., Demos, J., Dautreaux, B., Caut, P.
Diphénoloxydases: Présence dans les membranes de globules rouges (Diphenoloxidases. Presence in the membrane of human erythrocyte) (72) 173
Turjuman, N., Nasrallah, S.M., Al-Khalidi, U.A.S.
Phenylacetic oil: A possible simple test for fat absorption (67) 113
Turner, T., see Vasiliades, J. (69) 491
Turpin, G., see Pinon, J.-C. (70) 259
Twigger, S., Johnson, K.R., Payne, R.B.
An improved technique for the determination of plasma alpha-amino nitrogen (72) 161

U

Uete, T., Hori, T., Fukutani, C.
Ultra-micromethods for the biochemical analysis of cutaneous capillary blood. IV. Selection of the glucose oxidase-2,2′-azino-di-(3-ethylbenzthiazolin-sulphonic acid-6)diammonium method for measuring blood sugar of neonates (70) 329

Uete, T., Yamashita, Y.
Ultra-micromethods for the biochemical analysis of cutaneous capillary blood. III. Enzymatic fluorometric method for measuring uric acid in blood of neonates (69) 143

Umeda, Y., see Sumi, T. (73) 233

Urbánková, J., see Tichý, M. (70) 201

Urquhart, A., see Yates, C.M. (71) 215

V

Valentine, W.N., see Paglia, D.E. (73) 395
Van Assendelft, O.W., Buursma, A., Holtz, A.H., van Kampen, E.J., Zijlstra, W.G.
Quality control in haemoglobinometry with special reference to the stability of haemiglobincyanide reference solutions (70) 161
Van Berge Henegouwen, G.P., Hofmann, A.F., Ruben, A.Th.
A simple batch adsorption procedure for the isolation of sulfated and non-sulfated bile acids from serum (73) 469
Van Blankenstein, M., see Van den Berg, J.W.O. (73) 277
Van den Berg, J.W.O., Van Blankenstein, M., Bosman-Jacobs, E.P., Frenkel, M., Hörchner, P., Oost-Harwig, O.I., Wilson, J.H.P.
Solid phase radioimmunoassay for determination of conjugated cholic acid in serum (73) 277
Van den Broek, W.G.M., see Hoffmann, J.J.M.L. (71) 251
Van der Heiden, C., Desplanque, J.
Ornithine transcarbamylase (OCT) in urease used as reagent in the OCT activity measurement in biological fluids (73) 117
Van der Heijden, M.C.M., see Troost, J. (73) 321
Van der Heijden, M.C.M., see Troost, J. (73) 329
Van der Klei-van Moorsel, J.M., see Koster, J.F. (68) 49
Vandermark, F.L., see Adams, R.F. (69) 515
Van der Vlist, M.J.M., see Siegenbeek van Heukelom, L.H. (72) 117
Van der Voort, H., see Reman, F.C. (71) 261
Van der Wal, G., see Degenaar, C.P. (67) 79
Van Eijk, H.G., see Smith, S.J. (70) 127
Van Gent, C.M., see Hessel, L.W. (69) 405
Van Gent, C.M., see Reman, F.C. (71) 261
Van Gent, C.M., see Roseleur, O.J. (66) 269
Van Kampen, E.J., see Van Assendelft, O.W. (70) 161
Van Kuik, L.G., see Cramers, C.A. (73) 97
Van Manen, L., see Gorgels, J.P.M.C. (73) 179
Van Nieuwkoop, J.A., see Čejka, J. (67) 71
Van Stekelenburg, G.J., see Koorevaar, G. (71) 173
Van Steveninck, J., see De Goeij, A.F.P.M. (68) 115
Van Steveninck, J., see De Goeij, A.F.P.M. (71) 485
Van Straalen, R.J.C., see De Goeij, A.F.P.M. (71) 485
Vasiliades, J., Turner, T.
A modified ultraviolet spectrophotometric method for the determination of theophylline in serum in the presence of barbiturates (69) 491
Vaughan, A., see Ferguson, E. (67) 281
Verjee, Z.H., Behal, R.
Protein-calorie malnutrition: a study of red blood cell and serum enzymes during and after crisis (70) 139
Verma, N.P., see Jarrett, R.J. (71) 55
Vermeer, B.J., see Hessel, L.W. (69) 405
Vermeer, E.A., see Cramers, C.A. (73) 97
Vernet-Nyssen, M., see Borel-Giraud, N. (71) 117
Vessal, M., Abdolrasulnia, R.
Partial purification and properties of ovine liver Echinococcus granulosus protoscolices phosphoglucose isomerase (68) 59
Vessby, B.
Studies on the serum lipoprotein composition in 50-year-old men. A suggestion of criteria for diagnosis of hyperlipoproteinaemia type III (broad-β disease) (69) 29
Vestergaard, P., see Kahane, Z. (73) 203
Vibert, M., see Skala-Rubinson, H. (70) 385
Virella, G., Lechner, M.C.
Two IgM paraproteins differing in their carbohydrate content in a patient with Waldenström's macroglobulinemia (67) 137
Virtanen, K.K., see Mäkinen, K.K. (67) 213

Vitášek, R., see Adam, M. (70) 61
Vitek, V., Gill, W., Conn, A., Lang, D.L., R Adams Cowley
The effect of severe trauma on urinary cyclic AMP in children of different ages (70) 227
Vives, J.-L., see Kahn, A. (66) 145
Vlassopoulos, K., see Melissinos, K.G. (66) 267
Vliegenthart, J.F.G., see Wadman, S.K. (71) 477
Vlug, A.M.C., see Staal, G.E.J. (68) 11
Vodrážka, Z., see Dyr, J.E. (66) 277
Voisin, C., see Scharfman, A. (66) 371
Volek, V., see Štěphán, J. (69) 1
Von Lilienfeld-Toal, H., see Sonnenberg, A. (70) 191
Von Schenck, H., Larsson, I., Thorell, J.I.
Improved radioiodination of glucagon with the lactoperoxidase method. Influence of pH on iodine substitution (69) 225
Von Schoultz, B., see Damber, M.-G. (66) 85
Voûte, P.A., see Wadman, S.K. (72) 49

W

Wachslicht, H., see Wajchenberg, B.L. (68) 67

Wadman, S.K., Duran, M., Ketting, D., Bruinvis, L., de Bree, P.K., Kamerling, J.P., Gerwig, G.J., Vliegenthart, J.F.G., Przyrembel, H., Becker, K., Bremer, H.J.
D-Glyceric acidemia in a patient with chronic metabolic acidosis (71) 477

Wadman, S.K., Ketting, D., Voûte, P.A.
Gas chromatographic determination of urinary vanilglycolic acid, vanilglycol, vanilacetic acid and vanillactic acid. Chemical parameters for the diagnosis of neurogenic tumours and the evaluation of their treatment (72) 49

Wadman, S.K., see Przyrembel, H. (66) 227

Wajchenberg, B.L., Sugawara, S.H., Mesquita, C.H., Lerário, A.C., Wachslicht, H., Pieroni, R.R., Mattar, E.
Comparison of plasma progesterone assay in women by competitive protein binding (CPB) and radioimmunoassay (RIA) (68) 67

Wajcman, H., see Krishnamoorthy, R. (69) 203

Walton, R.J., see Whiteley, J. (71) 157

Wander, J.D., see Petty, F. (66) 111

Ward, A.M., see Goldberg, D.M. (72) 379

Warren, C., see Durrington, P.N. (71) 95

Warren, W.A., Madelian, V.
Creatine kinase activity in serum and uric acid solution (70) 285

Warter, J.-M., see Aunis, D. (70) 455

Watson, R.A.A., Landon, J., Shaw, E.J., Smith, D.S.
Polarisation fluoroimmunoassay of gentamicin (73) 51

Watts, R., see Taylor, S. (73) 547

Watts, R.W.E., see Andrews, T.M. (68) 17

Weeks, L.E., see Dietschy, J.M. (73) 407

Weicker, H., see Wirth, A. (71) 47

Weill, J.D., see Baglin, M.C. (68) 321

Weill, J.D., see Bardos, P. (66) 353

Wellwood, J.M., Price, R.G., Ellis, B.G., Thompson, A.E.
A note on the practical aspects of the assay of N-acetyl-β-glucosaminidase in human urine (69) 85

Wendel, U., see Przyrembel, H. (66) 227

Wentz, P., see Hammond, J. (73) 347

Wetter, O., see Amend, G. (71) 339

Whicher, J.T., see Durrington, P.N. (71) 95

Whitaker, K.B., Byfield, P.G.H., Moss, D.W.
An active site peptide from human placental alkaline phosphatase (71) 285

Whitaker, K.B., Moss, D.W.
Titration of human placental alkaline phosphatase with radioactive orthophosphate (71) 277

Whitaker, K.B., see Forman, D.T. (68) 287

Whitehead, J.S., Kim, Y.S., Prizont, R.
A simple quantitative method to determine short chain fatty acid levels in biological fluids (72) 315

Whiteley, J., Francis, M.J.O., Walton, R.J., Smith, R.
Serum proline imino-peptidase activity in normal adult subjects and in patients with Paget's disease of bone (71) 157

Wick, H., see Bachmann, C. (66) 287

Wickings, E.J., Nieschlag, E.
Stability of testosterone and androstenedione in blood and plasma samples (71) 439

Wiener, K.
Uraemia and hyperuricaemia in acute myocardial infarction (73) 45

Wiesen, K., see Küppers, H. (71) 469

Wiesmann, U.N., see Kohlschütter, A. (70) 463

Wiggins, R., see Leathem, A. (71) 353

Wilcox, G.M., see Imanari, T. (71) 267

Wilczek, H., see Justová, V. (70) 97

Wilde, C.E., see Brocklehurst, D. (70) 205

Wilding, P., see Carter, T. (70) 433

Wilding, P., see Kennedy, J.H. (70) 1

Wilkinson, J.H., see Hallak, G.J. (66) 251

Wilkinson, J.H., see Hallak, G.J. (69) 341

Wilkinson, S., see Nicholls, T. (69) 127
Wilkinson, S.P., see Wysocki, S.J. (70) 399
Wille, L.E.
A simple and rapid method for isolation of serum lipoproteins from the other serum protein constituents (71) 355
Wills, M.R., Jenkins, M.V.
The effect of uraemic metabolites on parathyroid extract-induced bone resorption in vitro (73) 121
Wilson, C.M., see Wilson, R.W. (69) 323
Wilson, H., see Yates, C.M. (71) 215
Wilson, J.H.P., see Van den Berg, J.W.O. (73) 277
Wilson, M., see Scandrett, M.S. (72) 97
Wilson, M.G., see Fujimoto, A. (68) 177
Wilson, R.W., Wilson, C.M., Higgings, J.V.
Metabolism of alpha-aminoadipic and alpha-ketoadipic acids: Studies using rat and beef livers, and human leukocytes (69) 323
Wimmer, E., see Hohenwallner, W. (66) 19
Winkel, P., see Hammond, J. (73) 347
Wirth, A., Eckhard, J., Weicker, H.
Automatic potentiometric titration and gas-liquid chromatography of underivatised free fatty acids (71) 47
Wisser, H., see Knoll, E. (68) 327
Witte, D.L., see Grant, C. (69) 333
Wocial, B., Januszewicz, W., Sznajderman, M., Skórka, B.
The urinary excretion of DOPA (dihydroxyphenylalanine) in patients with acute myocardial infarction (66) 273
Wolcott, P., see Sohler, A. (70) 391
Woldring, M.G., see Pratt, J.J. (68) 87
Wolff, J.A., see Paglia, D.E. (73) 395
Wong, C.Y.B., see Wysocki, S.J. (70) 399
Wong, P.C.-P., Smith, A.F.
Biochemical differences between the MB and MM isoenzymes of creatine kinase (68) 147
Wong, P.C.-P., Smith, A.F.
Assay of serum NAD-dependent malate dehydrogenase using malate as substrate (72) 409
Worowski, K., see Skrzydlewski, Z. (66) 435
Würzburg, U., see Neumeier, D. (73) 445
Wuyts, L., Smeyers-Verbeke, J., Massart, D.L.
Atomic absorption spectrophotometry of copper and zinc in human brain tissue. A critical investigation of two digestion techniques (72) 405
Wysocki, S.J., Hähnel, R.
Electrophoretic detection of hexosaminidase I in amniotic fluid (67) 219
Wysocki, S.J., Hähnel, R.
3-Hydroxy-3-methylglutaric aciduria: deficiency of 3-hydroxy-3-methylglutaryl coenzyme A lyase (71) 349
Wysocki, S.J., Hähnel, R.
3-Hydroxy-3-methylglutaric aciduria: 3-hydroxy-3-methylglutaryl coenzyme A lyase levels in leucocytes (73) 373
Wysocki, S.J., Wilkinson, S.P., Hähnel, R., Wong, C.Y.B., Panegyres, P.K.
3-Hydroxy-3-methylglutaric aciduria, combined with 3-methylglutaconic aciduria (70) 399
Wysocki, S.J., see Nicholls, T. (69) 127

Y

Yagi, H., see Fuke, H. (69) 43
Yam, L.T., see Lam, K.W. (70) 289
Yamaguchi, Y., Tateishi, K., Hayashi, C.
Determination of urinary dehydroepiandrosterone using 3β-hydroxysteroid dehydrogenase (66) 449
Yamamoto, T., Doi, K., Miyai, K., Kumahara, Y.
The influence of thyroxine on the serum free triiodothyronine concentration (67) 223
Yamamoto, T., Doi, K., Takeuchi, Y., Baba, M., Tanaka, M.
Seasonal variation of urinary excretion of total metanephrines (68) 241
Yamashina, I., see Sugahara, K. (72) 265
Yamashita, Y., see Uete, T. (69) 143
Yamazaki, T., see Yoshida, A. (73) 315
Yates, C.M., Urquhart, A., Wilson, H., Davidson, D., Copland, W.A.
Lysosomal enzymes in cerebal atrophy (71) 215
Yinon, J., see Issachar, D. (73) 307
Yoder, J.M., see Davis, J.W. (66) 379
Yoshida, A., Yoshioka, M., Yamazaki, T., Sakai, T., Tamura, Z.
Urinary levels of vanilmandelic acid and homovanillic acid determined by high-speed liquid chromatography (73) 315
Yoshioka, M., see Yoshida, A. (73) 315
Young, J.L., Reid, R.G., Crawford, J.W.
Purification and radioimmunoassay of human alpha-l-fetoprotein: The effect of aggregates on the radioimmunoassay (69) 11
Yu, C.C., see Leung, K.C. (72) 295
Yu, W.N., see Leung, K.C. (72) 295
Yüregir, G.T.
Determination of fetal hemoglobin in various age groups by the immunological method of Kohn and Payne (72) 181

Z

Zaleski, W.A., see Hill, A. (72) 1
Zannino, M., see Rolleri, E. (66) 319
Zawad, J.S., Brown, F.C.
A fluorimetric technique for measuring urinary 3-methoxy-4-hydroxyphenyl-ethylene glycol (73) 187
Zdrenghea, D., see Cucuianu, M. (71) 419
Zegers, B.J.M., see Siegenbeek van Heukelom, L.H. (72) 117
Zetterström, R., see Larsson, A. (73) 19
Ziegler, R., see Shin-Bühring, Y. (70) 371
Zijlstra, W.G., see Dijkhuizen, P. (68) 79
Zijlstra, W.G., see Van Assendelft, O.W. (70) 161

SUBJECT INDEX

A

Acetoacetate decarboxylase, mammalian; its distribution in subfractions of human albumin and occurrence in various tissues of the rat (Koorevaar, Van Stekelenburg) (71) 173
β-N-Acetylglucosaminidase, in retina, tear and serum, in diabetic patients (Fushimi, Tarui) (71) 1
N-Acetyl-β-glucosaminidase, in urine, practical aspects of the assay (Wellwood, Price, Ellis, Thompson) (69) 85
N-Acetyl-β-glucosaminidase, in urine, rapid colorimetric assay of β-galactosidase and, (Maruhn) (73) 453
Acid hydrolases, in leukocytes: characterization of 11 lysosomal enzymes and study of reaction conditions for their automated analysis (Kolodny, Mumford) (70) 247
Acidic glycopeptides, from urine, isolation of, by means of anion-exchange resins. Application to some cases of glycosphingolipidosis or mucolipidosis (Calatroni, Tira) (71) 137
Acid lipase, partial deficiency of, with storage of triglycerides and cholesterol esters in liver. Genetic variant of Wolman's disease? (Suzuki, Kawai, Kobayashi, Ohbe, Endo) (69) 219
Acid load, increased tryptaminuria after (Price) (72) 269
Acid phosphatase, unusual alkaline phosphatase isoenzyme in a patient with concomitant marked elevation of, without clinical evidence of prostatic carcinoma (Lee) (71) 221
Acid phosphatase 5, studies of intracellular distribution of, in the spleen cells of leukaemic reticuloendotheliosis by isopycnic gradient centrifugation (Lam, Dekker, Castleman, Yam) (70) 289
Adenosine deaminase, enzymatic activity of, in erythrocytes and lymphocytes, radiochromatography for measurement of (Cartier, Hamet) (71) 429
Adenosine deaminase isoenzymes, from normal human erythrocytes, characterization of (Siegenbeek van Heukelom, Boom, Bartstra, Staal) (72) 109
Adenosine kinase, in erythrocyte, in gout (Nishizawa, Nishida, Akaoka) (67) 15
Adenylate cyclase, catecholamine-sensitive, of human fat cell ghosts, effects of 5′-guanylyl-imidodiphosphate on (Kather, Simon) (73) 497
Adrenal hyperplasia, congenital, caused by defect in steroid 21-hydroxylase. Establishment of definitive urinary steroid excretion pattern during first weeks of life (Shackleton) (67) 287
Agar gel, antigens in. Quantitative determination of antigens in biological fluids by the antibody radial immunodiffusion method (Domán) (69) 153
Agarose, see Electrophoresis
Agarose, variability of, effect on measurement of lysozyme activity (Greenwald, Moy) (73) 299
AKES, see Vitatron "AKES"
Albumin, in serum, interaction between bilirubin, iophenoxic acid and iopanoic acid as studied by fluorescence and Sephadex gel filtration (Birkett, Kapitulnik) (71) 129
Albumin, in serum, quantitation of aggregates in preparations of. A simple cuvette for densitometric scanning of polyacrylamide gel electrophoresis cylinders (Scherz, Morris) (69) 551
Albumin, in serum, structural modifications of, by proteolytic enzymes of the pancreas (Rousseaux, Debeaumont, Scharfman, Pommelet, Dautrevaux, Biserte) (71) 35
Albumin, subfractions of, mammalian acetoacetate decarboxylase activity in, and its distribution in various tissues of the rat (Koorevaar, Van Stekelenburg) (71) 173
Albumin, urinary excretion of, in normal and diabetic subjects (Jarrett, Verma, Keen) (71) 55
Alcohol consumption, and low calorie intake, effects on urinary formiminoglutamate in man (Rosenauerová-Ostrá, Hilgertová, Šonka) (73) 39
Alcohol dehydrogenase, activity of, in liver injury. Application of nicotinamide-

adenine dinucleotide analogs for clinical enzymology (Fujisawa, Kimura, Minato, Tamaoki, Mizushima) (69) 251
Alcoholics, mean corpuscular volume and serum γ-glutamyltransferase as screening tests for, compared efficiency of (Baglin, Bernot, Bremond, Lamy, Leroux, Weill) (68) 321
Aldehydes and ketones, short chain, in the urine of infants, quantitative gas-chromatographic determination (Bachmann, Baumgartner, Wick, Colombo) (66) 287
Aldosterone, isolation system for, and for tetrahydroaldosterone, prior to estimation by gas-liquid chromatography or radioimmunoassay (Scandrett, Wilson, Ross) (72) 97
Aldosterone in plasma, and deoxycorticosterone in human plasma, radioimmunoassay for. Comparison of various antisera and determination of normal values (Sulon, Palem-Vliers, Genard, Cittanova, Desfosses) (72) 275
Aldosterone, in urine, comparison of simplified radioimmunoassay with gas—liquid chromatography for measurement of (Etienne, Pardaens) (72) 201
Aldosterone, in urine, radioimmunoassay of, methodological simplifications (Malvano, Orlandini, Cozzani, Duranti, Simonini, Salvetti) (66) 331
Alkaline phosphatase, atypical, in serum, transient presence of (Rosalki, Hurst) (73) 149
Alkaline phosphatases, from bone and liver, in serum, comparison of ethanol-precipitation and heat-inactivation in the identification of (Samuelson, Moss) (72) 157
Alkaline phosphatase, placental, active site peptide from (Whitaker, Byfield, Moss) (71) 285
Alkaline phosphatase, placental, determination by an electroimmunoassay ("rocket") technique (Forman, Moss, Whitaker) (68) 287
Alkaline phosphatase, placental, titration with radioactive orthophosphate (Whitaker, Moss) (71) 277
Alkaline phosphatase, in serum, in cholestasis, and nucleotide pyrophosphatase, 5'-nucleotidase and lipoprotein-X (Brocklehurst, Lathe, Aparicio) (67) 269
Alkaline phosphatase, in serum, and serum γ-glutamyltransferase activities, in epileptics receiving anticonvulsant therapy (Skillen, Pierides) (72) 245
Alkaline phosphatase isoenzyme patterns in normal sera of Nigerians (Afonja, Boyo) (73) 177
Alkaline phosphatase isoenzymes, serum activity of, modified inactivation-inhibition method for determining (Štěphán, Volek, Kolář) (69) 1
Alkaline phosphatase isoenzyme, unusual, in a patient with concomitant marked elevation of acid phosphatase without clinical evidence of prostatic carcinoma (Lee) (71) 221
Alveolar macrophages, peptidases from, of human and guinea pig and human leukocytes (Scharfman, Roussel, Biserte, Aerts, Tonnel, Voisin) (66) 371
Amino acids, use in estimation of ammonia in kidney slices (Forgan-Smith, Slaughter, Cross) (69) 139
Amino acids, metabolism of, diagnosis of disorders in, by chemical ionization mass spectrometry (Issachar, Yinon) (73) 307
Amino acids, granulocytic, in healthy men and women, quantitative determination of, by ion-exchange chromatography (Houpert, Tarallo, Siest) (69) 383
Amino acids, sulphur containing, and their derivatives, automated microanalysis of (Bowie, Crawhall, Gochman, Johnson, Schneider) (68) 349
Amino-acid arylpeptidase activity, in serum, in man, resting muscle levels and the influence of exercise on (Haralambie, Berg) (69) 433
α-Aminoadipic acid, metabolism of, and of α-ketoadipic acid, studies using rat and beef liver, and human leukocytes (Wilson, Wilson, Higgins) (69) 323
Aminoglutethimide, long-term effects on steroid metabolism in congenital adrenal hyperplasia (Hamilton) (73) 135
β-Aminoisobutyric acid, in uraemic serum, identification of (Gejyo, Kinoshita, Ikenaka) (70) 407
Aminolaevulinate dehydratase, of erythrocytes, stability under several conditions of storage of the haemolysate from human blood (Tomokuni) (69) 547

α-Amino nitrogen, in plasma, alternative colorimetric technique for determination of (Twigger, Johnson, Payne) (72) 161
Aminopeptidase B in human serum (Mäkinen, Virtanen) (67) 213
Ammonia, in kidney slices, estimation in the presence of added glutamine and other amino acids (Forgan-Smith, Slaughter, Cross) (69) 139
Ammonium acid urate, and other constituents of urinary calculi, saturation of urine with, nomograms for analysis of (Marshall, Robertson) (72) 253
Ammonium sulphate, used for improvement of the radioimmunological standard curve for steroid assay (Sonnenberg, Von Lilienfeld-Toal) (70) 191
Amniotic fluid cells, cultured, two α-glucosidases in, and their differentiation in the prenatal diagnosis of Pompe's disease (Fujimoto, Fluharty, Stevens, Kihara, Wilson) (68) 177
Amniotic fluid cells, glyceride content of, as an index of foetal maturity (Gambert, Lallemant, Padieu) (68) 271
Amniotic fluid, α-foetoprotein in, throughout pregnancy, radial immunodiffusion for quantitiation of (Brocklehurst, Wilde) (70) 205
Amniotic fluid, certain glycoproteins in, and in maternal and total serum, during pregnancy, variations of the concentrations of (Bardos, Luthier, Avenet, De Russe, Muh, Soutoul, Weill) (66) 353
Amniotic fluid, hexosaminidase I in, electrophoretic detection of (Wysocki, Hähnel) (67) 219
Amniotic fluid, identification of 2-hydroxybutyric acid in man (Nicholls, Hähnel, Wilkinson, Wysocki) (69) 127
Amniotic fluid, lecithin/sphingomyelin ratio in, and in pharyngeal aspirates of newborn infants, simple and rapid determination (Stuber, Adám, Szönyi) (70) 221
Amniotic fluid, lipid profiles: a rapid gas chromatographic method (Cooper, Brush) (69) 211
Amniotic fluid, prolactin in: its correlation with maternal plasma prolactin (Biswas) (73) 363
Amoxycillin, in serum and urine, a simple chemical method for the assay of (Davidson) (69) 67
Amylase, produced in carcinoma of the lung, properties of (Sudo, Kanno) (73) 1
α-Amylase, pancreatic, human, antiserum raised against (Carney) (67) 153
α-Amylase, salivary and pancreatic, isolation and characterization of isoenzymes of (Rosenmund, Kaczmarek) (71) 185
Anaemia, carbonic anhydrase isoenzyme B in erythrocytes of subjects with different types of (Mondrup, Anker) (69) 463
Analbuminaemia, biochemical modifications in a case of (Goulle, Laine, Sauger, Maitrot, Bouillerot, Gray, Blondet, Dieryck) (71) 143
Androstenedione, in blood and plasma samples, stability of, and of testosterone (Wickings, Nieschlag) (71) 439
Angiotensin II, in plasma, measurement of. Technical modifications and practical experience (Kappelgaard, Damkjær Nielsen, Giese) (67) 299
Angiotensin-II, in plasma, radioimmunoassay for determination during furosemide administration (Küppers, Wiesen, Schnurr) (71) 469
Anion-exchange resin columns, commercially prepared, an evaluation of, for separation of tetraiodothyronine in serum (Agnese, Shaw, Spierto) (69) 285
Antibodies, generation of, against pancreozymin, secretin and gastrin, reliable method for (Schlegel, Raptis) (73) 439
Antibody, radial immunodiffusion, for quantitative determination of antigens in biological fluids (Domán) (69) 153
Antibody, specific precipitating, to human urinary erythropoietin (Kozuru, Nakashima, Ibayashi) (66) 53
α_1-Antichymotrypsin, interaction with cationic proteins from granulocytes (Ohlsson Åkesson) (73) 285
Anticonvulsant drugs, elevation of glutamine in cerebrospinal fluid and plasma by. A potential diagnostic and therapeutic trap (Perry, Hansen, MacLean) (69) 441
Anticonvulsant drugs, underivatized, quantitative determination of, by high resolution gas chromatography with support-coated open tubular columns (Cramers, Vermeer, Van Kuik, Hulsman, Meijers) (73) 97
Anticonvulsant therapy, epileptics treated with, serum γ-glutamyltransferase and

alkaline phosphatase activities in (Skillen, Pierides) (72) 245
Antiepileptic drugs, in human plasma, high-speed liquid chromatographic determination of (Kitazawa, Komuro) (73) 31
Antigens, in biological fluids, quantitative determination of, by the antibody radial immunodiffusion method. Antigens in agar gel (Domán) (69) 153
Antigen, carcinoembryonic, circulating, detection by counter-immunoelectrophoresis (Hamada, Ishikawa, Imura, Torizuka, Matsumoto, Honjo, Mayumi) (66) 365
Antigen, enzymically labelled, in a radioimmunoassay for human TSH; comparison between ^{125}I-labelled TSH labelled with lactoperoxidase or chloramine-T (Burrin) (70) 153
Antigen, hepatitis-B, double sequential counterimmunoelectrophoresis (DCIEP): an improved method for detection of (Abrudan, Dejica) (69) 113
Antigen, hepatitis-B, comparative study of two methods for detection: double sequential counterimmunoelectrophoresis (DCIEP) and Ausria II—^{125}I radioimmunoassay (Szántay, Dejica, Abrudan) (69) 117
Antisera, polyvalent, used in a modification of Laurell's one-dimension electrophoresis (Link, Schmidt-Wiederkehr) (69) 447
Antiserum, monospecific to thyroxine binding globulin, preparation of, for its quantitation by rocket immunoelectrophoresis (Bradwell, Burnett, Ramsden, Burr, Prince, Hoffenberg) (71) 501
Antiseurm, raised against human pancreatic α-amylase (Carney) (67) 153
α-Antitrypsin with unusual behaviour (Lie-Injo) (72) 83
α-Antitrypsin, in serum, electrophoretic variation of, treated with neuraminidase (Inokuma, Harada, Koyasako, Miyamoto, Horiuchi) (69) 185
Antitrypsin, in serum, automated determination (Hoffmann, Van den Broek, Jansen) (71) 251
α_1-Antitrypsin, in serum, separation of different molecular forms (Musiani, Massi, Piantelli) (73) 561
Apoenzyme, of aspartate aminotransferase in serum, reactivation of (Moss) (67) 169
Apolipoprotein, of the low density lipoprotein of human plasma: structural study in familial hyperbetalipoproteinaemia (Pinon, Turpin) (70) 259
Apolipoprotein B, in plasma, by double antibody radioimmunoassay (Bedford, Shepherd, Morgan) (70) 267
Apolipoprotein B, in serum, immunoassay of, comparison of methods (Durrington, Whicher, Warren, Bolton, Hartog) (71) 95
Apoprotein profile, of plasma and chylous ascites lipoproteins (Malmendier, Amerijckx) (68) 259
Arginase, by a ultramicromethod, in the presence of urea (Nishibe) (71) 413
Aromatic acids, recovery from biological fluids, specific method (Goodwin, Ruthven, Fellows, Sandler) (73) 191
Arrhenius relationships, apparent, of the human creatine kinase isoenzymes using the Oliver-Rosalki assay (Nealon, Henderson) (66) 131
Arteries, atheromatous, basic protein content of, an increase in (Skrzydlewski, Worowski) (66) 435
Arthritis, rheumatoid, collagen in (Adam, Vitášek, Deyl, Felsch, Musilová, Olšovská) (70) 61
Arthritis, rheumatoid, erythrocyte copper levels in patients with, and in normal subjects, and erythrocyte superoxide dismutase activity, relationship between (Scudder, Stocks, Dormandy) (69) 397
Arylamidases, in normal and diseased human muscle) (Kar, Pearson) (69) 311
Arylsulphatase A and B, in leukocytes, a rapid method for measurement as a diagnosis for sulphatidosis, mucosulphatidosis and mucopolysaccharidosis VI (Humbel) (68) 339
Arylsulphate, degradation by hepatic microsomes (Ozeki, Tokawa, Ogasawara, Kubota, Takenaka Ito, Sato, Kan) (71) 363
Aspartate aminotransferase, in serum, apoenzyme of, reactivation of (Moss) (67) 169
Aspartate transaminase, in serum of normal subjects, activation by pyridoxal 5′-phosphate (Lustig, Patten) (69) 101
Aspartylglycosylamine, in urine, enzymatic determination of, to detect aspartylglycosyl aminuria (Sugahara, Nishimura, Aula, Yamashina) (72) 265

Aspartylglycosylaminuria, enzymatic determination of urinary aspartylglycosylamine for detection of (Sugahara, Nishimura, Aula, Yamashina) (72) 265
Aspermia, concentration of the secretory immunoglobulin A of seminal fluid in normal subjects, in decreased fertility and in (Soliman, Olesen) (69) 543
Atheromatous arteries, basic protein content of, an increase in (Skrzydlewski, Worowski) (66) 435
Atomic absorption spectrophotometry, see also Spectrophotometry
Atomic absorption spectrophotometry, of copper and zinc in human brain tissue. A critical investigation of two digestion techniques (Wuyts, Smeyers-Verbeke, Massart) (72) 405
Atomic absorption spectrophotometry, flameless, for determination of manganese in blood and urine (Buchet, Lauwerys, Roels, De Vos) (73) 481
Atomic absorption spectroscopy, flameless, for zinc in fingernails (Sohler, Wolcott, Pfeiffer) (70) 391
ATPases for transport, of cardiac sarcolemma in experimental uraemia (Fiehn, Seiler, Heimberg) (73) 93
Atrophy, cerebral, lysosomal enzymes in (Yates, Urquhart, Wilson, Davidson, Copland) (71) 215
Atrophies, of the nervous system, and neuromuscular disorders, serum creatine kinase isoenzyme pattern in (Jockers-Wretou, Grabert, Müller, Pfleiderer) (73) 183
Ausria II-^{125}I radioimmunoassay, double sequential counterimmunoelectrophoresis and, comparative study of two methods for hepatitis B antigen detection (Szántay, Dejica, Abrudan) (69) 117
Automated determination, of serum phospholipids (Taylor, Watts) (73) 547

B

Bamifylline, interference of, with the Zimmerman reaction for 17-ketosteroids (Etienne, Taelman) (69) 147
Barbiturates, theophylline in serum in the presence of, by a modified ultraviolet spectrophotometric method (Vasiliades, Turner) (69) 491
Batch adsorption, simple procedure for isolation of sulphated and non-sulphated bile acids from serum (Van Berge Henegouwen, Hofmann, Ruben) (73) 469
Bence Jones proteins, polyacrylamide-gel disc electrophoresis of unconcentrated urine samples with special reference to (Takeoka, Gotoh, Furumi, Mori) (71) 149
N-Benzoyl-L-tyrosyl-p-aminobenzoic acid, used for a new indirect pancreatic-function test, preliminary results (Bornschein, Goldmann, Otte) (67) 21
Berthelot, reaction modified for photometric determination of nitrogen (Lauber) (67) 107
Bile, lipid composition in, in morbid obesity before and after jejunoileal bypass surgery (Morin, Barry) (69) 479
Bile, phospholipids in, estimation of (Murison, Festi, Ross, Bouchier) (68) 159
Bile acids, conjugated, alkaline and enzymatic hydrolysis of (Roseleur, Van Gent) (66) 269
Bile acids, conjugated and unconjugated, separation by thin-layer chromatography (Beke, De Weerdt, Parijs, Huybrechts, Barbier) (70) 197
Bile acids, by fluorimetry, quantitative analysis of, and of their conjugates in duodenal aspirate after cellulose acetate electrophoresis (Beke, De Weerdt, Parijs, Barbier) (71) 27
Bile acid, in primary hepatoma, and serum cholesterol (Hirayama, Irisa) (71) 21
Bile acids, sulphated and non-sulphated isolation from serum, by a simple batch adsorption procedure (Van Berge Henegouwen, Hofmann, Ruben) (73) 469
Bile acids, total, in serum, fluorimetry for quantification (Mashige, Imai, Osuga) (70) 79
Bilirubin, interaction between human serum albumin, iophenoxic acid and iopanoic acid as studied by fluorescence and Sephadex gel filtration (Birkett, Kapitulnik) (71) 129
Bilirubin, reference solutions, diluted human serum as a suitable diluent in the preparation of (Franzini, Panseri) (69) 73
Bilirubin, in serum, low values of, in chronic renal failure. Relation to haem metabolism (Pasternack, Tenhunen) (67) 85
Bilirubin, in serum, single nonaqueous diazo reagent for rapid determination without lipaemic interference (Morin) (71) 9
Biokinetics, of galactose in homo- and heterozygotes of both forms of galactosaemia (Sitzmann, Kaloud) (72) 343
Bisalbuminaemia, in pancreatitis: structural modifications of human serum albumin by proteolytic enzymes of the pancreas (Rousseaux, Debeaumont, Scharfman, Pommelet, Dautrevaux, Biserte) (71) 35
Blood, calcium ion in, and in plasma, comparative determinations of, with a new calcium ion analyzer (Fuchs, Dorn, McIntosh, Scheler, Kraft) (67) 99
Blood, carbamazepine in, micro determination by a rapid and sensitive spectrophotometric procedure (Fellenberg, Pollard) (69) 423
Blood, carbamazepine and 5,5-diphenylhydantoin in, simultaneous micro determination of, by spectrophotometry (Fellenberg, Pollard) (69) 429
Blood, constituents of, commonly determined, in healthy blood donors, biological and analytical variation of (Flynn, Piper, Garcia-Webb, McPherson, Healy) (70) 179

Blood, cutaneous capillary, ultra-micro-methods for the biochemical analysis of. IV. Selection of the glucose oxidase-2,2′-azino-di-(3-ethyl-benzthiazolin-sulphonic acid-6) diammonium method for measuring blood sugar of neonates (Uete, Hori, Fukutani) (70) 329
Blood, glucose in, by a modified o-toluidine reagent (Abraham) (70) 209
Blood, haemolysate from, stability of erythrocyte aminolaevulinate dehydratase under several conditions of storage of (Tomokuni) (69) 547
Blood, hypoxanthine-guanine phosphoribosyl transferase in, by radioassay, rapid method for (Bakhru-Kishore, Kelly) (70) 149
Blood, manganese in, and in urine, by flameless atomic absorption spectrophotometry (Buchet, Lauwerys, Roels, De Vos) (73) 481
Blood, methyl methacrylate in human blood in vitro, rate of disappearance of (Corkill, Lloyd, Hoyle, Crout, Ling, James, Piper) (68) 141
Blood, methyl urea in, and in urine, of patients with chronic renal disease, a search for, using a specific gas-liquid chromatographic method (Evans) (69) 357
Blood, molybdenum in, by neutron activation analysis (Baert, Cornelis, Hoste) (68) 355
Blood, oxygen in, a new reference method for the determination (Dijkhuizen, Kwant, Zijlstra) (68) 79
Blood, polyamine distribution in, cellular compartments, and in aging erythrocytes (Cooper, Shukla, Rennert) (73) 71
Blood, saccharoid fraction in, studies on, in normal and diabetic subjects (Khanam, Rahman) (71) 389
Blood, sugar in, of neonates, glucose oxidase-2,2′-azino-di-(3-ethyl-benzthiazolin-sulphonic acid-6) diammonium method for measuring (Uete, Hori, Fukutani) (70) 329
Blood testosterone and androstenedione stability in, and in plasma (Wickings, Nieschlag) (71) 439
Blood, thyrotropin in dried samples of, on filter paper, improved assay of, as a screening test for neonatal hyperthyroidism (Miyai, Nishi, Kawashima, Oura, Tsuruhara) (73) 241
Blood, uric acid in, of neonates, enzymatic fluorimetric method (Uete, Yamashita) (69) 143
Blood diseases, mechanisms of acquired erythrocyte enzyme deficiencies (Kahn, Marie, Bernard, Cottreau, Boivin) (71) 379
Blood plasma, some glycolytic enzymes in, and in normal cerebrospinal fluid and brain tissue of infants (Gumiński) (71) 61
Blood platelets, monoamine oxidase in, routine assay procedure for (Demisch, Bochnik, Seiler) (70) 357
Blood serum, enolase (muscle-type) in, total and immunologically reacting, in patients and carriers of Duchenne's muscular dystrophy (Goldberg, Rider, Taylor) (71) 89
Brain, glutamate decarboxylase in, inhibition by glutarate, glutaconate, and β-hydroxyglutarate: explanation of the symptoms in glutaric aciduria? (Stokke, Goodman, Moe) (66) 411
Brain tissue, copper and zinc in, atomic absorption spectrophotometry of. A critical investigation of two digestion techniques (Wuyts, Smeyers-Verbeke, Massart) (72) 405
Brain tissue, some glycolytic enzymes in, and in normal cerebrospinal fluid and blood plasma of infants (Gumiński) (71) 61
Brain tissue, manganese in, distribution of (Smeyers-Verbeke, Bell, Lowenthal, Massart) (68) 343
Bratton and Marshall, hydrolysis procedure of, studied by high performance liquid chromatography (Brown, Lofberg, Gibson) (70) 239
Breast cancer, corticosteroid sulphate excretion and oestrogen receptors in (Rose, Liskowski) (67) 183
Breast cancer, oestrogen receptor assay in, experience with a simple method (Liskowski, Rose) (67) 175
Breast feeding, effect of, on β_2-microglobulin in human colostrum and milk (Cejka, Van Nieuwkoop, Mood, Kithier, Rádl) (67) 71
Broad-β disease, see Hyperlipoproteinaemia type III

Bronchial secretion, proteins from, identification and characterization by crossed immunoelectrophoresis (Laine, Hayem) (67) 159
Burn patients, copper and zinc levels in serum of, evolution of (Lafargue, Couture, Monteil, Guilbaud, Saliou) (66) 181
Burn patients, lysyl oxidase activity in human normal skins and postburn scars (Hayakawa Hino, Fuyamada, Nagatsu, Aoyama, Izawa) (71) 245

C

Caeruloplasmin, automated assay by kinetic analysis of o-dianisidine oxidation (Boyett, Lehmann, Beeler) (69) 233
Calcium, absorption of, calculation of three hours of, from a double isotope test; a simplified method (Roelofs, Raymakers) (67) 53
Calcium, loss of, in saliva electrolyte analysis, sample treatment to prevent (Sebesta, Danzer) (68) 309
Calcium, neutral protease activated by, in normal and dystrophic human muscle (Kar, Pearson) (73) 293
Calcium, in plasma and blood, comparative determinations of, with a new calcium ion analyzer (Fuchs, Dorn, McIntosh, Scheler, Kraft) (67) 99
Calcium, in serum, determination of, by colorimetry using methylthymol blue (Ripoll) (72) 133
Calcium, in serum, the ultrafiltrability of inorganic phosphate and of, a new device for ultrafiltration (Trechsel, Aeby, Fleisch) (69) 367
Calcium, total, in serum or heparinized plasma, titrimetric method (Ferguson, Vaughan, Swale) (67) 281
Calcium balance, a method for studying in man, and the interpretation of results (Fisher, Petrie, Tondowski, Joplin) (70) 297
Calcium oxalate, calcium phosphate, magnesium ammonium phosphate, uric acid, sodium acid urate, ammonium acid urate and cystine, saturation of urine with, nomograms for analysis of (Marshall, Robertson) (72) 253
Calcium phosphate, and other constituents of urinary calculi, saturation of urine with, nomograms for analysis of (Marshall, Robertson) (72) 253
Calculi, infrared spectra of, system of interpretation of, for routine use in the clinical laboratory (Oliver, Sweet) (72) 17
Calorie intake, low, and alcohol consumption, effects on urinary formiminoglutamate in man (Rosenauerová-Ostrá, Hilgertová, Šonka) (73) 39
Cancer, of the breast, corticosteroid sulphate excretion and oestrogen receptors in (Rose, Liskowski) (67) 183
Cancer, of the breast, oestrogen receptor assay in, experience with a simple method (Liskowski, Rose) (67) 175
Cancer, of the breast, progesterone receptors in, determination of, and relationship to estrogen receptors (Liskowski, Rose, Dondlinger, Olenick) (71) 309
Cancerous disease, β_2-microglobulin levels in (Shuster, Gold, Poulik) (67) 307
Capillary blood, cutaneous, ultra-micromethods for the biochemical analysis of. III. Enzymatic fluorometric method for measuring uric acid in blood of neonates (Uete, Yamashita) (69) 143
Carbamazepine, in blood, micro determination of, by a rapid and sensitive spectrophotometric procedure (Fellenberg, Pollard) (69) 423
Carbamazepine, in blood, and 5,5-diphenylhydantoin in blood, simultaneous micro determination of, by spectrophotometry (Fellenberg, Pollard) (69) 429
Carbamazepine, in serum, levels of primidone, diphenylhydantoin, phenobarbital and, improved method for measurement by gas-liquid chromatography (Nishina, Okoshi, Kitamura) (73) 463
N-Carbamoyl compounds, increased excretion of, in patients with urea cycle defects (Oberholzer, Palmer) (68) 73
Carbohydrate, content, two IgM paraproteins differing in, in a patient with Waldenström's macroglobulinaemia (Virella, Lechner) (67) 137
Carbohydrate metabolism, enzyme defects of, and in children with, urinary lactate excretion in normal children (Fernandes, Blom) (66) 345
Carbonic anhydrase, isoenzyme B, in erythrocytes of subjects with different types of anaemia (Mondrup, Anker) (69) 463

Carbon tetrachloride, chronic intoxication by, glycylprolyl β-naphthylamidase in serum, liver and kidney of rats in (Hino, Fuyamada, Nagatsu, Kurokawa, Okuyama) (67) 103
γ-Carboxyglutamic acid in human urine (Fernlund) (72) 147
Carcinoembryonic antigen (CEA), circulating, counter-immunoelectrophoresis for detection of (Hamada, Ishikawa, Imura, Torizuka, Matsumoto, Honjo, Mayumi) (66) 365
Carcinoma, gastric and colonic, ganglioside pattern and neuraminic acid content (Keränen, Lempinen, Puro) (70) 103
Carcinoma, laryngeal, and thyrotoxicosis, abnormal serum lactate dehydrogenase isoenzyme in a case of (Tanaka, Amino, Hayashi, Miyai, Kumahara) (68) 235
Carcinoma, of the lung, properties of amylase produced in (Sudo, Kanno) (73) 1
Carnitine, in plasma, and body composition (Cederblad) (67) 207
Carnitine levels, in serum, relationship between, and nutritional status of patients with schistosomiasis (Mikhail, Mansour) (71) 207
Cartilage, collagen, in osteoarthrosis (Adam, Musilová, Deyl) (69) 53
Cartilage, femoral, comparison of mildly and severely osteoarthritic regions. Hyaluronate-binding by proteoglycans (Palmoski, Brandt) (70) 87
Cartilage, neonatal femoral epiphyseal, chemistry of (Sewell, Pennock) (68) 123
Catalase, activity of erythrocytes in chronic renal failure (Melissinos, Vlassopoulos, Drivas, Tsoukantas) (66) 267
Catecholamine, acidic metabolites of, simultaneous analysis by single ion monitoring and manual control of the magnetic field (Peralta, Gelpí) (73) 13
Catecholamines, in plasma, estimation of, by the radiometric method of Passon and Peuler (Moerman, Bogaert, De Schaepdryver) (72) 89
Catecholamine, -sensitive adenylate cyclase, of human fat cell ghosts. Characteristics of the 5-′guanylyl-imidodiphosphate-liganded state (Kather, Simon) (73) 497
Cellogel, electrophoresis of γ-glutamyl-transpeptidase on. Appearance of the α_2-β band in positive LP-X sera (Degenaar, Thijssen, Van der Wal, Berends) (67) 79
Central nervous system, manganese in, distribution of (Smeyers-Verbeke, Bell, Lowenthal, Massart) (68) 343
Centrifugation, isopycnic gradient, for studies of intracellular distribution of acid phosphatase 5 in spleen cells of leukaemic reticuloendotheliosis (Lam, Dekker, Castleman, Yam) (70) 289
Cerebralatrophy, lysosomal enzymes in (Yates, Urquhart, Wilson, Davidson, Copland) (71) 215
Cerebrospinal fluid, normal, some glycolytic enzymes in, and in brain tissue and blood plasma of infants (Gumińsky) (71) 61
Cerebrospinal fluid, glutamine in, and plasma glutamine elevation by anticonvulsant drugs. A potential diagnostic and therapeutic trap (Perry, Hansen, MacLean) (69) 441
Chloramine-T, ^{125}I-labelled TSH labelled with, or with lactoperoxidase, comparison between; advantages in the use of enzymically labelled antigen in a radioimmunoassay for human TSH (Burrin) (70) 153
Cholestasis, serum alkaline phosphatase, nucleotide pyrophosphatase, 5′-nucleotidase and lipoprotein-X in (Brocklehurst, Lathe, Aparicio) (67) 269
Cholesterol, contributions of other sterols to the estimation of (Munster, Lever, Carrell) (68) 167
Cholesterol, free and esterified, enzymatic measurement of, in plasma and other biological preparations using the oxygen electrode in a modified glucose analyzer (Dietschy, Weeks, Delente) (73) 407
Cholesterol, free and esterified, in serum and tissues, enzymatic determination of (Morin) (71) 75
Cholesterol, photodynamic effects of protoporphyrin on, and on unsaturated fatty acids, in erythrocyte membranes in protoporphyria and in normal red blood cells (De Goeij, Van Steveninck) (68) 115

Cholesterol, in plasma, comparison of gas-liquid chromatographic, colorimetric and enzymatic analyses (Lillienberg, Svanborg) (68) 223
Cholesterol, in serum, and serum bile acid in primary hepatoma (Hirayama, Irisa) (71) 21
Cholesterol, in serum, quantitation of, interference of sodium azide with, a comparative study (Khayam-Bashi, Sims, Parekh) (66) 69
Cholesterol, total and free, in plasma, a two-step determination by gas-liquid chromatography. Suggestion for a reference method (Ambert, Cahour, Hartmann) (68) 31
Cholesterol, total, in serum, studies on the accuracy and precision of, by the method of Liebermann-Burchard, in regional interlaboratory trials (Hohenwallner, Sommer, Wimmer) (66) 19
Cholesterol, in urine, determination of, by the method of Cox (Bigham, Farrant, Phillipou, Seamark) (69) 537
Cholesterol, VLDL and LDL, in cord serum, methods for direct estimation of. Neonatal screening for hyperlipoproteinemia (Andersen, Nielsen) (66) 29
Cholesterol, diets low in, effect on xanthelasma and hyperlipoproteinaemia (Dean) (66) 189
Cholesterol esters, in liver, and triglycerides in liver, partial deficiency of acid lipase with storage of. Genetic variant of Wolman's disease? (Suzuki, Kawai, Kobayashi, Ohbe, Endo) (69) 219
Cholesterol oxidases, from different sources, comparative studies on, by a new polarographic method (Noma, Nakayama) (73) 487
Cholesteryl esters, turnover in plasma of man. Comparison of in vivo and in vitro methods (Kudchodkar, Sodhi) (68) 187
Cholic acid, conjugated, in serum, radioimmunoassay of (Matern, Krieger, Gerok) (72) 39
Cholic acid, conjugated, in serum, solid-phase radioimmunoassay for determination of (Van den Berg, Van Blankenstein, Bosman-Jacobs, Frenkel, Hörchner, Oost-Harwig, Wilson) (73) 277
Chromatography, for 25-hydroxy vitamin D_3 determination, novel specific assay (Björkhem, Holmberg) (68) 215
Chromatography, affinity, column, for isolation of serum lipoproteins from the other serum protein constituents (Wille) (71) 355
Chromatography, affinity, for sex hormone binding globulin (Ratajczak, Hähnel) (73) 379
Chromatography, affinity, of unlabelled and labelled cortisol-binding immunoglobulin (Gijzen) (66) 77
Chromatography, column, with LH-20, of corticosteroids: polyamide thin-layer chromatography, a substitute for (Scandrett, Ross) (72) 165
Chromatography, DEAE-cellulose column, for galactose-1-phosphate uridyltransferase and the separation of its isoenzymes (Shin-Bühring, Osang, Ziegler, Schaub) (70) 371
Chromatography, gas, for amniotic fluid lipid profiles, rapid method (Cooper, Brush) (69) 211
Chromatography, gas, for 3,4-dihydroxyphenylglycol in urine as the diacetylphenyl-bis (trimethyl)silyl ether (Kahane, Jindal, Vestergaard) (73) 203
Chromatography, gas, for methylmalonic acid and other short chain dicarboxylic acids (microdetermination). Use in prenatal diagnosis of methylmalonic acidaemia and in studies of isovaleric acidaemia (Nakamura, Rosenberg, Tanaka) (68) 127
Chromatography, gas, of organic acids, preparation of trimethylsilyl derivatives of sodium salts (Poole, Slater, Orrell) (73) 527
Chromatography, gas, for 2-phenylethylamine in human urine (Reynolds, Gray) (70) 213
Chromatography, gas, for pregnanediol and oestriol (simultaneous determination) (Bottema, Belderok) (68) 199
Chromatography, gas, for short chain aldehydes and ketones (quantitative determination) in the urine of infants (Bachmann, Baumgartner, Wick, Colombo) (66) 287
Chromatography, gas, for steroids in urine, semi-automated, simultaneous estimation. Investigation of neonatal infants and children with abnormal steroid synthesis (Shackleton, Honour) (69) 267

Chromatography, gas, of urinary organic acids, a new method (Horrocks, Hindle, Lawson, Orrell, Poole) (69) 93
Chromatography, gas, for urinary pseudouridine determination (Casale, Gerber) (69) 545
Chromatography, gas, for urinary vanilglycolic acid, vanilglycol, vanilacetic acid and vanillactic acid. Chemical parameters for the diagnosis of neurogenic tumours and the evaluation of their treatment (Wadman, Ketting, Voûte) (72) 49
Chromatography, gas, and extraction with ether, for quantitating short chain fatty acid levels in biological fluids (Whitehead, Kim, Prizont) (72) 315
Chromatography, gas, and mass fragmentography, for the quantitative determination of unconjugated pterins in urine (Röthler, Karobath) (69) 457
Chromatography, gas, high resolution, with support-coated open tubular columns, for quantitative determination of underivatized anti-convulsant drugs (Cramers, Vermeer, Van Kuik, Hulsman, Meijers) (73) 97
Chromatography, gas-liquid, (or radioimmunoassay) for aldosterone and tetrahydroaldosterone estimation, after isolation (Scandrett, Wilson, Ross) (72) 97
Chromatography, gas-liquid, for cholesterol, a two-step determination of plasma total cholesterol and free cholesterol. Suggestion for a reference method (Ambert, Cahour, Hartmann) (68) 31
Chromatography, gas-liquid, for cholesterol in plasma, comparison of, colorimetric and enzymatic analyses (Lillienberg, Svanborg) (68) 223
Chromatography, gas-liquid, for phenobarbital, carbamazepine, primidone and diphenylhydantoin in serum, improved method (Nishina, Okoshi, Kitamura) (73) 463
Chromatography, gas-liquid, for sulthiame in human plasma (Hackett, Dusci) (66) 443
Chromatography, gas-liquid, for urinary aldosterone comparison with simplified radioimmunoassay (Etienne, Pardaens) (72) 201
Chromatography, gas-liquid, following flash-heater hexylation, for simultaneous isothermal determination of diphenylhydantoin and phenobarbital serum levels (Giovanniello, Pecci) (67) 7
Chromatography, gas-liquid, and automatic potentiometric titration of underivatised free fatty acids (Wirth, Eckhard, Weicker) (71) 47
Chromatography, ion-exchange, for amino acids in granulocytes of healthy men and women (Houpert, Tarallo, Siest) (69) 383
Chromatography, liquid, high performance, for studying the Bratton and Marshall hydrolysis procedure (Brown, Lofberg, Gibson) (70) 239
Chromatography, liquid, high pressure, for lidocaine and procainamide in serum (simultaneous determination) (Adams, Vandemark, Schmidt) (69) 515
Chromatography, liquid, high pressure, and mass spectrometry, for determination of deuterium-labelled phenylalanine and tyrosine in human plasma (Trefz, Byrd, Blaskovics, Kochen, Lutz) (73) 431
Chromatography, liquid, high-speed, for antiepileptic drugs in human plasma (Kitazawa, Komuro) (73) 31
Chromatography, liquid, high-speed, for urinary levels of vanilmandelic acid and homovanillic acid (Yoshida, Yoshioka, Yamazaki, Sakai, Tamura) (73) 315
Chromatography, molecular sieve, for diagnosis of dyslipoproteinaemia (Shepherd) (69) 161
Chromatography, radio-, adenosine deaminase enzymatic activity, in human erythrocytes and lymphocytes (Cartier, Hamet) (71) 429
Chromatography, on Sephadex G-75, for separation of dermatan sulphate from heparan sulphate in mucopolysaccharidosis urine (Herd, Forrest, Tschida) (68) 1
Chromatography, thin-layer, for conjugated and unconjugated bile acids (separation) (Beke, De Weerdt, Parijs, Huybrechts, Barbier) (70) 197
Chromatography, thin-layer (polyamide), of corticosteroids: a substitute for column chromatography with LH-20 (Scandrett, Ross) (72) 165

Chromatography, thin-layer, for methylmalonic acid in urine (Das, Sharma, Mohanty, Chachra) (66) 263
Chromatography, thin-layer, for thyroid hormones and iodide (rapid and effective separation) (Hušek, Felt) (72) 195
Chromatography, thin-layer and gas-liquid, and gas-liquid chromatography-mass spectrometry for identification of o-hydroxyhippuric acid in the urine of sick children (Finnie, Ersser, Seakins, Snedden) (70) 171
Chylous ascites, apoprotein profile of, lipoproteins in, and in plasma (Malmendier, Amerijckx) (68) 259
Circular dichroism of myeloma proteins of IgG_1, IgG_2 and IgG_4 subclass specificity (Amend, Bonnekoh, Wetter) (71) 339
Cirrhosis, portal, diagnostic triad for (Goldberg, Ellis, Ward) (72) 379
Cirrhosis, liver, increased urinary excretion of L-xylulose in patients with (Oka, Suzuki, Suzuki, Oda) (67) 131
Clofibrate, effect on plasma proteins including components of the hemostatic mechanism (Cederblad, Korsan-Bengtsen) (66) 9
Clot-weight method, for fibrinogen in plasma suitability and limitation (Dyr, Vodrážka) (66) 277
Coeliac human subjects, intestinal mucosa of, and of normal human subjects, binding of a glycopeptide component of wheat gluten to, and (Douglas) (73) 357
Collagen, cartilage, in osteoarthrosis (Adam, Musilová, Deyl) (69) 53
Collagen, hepatic, proline hydroxylase in, in alcoholic liver disease (Mezey, Potter, Maddrey) (68) 313
Collagen, in rheumatoid arthritis (Adam, Vitášek, Deyl, Felsch, Musilová, Olšovská) (70) 61
Colorimetry, for α-amino nitrogen in plasma, alternative, improved technique (Twigger, Johnson, Payne) (72) 161
Colorimetry, for calcium in serum using methylthymol blue (Ripoll) (72) 133
Colorimetry, for cholesterol in plasma, comparison of, gas-liquid chromatographic and enzymatic analyses (Lillienberg, Svanborg) (68) 223
Colorimetry, for creatine kinase variations, continuous in vivo measurement, in man during an exercise (Galteau, Siest, Poortmans) (66) 89
Colorimetry, for 11-deoxy-17-oxo-steroids in urine by the Zimmerman reaction, semi-automated method (Rademaker, Jongejan-Timmer, Poortman, Thijssen) (70) 349
Colorimetry, rapid, for assay of β-galactosidase and N-acetyl-β-glucosaminidase in human urine (Maruhn) (73) 453
Colorimetry, for γ-glutamyl transpeptidase in serum, sensitive automated method (Fuke, Yagi, Takegoshi, Kondo) (69) 43
Colorimetry, for ion in serum, a new reagent (Kyaw) (69) 351
Colorimetry, for ornithine carbamoyltransferase activity in serum, a direct method (Ohshita, Takeda, Kamiyama, Ozawa, Honjo) (67) 145
Colorimetry, PMS-INT (phenazine methosulphate-2-(4-iodophenyl)-3-(4-nitrophenyl)-5-phenyltetrazolium chloride), modified, of lactate dehydrogenase, use of NADH as a standard in (Buttery, Lim, De Witt) (73) 109
Colostrum, β_2-microglobulin in, and in milk. Effect of breast feeding (Čejka, Van Nieuwkoop, Mood, Kithier, Rádl) (67) 71
Column chromatography, see Chromatography, column
Component of complement, third (C 3 (β 1C/β 1A)), critical role of conversion of, for its immunochemical quantitation (Spath, Gabl, Nachbaur) (73) 171
Computer, analog, for examination of the effect of various stains on quantitative agarose-gel electrophoresis (Siegert, Schützler, Jarofke) (73) 423
Congenital hyperplasia, adrenal, steroid metabolism in, long-term effects of aminoglutethimide on (Hamilton) (73) 135
Contraceptives, oral, combined, variations in serum iron and total iron binding capacity with the time of intake (Kamyab, Kamyab) (66) 439
Copper, in brain tissue, atomic absorption spectrophotometry of, and of zinc. A critical investigation of two digestion techniques (Wuyts, Smeyers-Verbeke, Massart) (72) 405

Copper, in erythrocytes, relationship between, and erythrocyte superoxide dismutase activity in normal subjects and in patients with rheumatoid arthritis (Scudder, Stocks, Dormandy) (69) 397
Copper, in plasma protein fractions, microdetermination of (Delves) (71) 495
Copper, in human semen, and zinc (Stanković, Mikac-Dević) (70) 123
Copper, in serum, in burn patients, evolution of, and of zinc levels (Lafargue, Couture, Monteil, Guilbaud, Saliou) (66) 181
Copper, non-caeruloplasmin, in serum, in liver disease, atomic absorption spectrophotometry for direct measurement of (Frommer) (68) 303
Cord serum VLDL + LDL, methods for direct estimation of. Neonatal screening for hyperlipoproteinemia (Andersen, Nielsen) (66) 29
Corpuscular volume, mean, and serum γ-glutamyltransferase, compared efficiency of, as screening tests for excess-ethanol drinkers (Baglin, Bernot, Bremond, Lamy, Leroux, Weill) (68) 321
Corticosteroids, polyamide thin-layer chromatography of: a substitute for column chromatography with LH-20 (Scandrett, Ross) (72) 165
Corticosteroid sulphate, excretion of, and oestrogen receptors in breast cancer (Rose, Liskowski) (67) 183
Cortisol, in plasma, direct radioimmunoassay (Rolleri, Zannino, Orlandini, Malvano) (66) 319
Cortisol, free, in plasma, a simple method for the determination with normal levels in men and women, including women taking low oestrogen contraceptives (Durber, Daly) (68) 43
Cortisol-binding immunoglobulin, unlabelled and labelled, affinity chromatography of (Gijzen) (66) 77
Cotrimoxazole, effect of, on the response to phenylalanine loading in man (Andrews, Purkiss, Chalmers, Watts) (68) 17
Counterimmunoelectrophoresis, double sequential, (DCIEP), hepatitis-B antigen, an improved method for detection of (Abrudan, Dejica) (69) 113
Counterimmunoelectrophoresis, double sequential, (DCIEP), and Ausria II-^{125}I radioimmunoassay, comparative study of two methods for hepatitis B antigen detection (Szántay, Dejica, Abrudan) (69) 117
Cox, method of, for rapid and simple determination of urinary cholesterol (Bigham, Farrant, Phillipou, Seamark) (69) 537
Creatine kinase, isoenzymes, apparent Arrhenius relationships of, using the Oliver-Rosalki assay (Nealon, Henderson) (66) 131
Creatine kinase, in serum, application of an exponential curve equation for calculation of (Niebrój-Dobosz) (66) 165
Creatine kinase, in serum, effect of dilution (Farrington, Chalmers) (73) 217
Creatine kinase, in serum, relationship between, thyroid hormones and in vivo and in vitro studies (Smith) (68) 333
Creatine kinase, in serum and uric acid solution (Warren, Madelian) (70) 285
Creatine kinase, variations in man during an exercise, continuous in vivo measurement by colorimetry (Galteau, Siest, Poortmans) (66) 89
Creatine kinase isoenzyme MB, in serum, determination using immunological inhibition of creatine kinase M subunit activity. Activity kinetics and diagnostic significance in myocardial infarction (Neumeier, Prellwitz, Würzburg, Brundobler, Olbermann, Just, Knedel, Lang) (73) 445
Creatine kinase, isoenzymes MB and MM, biochemical difference between (Wong, Smith) (68) 147
Creatine kinase, isoenzyme pattern in serum, in nervous system atrophies and neuromuscular disorders (Jockers-Wretou, Grabert, Müller, Pfleiderer) (73) 183
Creatine kinase M subunit, immunological inhibition of, for determination of creatine kinase isoenzyme MB activity in serum. Activity kinetics and diagnostic significance in myocardial infarction (Neumeier, Prellwitz, Würzburg, Brundobler, Olbermann, Just, Knedel, Lang) (73) 445

Creatine phosphokinase, brain-type, electrophoretic mobility of, effect of incubation in human plasma on (Cho, Meltzer, Joung, Goode) (73) 257
Creatine phosphokinase, in muscular diseases, influence of cystine, reduced glutathione and 2-mercaptoethanol (Niebroj-Dobosz) (71) 327
Creatinine, in serum, new method for determination of, based on its reaction with 3,5-dinitrobenzoyl chloride in an organic medium (Parekh, Cook, Sims, Jung) (73) 221
Cryoglobulins in urine (Leathem, Wiggins) (71) 353
Cutaneous capillary blood, ultra-micromethods for the biochemical analysis of. IV. Selection of the glucose oxidase-2,2′-azino-di-)3-ethyl-benzthiazolin-sulphonic acid-6)diammonium method for measuring blood sugar of neonates (Uete, Hori, Fukutani) (70) 329
Cyanmethaemoglobin, -binding capacity, serum haptoglobin as, kinetic method for estimation of, improved procedures, (Cooper, Titheradge, Legg) (72) 371
Cyclic AMP, urinary excretion of, in children of different ages, effect of severe trauma on (Vitek, Gill, Conn, Lang, Cowley) (70) 227
Cystathionine synthase, use of skin fibroblasts for measurement of activity with respect to homocystinuria (Griffiths, Tudball) (73) 157
Cysteine, influence of, and of reduced glutathione and 2-mercaptoethanol on creatine phosphokinase activity in muscular diseases (Niebroj-Dobosz) (71) 327
Cystic fibrosis, cellular glycosaminoglycans in lymphocytes from patients with (Anderson, Smith, Shapiro) (73) 63
Cystic fibrosis, detection of, by electrolyte measurements (Tárnoky, Bayliss, Bowen, Curnow, Sherington) (69) 505
Cystic fibrosis, isoelectric focusing of serum in: failure to distinguish between homozygote and heterozygote sera (Forstner, Koheil, Forstner) (70) 459
Cystic fibrosis, prolactin, growth hormone, and α-foetoprotein in children with (Biswas, Norman, Baffoe, Graves) (69) 541
Cystine, and other constituents of urinary calculi, saturation of urine with, nomograms for analysis of (Marshall, Robertson) (72) 253
Cytochalasin E-induced superoxide release, lack of, by polymorphonuclear leukocytes of patients with chronic granulomatous disease: a new diagnostic test (Nakagawara, Kakinuma, Shin, Miyazaki, Minakami) (70) 133

D

DCIEP, see Counterimmunoelectrophoresis, double sequential
Dehydroepiandrosterone, in urine, determination using 3 β-hydroxysteroid dehydrogenase (Yamaguchi, Tateishi, Hayashi) (66) 449
Densitometry, a simple cuvette for scanning of polyacrylamide gel electrophoresis cylinders. Quantitation of aggregates in preparations of human serum albumin (Schertz, Morris) (69) 551
Deoxycorticosterone, in plasma, and aldosterone in human plasma, radioimmunoassay for. Comparison of various antisera and determination of normal values (Sulon, Palem-Vliers, Genard, Cittanova, Desfosses) (72) 275
11-Deoxy-17-oxo-steroids, in urine, colorimetry, by the Zimmerman reaction, semi-automated method for (Rademaker, Jongejan-Timmer, Poortman, Thijssen) (70) 349
Derivatization, on-column, for rapid determination of urine oestriol (Millner, Taber) (71) 67
Dermatan sulphate, separation from heparan sulphate, in mucopolysaccharidosis urine by chromatography on Sephadex G-75 (Herd, Forrest, Tschida) (68) 1
Dermatan sulphate, in urine, quantitative determination (Humbel) (69) 137
Deuterium-labelled phenylalanine and tyrosine, determination in human plasma with high pressure liquid chromatography and mass spectrometry (Trefz, Byrd, Blaskovics, Kochen, Lutz) (73) 431
Diabetes, β-N-acetylglucosaminidase activities in retina, tear and serum of patients with (Fushimi, Tarui) (71) 1
Diabetes, blood saccharoid fraction in patients with, and in normal subjects (Khanam, Rahman) (71) 389
Diabetes, neutral sugars in seromucoid of patients with, influence of insulin on the proportion of (Guzdek, Ciba, Sarnecka-Keller) (72) 401
Diabetes, urinary albumin excretion in normal subjects and patients in (Jarrett, Verma, Keen) (71) 55
Diacetyl-phenyl-bis(trimethyl)silyl ether, 3,4-dihydroxyphenylglycol in urine as, gas chromatographic estimation (Kahane, Jindal, Vestergaard) (73) 203
o-Dianisidine, oxidation of, automated assay of caeruloplasmin by kinetic analysis of (Boyett, Lehmann, Beeler) (69) 233
Diazo reagent, single, nonaqueous, for rapid determination of bilirubin in serum without lipaemic interference (Morin) 971) 9
Dicarboxylic acids, short chain, by gas chromatography, microdetermination of, and of methylmalonic acid. Use in prenatal diagnosis of methylmalonic acidaemia and in studies of isovaleric acidaemia (Nakamura, Rosenberg, Tanaka) (68) 127
Dicarboxylic aciduria, suberylglycine excretion in urine from a patient with (Gregersen, Lauritzen, Rasmussen) (70) 417
Dichroism, circular, of myeloma proteins of IgG_1, IgG_2 and IgG_4 subclass specificity (Amend, Bonnekoh, Wetter) (71) 339
Digestion techniques, a critical investigation of. Atomic absorption spectrophotometry of copper and zinc in human brain tissue (Wuyts, Smeyers-Verbeke, Massart) (72) 405
5α-Dihydrotestosterone, intracellular localisation in human benign prostatic hypertrophy, (Ghanadian, Chisholm, Fotherby) (73) 521
Dihydroxyphenylalanine (DOPA), urinary excretion of, in patients with acute myocardial infarction (Wocial, Januszewicz, Sznajderman, Skórka) (66) 273
3,4-Dihydroxyphenylglycol, in urine, gas chromatographic estimation as the diacetyl-phenyl-bis (trimethyl)silyl ether (Kahane, Jindal, Vestergaard) (73) 203

3,5-Diiodotyrosine, binding to serum proteins (Bismuth, Castay, Lissitzky) (69) 417
Dilution, effect on creatine kinase activity (Farrington, Chalmers) (73) 217
3,4-Dimethoxyphenylethylamine, in urine, radioimmunology for determination of (Knoll, Wisser) (68) 327
3,5-Dinitrobenzoyl chloride, determination of serum creatinine with, in an organic medium, new method (Parekh, Cook, Sims, Jung) (73) 221
Dipeptides, mass spectrometry for identification of, in the urine of a patient suffering from chronic skin ulceration and oedema (Faull, Schier, Schlesinger, Halpern) (70) 313
Diphenoloxidases,identified in the membranes of human erythrocyte (Tuil, Berthelon, Demos, Dautreaux, Caut) (72) 173
5,5-Diphenylhydantoin, in blood, and carbamazepine in blood, simultaneous micro determination of, by spectrophotometry (Fellenberg, Pollard) (69) 429
Diphenylhydantoin, in serum and phenobarbital serum levels, simultaneous isothermal determination by gas-liquid chromatography following flash-heater hexylation (Giovanniello, Pecci) (67) 7
Diphenylhydantoin, in serum, levels of, phenobarbital, carbamazepine, primidone and, improved method for measurement by gas-liquid chromatography (Nishina, Okoshi, Kitamura) (73) 463
Displacement assay, of thyroxine, and thyroxine radioimmunoassay, comparison in normal and pathologic sera (Premachandra, Ibrahim) (70) 43
Diuretics, quinidine in human serum in the presence of, by fluorimetry (Osinga, De Wolff) (73) 505
Dopamine β-hydroxylase, circulating level of, the effects of therapy for mild hypertension on (Grant, Routh, Lawton, Witte) (69) 333
Dopamine β-hydroxylase, in plasma, in a noradrenalin-secreting pheochromocytoma (Aunis, Miras-Portugal, Coquillat, Warter, Mandel) (70) 455
Dopamine β-hydroxylase, in serum, following acute myocardial infarction. An evaluation of this parameter for routine use as an index of sympathetic activity (Gutteberg, Borud, Strømme) (69) 61
Duchenne's muscular dystrophy, phospholipid composition of cultivated skin fibroblasts in (Kohlschütter, Wiesmann, Herschkowitz, Ferber) (70) 463
Duchenne's muscular dystrophy, total and immunologically reacting muscle enolase in blood serum of patients and carriers of (Goldberg, Rider, Taylor) (71) 89
Duodenal aspirate, bile acids and their conjugates in, quantitative analysis of, by fluorimetry after cellulose acetate electrophoresis (Beke, De Weerdt, Parijs, Barbier) (71) 27
Dye-induced mobility alteration, electrophoretic, third form of, polymorphism of α_1-lipoprotein as revealed by immunoelectrophoresis with thymol blue (Muckle) (73) 57
Dyslipoproteinaemia, diagnosis of, by molecular sieve chromatography (Shepherd) (69) 161
Dystrophy, calcium-activated neutral protease in human muscle (Kar, Pearson) (73) 293
Dystrophy, see also Duchenne muscular dystrophy

E

Echinococcus granulosus protoscolices, in ovine liver, phosphoglucose isomerase from, partial purification and properties (Vessal, Abdolrasulnia) (68) 59
Electrofocusing, gel, and polyacrylamide gradient gel electrophoresis for separation of plasma lipoproteins (Emes, Latner, Rahbani-Nobar, Tan) (71) 293
Electrofocusing, iso-, of spectrin components in hereditary spherocytosis (Boivin, Galand) (71) 165
Electrofocusing, thin-layer, followed by electrophoresis, for demonstration and semiquantitative determination of complexes between various proteases and human α_2-macroglobulin (Ohlsson, Skude) (66) 1
Electroimmunoassay, "rocket" technique, for determination of human placental alkaline phosphatase (Forman, Moss, Whitaker) (68) 287
Electroimmunodiffusion, on agarose, for determination of α-1-foetoprotein in human serum (Borel-Giraud, Maillavin, Vernet-Nyssen) (71) 117
Electroimmunodiffusion, for determination of serum transcortin levels (Racadot, Racadot-Leroy, Le Gaillard, Dautrevaux) (66) 171
Electrolyte analysis, in saliva, calcium loss in, sample treatment to prevent (Sekesta, Danzer) (68) 309
Electrolyte, measurements of, for the detection of cystic fibrosis (Tárnoky, Bayliss, Bowen, Curnow, Sherington) (69) 505
Electrophoresis, after thin-layer electrofocusing, for demonstration and semiquantitative determination of complexes between various proteases and human α_2-macroglobulin (Ohlsson, Skude) (66) 1
Electrophoresis, agarose-gel, quantitative, effect of various stains: evaluation of the results with the aid of an analog computer (Siegert, Schützler, Jarofke) (73) 423
Electrophoresis, for α_1-antitrypsin in serum, variation by treatment with neuraminidase (Inokuma, Harada, Koyasako, Miyamoto, Horiuchi) (69) 185
Electrophoresis, cellulose acetate, before fluorimetry, for quantitative analysis of bile acids and their conjugates in duodenal aspirate (Beke, De Weerdt, Parijs, Barbier) (71) 27
Electrophoresis, on different supports, before identification of proteins by immunochemical methods (Groulade, Denis, Aveynier) (67) 199
Electrophoresis of human multiple myeloma and Waldenström's macroglobulinemia sera in sodium dodecyl sulphate polyacrylamide gels (Hayes, Plapp, Brewer, Rucker, Moore, Tilzer, Chiga) (66) 119
Electrophoresis, of γ-glutamyltranspeptidase on cellogel. Appearance of the α_2-β band in positive LP-X sera (Degenaar, Thijssen, Van der Wal, Berends) (67) 79
Electrophoresis, of hexosaminidase I in amniotic fluid (Wysocki, Hähnel) (67) 219
Electrophoresis, modifications of three enzymes in extracts of human and bovine lens. Posttranslational "aging" of lens enzymes (Skala-Rubinson, Vibert, Dreyfus) (70) 385
Electrophoresis, one-dimensional, of Laurell, a modification using polyvalent antisera (Link, Schmidt-Wiederkehr) (69) 447
Electrophoresis, polyacrylamide gel, a simple cuvette for densitometric scanning of. Quantitation of aggregates in preparations of human serum albumin (Scherz, Morris) (69) 551
Electrophoresis, polyacrylamide-gel disc, of unconcentrated urine samples with special reference to Bence Jones proteins (Takeoka, Gotoh, Furumi, Mori) (71) 149

Electrophoresis, polyacrylamide gradient gel, and gel electrofocusing for separation of plasma lipoproteins (Emes, Latner, Rahbani-Nobar, Tan) (71) 293
Electrophoresis, pyruvate kinase variants with abnormal patterns, isoelectric focusing of normal human erythrocyte pyruvate kinase and PK variants (Oda, Nakashima, Shinohara, Miwa) (68) 93
Electrophoresis, starch gel, for detection of α_1-antitrypsin with unusual behaviour (Lie-Injo) (72) 83
Electrophoresis, of very low density lipoproteins in type III hyperlipidaemic patients during treatment, zero mobility, (Reman, Van der Voort, Van Gent, Reinders) (71) 261
Electrophoresis, counter-immuno-, for detection of circulating carcinoembryonic antigen (Hamada, Ishikawa, Imura, Torizuka, Matsumoto, Honjo, Mayumi) (66) 365
Electrophoresis, immuno-, new method for diagnostic evaluation of disorders in plasma protein composition, plasma protein profiling (Scherer, Ruhenstroth-Bauer) (66) 417
Electrophoresis, immuno-, plasma lipoproteins in a case of familial deficiency of lecithin-cholesterol acyltransferase (Salmon, Alcindor, Beucler, Ayrault-Jarrier, Infante, Chevet, Polonovski) (66) 311
Electrophoresis, immuno-, with thymol blue, revealing polymorphism of α_1-lipoprotein, third form of electrophoretic dye-induced mobility alteration (Muckle) (73) 57
Electrophoresis, rocket immuno-, for quantitation of thyroxine binding globulin, using a monospecific antiserum (Bradwell, Burnett, Ramsden, Burr, Prince, Hoffenberg) (71) 501
Electrophoretic mobility, of brain-type creatine phosphokinase, effect of incubation in human plasma on (Cho, Meltzer, Joung, Goode) (73) 257
Encephalopathy, hepatic, correlation between octopamine plasma levels and. A reappraisal of the problem (Rossi-Fanelli, Cangiano, Attili, Angelico, Cascino, Capocaccia, Strom, Crifò) (67) 255
Enolase, muscle-type, total and immunologically reacting, in blood serum of Duchenne's muscular dystrophy patients and carriers (Goldberg, Rider, Taylor) (71) 89
Enzymatic activity of adenosine deaminase in human erythrocytes and lymphocytes, radiochromatography for measurement of (Cartier, Hamet) (71) 429
Enzymatic analysis for cholesterol in plasma, comparison of, gas-liquid chromatography and colorimetric analyses (Lillienberg, Svanborg) (68) 223
Enzymatic assay, rapid, for inorganic pyrophosphate in biological samples (Lust, Seegmiller) (66) 241
Enzymatic determination, of free and esterified cholesterol content of serum and tissues (Morin) (71) 75
Enzymatic determination, of urinary aspartylglycosylamine: rapid and sensitive method to detect aspartylglycosylaminuria (Sugahara, Nishimura, Aula, Yamashina) (72) 265
Enzymatic diagnosis, of neurolipidosis, potential source of error when radiolabelled sphingolipids are used as substrates (Poulos, Pollard) (73) 353
Enzymatic fluorometric method, for measuring uric acid in blood of neonates (Uete, Yamashita) (69) 143
Enzymatic measurement, of free and esterified cholesterol levels in plasma and other biological preparations using the oxygen electrode in a modified glucose analyzer (Dietschy, Weeks, Delente) (73) 407
Enzyme, acquired deficiencies in erythrocyte, in blood diseases, mechanisms of (Kahn, Marie, Bernard, Cottreau, Boivin) (71) 379
Enzymes, glycolytic, in normal cerebrospinal fluid, brain tissue and blood plasma of infants (Gumiński) (71) 61
Enzymes, in erythrocyte and serum, during and after treatment of protein-calorie malnutrition (Verjee, Behal) (70) 139
Enzymes, in extract of human and bovine lens, modifications by electrophoresis, Posttranslational "aging" of lens enzymes (Skala-Rubinson, Vibert, Dreyfus) (70) 385

Enzymes, in serum, elevation of, in patients with wasp/bee sting and their clinical significance (Lim, Tan, Feng) (66) 405
Enzymes, in sera of healthy young men, effect of a short burst of exercise on activity values of, (King, Statland, Savory) (72) 211
Enzyme intracellular, release of human and rat lymphocytes and human erythrocytes, action of metabolic inhibitors on (Hallak, Wilkinson) (66) 251
Enzymes, lysosomal, characterization and study of reaction conditions for their automated analysis; human leukocyte acid hydrolases (Kolodny, Mumford) (70) 247
Enzymes, lysosomal, in cerebral atrophy (Yates, Urquhart, Wilson, Davidson, Copland) (71) 215
Enzymes, proteolytic, of the pancreas, structural modifications of human serum albumin by (Rousseaux, Debeaumont, Scharfman, Pommelet, Dautrevaux, Biserte) (71) 35
Enzymes, routine analysis of, evaluation of Vitatron "AKES" for optimal use in (Smit, De With, Bezemer, Smits) (71) 371
Enzyme, thyrotropin conjugated with, immunoassay of (Miyai, Ishibashi, Kumahara) (67) 263
Epileptics, receiving anticonvulsant therapy, serum γ-glutamyltransferase and alkaline phosphatase activities in (Skillen, Pierides) (72) 245
Erythrocyte, acquired enzyme deficiencies in, in blood diseases, mechanisms of (Kahn, Marie, Bernard, Cottreau, Boivin) (71) 379
Erythrocytes, adenosine deaminase in, enzymatic activity of, and in lymphocytes, radiochromatography for measurement of (Cartier, Hamet) (71) 429
Erythrocytes, adenosine deaminase isozymes from, characterization of (Siegenbeek van Heukelom, Boom, Bartstra, Staal) (72) 109
Erythrocyte, adenosine kinase activity of, in gout (Nishizawa, Nishida, Akaoka) (67) 15
Erythrocytes, aging, polyamine distribution in, and in cellular compartments of blood (Cooper, Shukla, Rennert) (73) 71
Erythrocytes, aminolaevulinate dehydratase in, stability under several conditions of storage of the haemolysate from human blood (Tomokuni) (69) 547
Erythrocytes, carbonic anhydrase isoenzyme B in, of subjects with different types of anaemia (Mondrup, Anker) (69) 463
Erythrocytes, catalase activity of, in chronic renal failure (Melissinos, Vlassopoulos, Drivas, Tsoukantas) (66) 267
Erythrocyte, cholesterol and unsaturated fatty acids in membranes of, photodynamic effects of protoporphyrin on, in protoporphyria and in normal red blood cells (De Goeij, Van Steveninck) (68) 115
Erythrocyte, diphenoloxidases identified in membrane of, (Tuil, Berthelon, Demos, Dautreaux, Caut) (72) 173
Erythrocyte, enzymes in, and in serum during and after treatment of protein-calorie malnutrition (Verjee, Behal) (70) 139
Erythrocytes, galactose-1-phosphate uridyltransferase in, assay and separation of its isoenzymes, by DEAE-cellulose column chromatography (Shin-Bühring, Osang, Ziegler, Schaub) (70) 371
Erythrocyte, glucose-6-phosphate dehydrogenase deficiency in, modification of neonatal screening test for (Schoos-Barbette, Dodinval-Versie, Lambotte) (71) 239
Erythrocyte, glutathione synthetase in, in 5-oxoprolinuria: kinetic studies of the mutant enzyme and detection of heterozygotes (Larsson, Zetterström, Hörnell, Porath) (73) 19
Erythrocyte, haemolysate of, a source of LDH isoenzymes (Clark, Kostuk, Henderson) (73) 207
Erythrocytes, phosphate compounds in, of newborns with ABO systems haemolytic disease (Jezuita) (73) 387
Erythrocytes, phosphate compounds in, of newborns with haemolytic disease (Jezuita) (66) 303
Erythrocyte, phosphoglycerate kinase deficiency, Presence in a deficient patient of a stable variant with lowered catalytic activity (Kahn, Cottreau, Galand, Boivin) (69) 21

Erythrocyte proteins in membranes of, photodynamic modification of, induced by protoporphyrin (De Goeij, Van Straalen, Van Steveninck) (71) 485
Erythrocyte, pyruvate kinase in, biphasic reaction kinetics in an anomalous isoenzyme of (Paglia, Konrad, Wolff, Valentine) (73) 395
Erythrocyte, pyruvate kinase in, defective Staal, Geerdink, Vlug, Hamelink) (68) 11
Erythrocyte, pyruvate kinase in normal human and PK variants with abnormal electrophoretic patterns in, isoelectric focusing of (Oda, Nakashima, Shinohara, Miwa) (68) 93
Erythrocytes, pyruvate kinase deficiency of, effect of riboflavin treatment (Blume, Arnold, Hasslinger, Löhr) (71) 331
Erythrocyte, pyruvate kinase deficiencies in, congenital, molecular alterations in (Garreau, Buc, Columelli, Najman) (68) 245
Erythrocytes, release of intracellular enzyme of human and rat lymphocytes , action of metabolic inhibitors on (Hallak, Wilkinson) (66) 251
Erythrocytes, sodium and potassium concentration in, age and sex differences (Nagaki, Teraoka) (66) 453
Erythrocyte, superoxide dismutase activity of, relation between, and copper levels in erythrocytes, in normal subjects and in patients with rheumatoid arthritis (Scudder, Stocks, Dormandy) (69) 397
Erythrocytes, uroporphyrinogen I synthetase in, spectrophotometric determination of (Grandchamp, Phung, Grelier, Nordmann) (70) 113
Erythropoietin, in urine, specific precipitating antibody to (Kozuru, Nakashima, Ibayashi) (66) 53
Esterolytic assays, radiochemical, sensitive, for urokinase (Imanari, Wilcox, Pisano) (71) 267
Estrogen receptors, relationship to progesterone receptors in breast cancer, (Liskowski, Rose, Dondlinger, Olenick) (71) 309
Ethanol-precipitation and heat-inactivation comparison of, in the identification of alkaline phosphatases from bone and liver in serum (Samuelson, Moss) (72) 157
Ether, extraction, and gas chromatography, for quantitating short chain fatty acid levels in biological fluids (Whitehead, Kim, Prizont) (72) 315
Ethylmalonic acid, in urine, identification of, of two patients with the vomiting sickness of Jamaica (Tanaka, Ramsdell, Baretz, Keefe, Kean, Johnson) (69) 105
Excretion, see also Urinary excretion
Exercise, influence on serum amino-acid arylpeptidase activity in man (Haralambie, Berg) (69) 433

F

Fat absorption, a possible simple test for determination of using phenylacetic oil (Turjuman, Nasrallah, Al-Khalidi) (67) 113
Fat cell ghosts, catecholamine-sensitive adenylate cyclase of, effects of 5′-guanylyl-imidodiphosphate (Kather, Simon) (73) 497
Fatty acids, effect on thyroid function tests in vitro and in vivo (Liewendahl, Helenius) (72) 301
Fatty acids, interference in the competitive binding radioassay and radioimmunoassay for serum T_4, comparison of, (Shaw, Powell, Hubert, Spierto) (73) 25
Fatty acids, in plasma triglycerides, stereospecific distribution (Parijs, De Weerdt, Beke, Barbier) (66) 43
Fatty acids, free, underivatised, automatic potentiometric titration and gas-liquid chromatography of (Wirth, Eckhard, Weicker) (71) 47
Fatty acids, non-esterified, in plasma, relationship between concentration and conditions of storage (Trichopoulou, Kalaidzidou, Kalandidi) (69) 355
Fatty acid, short chain, levels in biological fluids, simple quantitative method for determination of, utilizing extraction with ether and gas chromatography (Whitehead, Kim, Prizont) (72) 315
Fatty acids, unsaturated, photodynamic effects of protoporphyrin on, and on cholesterol in erythrocyte membranes in protoporphyria and in normal red blood cells (De Goeij, Van Steveninck) (68) 115
Fatty acid composition, and phosphatidylcholine content of tracheal and gastric liquids from premature and full-term newborn infants (Motoyama, Namba, Rooney) (70) 449
Femoral cartilage, comparison of mildly and severely osteoarthritic regions. Hyaluronate-binding by proteoglycans (Palmoski, Brandt) (70) 87
Fertility, decreased, concentration of the secretory IgA of seminal fluid in normal subjects, in aspermia and in (Soliman, Olesen) (69) 543
Fibrinogen, in plasma, by the clot-weight method, suitability and limitation (Dyr, Vodrážka) (66) 277
Fibrinogen, in plasma, from patients undergoing thrombolytic therapy, comparison of sulphite and thrombin methods for measurement (Lane, Rampling, Kakkar) (71) 15
Fibrinogen, by the sulphite precipitation method; its use on small samples in the presence of fibrinogen degradation products (Rampling, Gaffney) (67) 43
Fibroblasts, cultivated skin, phospholipid composition of, in Duchenne's muscular dystrophy (Kohlschütter, Wiesmann, Herschkowitz, Ferber) (70) 463
Fibroblasts, of the skin, use for measurement of cystathionine synthase activity with respect to homocystinuria (Griffiths, Tudball) (73) 157
Fibroblasts, phosphorylase isoenzyme pattern in, and in white blood cells from patients with liver phosphorylase deficiency (Koster, Slee, Daegelen, Meienhofer, Dreyfus, Niermeyer, Fernandes) (69) 121
Fibrosis, pancreatic, in childhood, diagnosis of, and purification and properties of human acid-thermostable ribonucleases (Bardoń, Sierakowska, Shugar) (67) 231
Fibrosis, cystic, patients with, cellular glycosaminoglycans in lymphocytes from (Anderson, Smith, Shapiro) (73) 63
Flotation, studies on, in the determination of β-lipoproteins by the immunocrit method (Tamachi, Suzuki, Ohsawa, Matsumiya) (68) 195
Fluorescence, detection of an artefact in lactate dehydrogenase isoenzyme patterns, occurring in the serum of patients with end-stage renal disease requiring maintenance haemodialysis (McKenzie, Henderson) (70) 333

Fluorescence, of native substrate, for determination of oestrogens in pregnancy urine (Bramhall, Britten) (68) 203
Fluorescence, and Sephadex gel filtration, for studies on interaction between iophenoxic acid, iopanoic acid, bilirubin and human serum albumin (Birkett, Kapitulnik) (71) 129
Fluoriimmunoassay, polarisation, of gentamicin (Watson, Landon, Shaw, Smith) (73) 51
Fluorimetry, for bile acids and their conjugates quantitative analysis in duodenal aspirate, after cellulose acetate electrophoresis (Beke, De Weerdt, Parijs, Barbier) (71) 27
Fluorimetry (automated routine determination), for metanephrine and normetanephrine in urine (Schwedt, Bussemas, Blödorn, Deutschmann) (69) 175
Fluorimetry, for 3-methoxy-4-hydroxyphenylethylene glycol in urine (Zawad, Brown) (73) 187
Fluorimetry, for oestrogen assay, an improved manifold design for rapid automated assay (Moore, Ryan, Penfold) (67) 1
Fluorimetry, (semi-automated), for oestrogens in early morning urine specimens from normal and infertile women (Beastall, McVeigh) (70) 343
Fluorimetry, for procaineamide, a new method (Ambler, Masarei) (70) 379
Fluorimetry, for quinidine in human serum in the presence of diuretics (Osinga, De Wolff) (73) 505
Fluorimetry, for total serum bile acids quantification (Mashige, Imai, Osuga) (70) 79
Fluorimetry, enzymatic method for measuring uric acid in blood of neonates (Uete, Yamashita) (69) 143
Fluorimetry, micro-, for detection of leukocyte α-1,4-glucosidase (Bakhru-Kishore, Desjardins, Kelly) (73) 89
Fluorophor, p-hydroxyphenylacetic acid as, for enzymatic spectrofluorimetric determination of uric acid in microsamples of plasma (Sumi, Umeda, Kishi, Takahashi, Kakimoto) (73) 233
Focusing, isoelectric, of serum in cystic fibrosis: failure to distinguish between homozygote and heterozygote sera (Forstner, Koheil, Forstner) (70) 459
Foetal haemoglobin, determination of, in various age groups by the immunological method of Kohn and Payne (Yüregir) (72) 181
Foetal maturity, glyceride content of amniotic fluid cells as an index of (Gambert, Lallemant, Padieu) (68) 271
α-Foetoprotein, in amniotic fluid, throughout pregnancy, radial immunodiffusion for quantitation of (Brocklehurst, Wilde) (70) 205
α-Foetoprotein, in children with cystic fibrosis, prolactin and growth hormone and (Biswas, Norman, Baffoe, Graves) (69) 541
α_1-Foetoprotein, purification and radioimmunoassay of, effect of aggregates (Young, Reid, Crawford) (69) 11
α_1-Foetoprotein, in serum, by electroimmunodiffusion on agarose (Borel-Giraud, Maillavin, Vernet-Nyssen) (71) 117
α-Foetoprotein, -like activity, by radiocrossed immunoelectrophoresis in sera from patients with malignant and non-malignant disease and healthy individuals (Nørgaard-Pedersen, Axelsen) (71) 343
Folate, -binding protein, in serum, limits of the estimate by radioassay (Leonard, Beckers) (70) 119
Formiminoglutamate, in urine, in man. Normal values related to sex and age. Effects of low calorie intake and alcohol consumption (Rosenauerová-Ostrá, Hilgertová, Šonka) (73) 39
α-L-Fucosidase, deficiency of, in two different families with fucosidosis (Troost, Van der Heijden, Staal) (73) 329
α-L-Fucosidase, in human leucocyte (Troost, Van der Heijden, Staal) (73) 321
Fucosidosis, α-L-fucosidase deficiency in two different families with (Troost, Van der Heijden, Staal) (73) 329
Furosemide, administration of, radioimmunoassay for determination of plasma angiotensin-II concentration (Küppers, Wiesen, Schnurr) (71) 469

G

β-Galactocerebrosidase, in leukocytes, and β-glucocerebrosidase and sphingomyelinase activities in leukocytes, rapid method for estimation of (Poulos, Pollard) (72) 327

Galactosaemia, homo- and heterozygotes of both forms of, biokinetics of galactose in (Sitzmann, Kaloud) (72) 343

Galactose, biokinetics of, in homo- and heterozygotes of both forms of galactosaemia (Sitzmann, Kaloud) (72) 343

Galactose-1-phosphate uridyltransferase in cultured cells (Monk, Holton) (73) 537

Galactose-1-phosphate uridyltransferase, isoenzymes, assay and separation by DEAE-cellulose column chromatography (Shin-Bühring, Osang, Ziegler, Schaub) (70) 371

β-Galactosidase in urine, rapid colorimetric assay of N-acetyl-β-glucosaminidase and (Maruhn) (73) 453

Galactosyl transferase, of liver Golgi membranes, activity of, level and composition of seromucoid and nondialysable serum sugar-peptide fraction compared with, in insulin-treated rats (Guzdek, Kordowiak, Sarnecka-Keller) (72) 393

Ganglioside, pattern of, and neuraminic acid content of human gastric and colonic carcinoma (Keränen, Lempinen, Puro) (70) 103

G_{M_1}-Gangliosidosis, three cases of (Kudoh, Orii, Nakao, Sakagami) (70) 277

G_{M_2}-Gangliosidosis, carriers detection, by serum hexosaminidase assay (Molzer, Bernheimer) (73) 163

Gas chromatography, see Chromatography, gas

Gastric liquids, and tracheal liquids, phosphatidylcholine content and fatty acid composition of, from premature and full-term newborn infants (Motoyama, Namba, Rooney) (70) 449

Gastrin, generation of antibodies against pancreozymin, secretin and reliable method for (Schlegel, Raptis) (73) 439

Gastrin, monoiodinated, isolation using DEAE-Sephadex and its characteristics in the gastrin radioimmunoassay (Brown, Bagchi, Mack, Booth, Jones) (67) 321

Gaucher's disease, adult, accumulation of lactosyl ceramide in leukocytes of patients with (Klibansky, Ossimi, Matoth, Pinkhas, De Vries) (72) 141

Gel filtration, Sephadex, and fluorescence, for studies on interaction between iophenoxic acid, iopanoic acid, bilirubin and human serum albumin (Birkett, Kapitulnik) (71) 129

Gentamicin, iodinated, radioimmunoassay of (Broughton, Strong) (66) 125

Gentamicin, polarisation fluoriimmunoassay of (Watson, Landon, Shaw, Smith) (73) 51

Globulin, sex hormone binding, affinity chromatography for assay of (Ratajczak, Hähnel) (73) 379

Globulin, thyroxine-binding, monospecific antiserum to, preparation of, for its quantitation by rocket immunoelectrophoresis (Bradwell, Burnett, Ramsden, Burr, Prince, Hoffenberg) (71) 501

Globulin, thyroxine-binding, radioimmunoassay in human plasma (Hesch, Gatz, McIntosh, Janzen, Hehrmann) (70) 33

Glomerular basement membrane, isolated from normal and nephrotic rabbits, molecular sieving by (Igarashi, Nagase, Oda, Honda) (68) 255

Glomerulonephritis, chronic, changes in serum and urinary myo-inositol levels (Pitkänen) (71) 461

Glucagon, improved radioiodination of, with the lactoperoxidase method. Influence of pH on iodine substitution (Von Schenck, Larsson, Thorell) (69) 225

β-Glucocerebrosidase, in leukocytes, and β-galactocerebrosidase and sphingomyelinase activities in leukocytes, rapid method for estimation of (Poulos, Pollard) (72) 327

Glucose, in blood, by a modified o-toluidine reagent (Abraham) (70) 209

Glucose, determination of, use of mass fragmentography in the evaluation of routine methods for (Björkhem, Blomstrand, Falk, Öhman) (72) 353

Glucose, in plasma, a rapid method for measurement (Telfer Brunton, Percy-Robb) (69) 131
Glucose analyzer, modified, oxygen electrode in, used for enzymatic measurement of free and esterified cholesterol levels in plasma and other biological preparations (Dietschy, Weeks, Delente) (73) 407
Glucose oxidase-2,2′-azino-di-(3-ethylbenzthiazolin-sulphonic acid-6)diammonium method, for measuring blood sugar of neonates (Uete, Hori, Fukutani) (70) 329
Glucose-6-phosphatase deficiency, urate production in heterozygotes for (Stormont, Davies, Emmerson) (71) 303
Glucose-6-phosphate dehydrogenase deficiency, in erythrocyte, modification of neonatal screening test for (Schoos-Barbette, Dodinval-Versie, Lambotte) (71) 239
Glucose-phosphate isomerase deficiency, due to a new variant (GP I Barcelona) and to a silent gene: biochemical, immunological and genetic studies (Kahn, Vives, Bertrand, Cottreau, Marie, Boivin) (66) 145
Glucose-phosphate isomerase Barcelona, see Glucose-phosphate isomerase variant
Glucose-phosphate isomerase silent gene, and GP I Barcelona, causing glucose-phosphate isomerase deficiency: biochemical, immunological and genetic studies (Kahn, Vives, Bertrand, Cottreau, Marie, Boivin) (66) 145
Glucose-phosphate isomerase variant (GP I Barcelona), and a glucose-phosphate isomerase silent gene causing glucose-phosphate isomerase deficiency: biochemical, immunological and genetic studies (Kahn, Vives, Bertrand, Cottreau, Marie, Boivin) (66) 145
α-Glucosidase, acid, physico-chemical and immunological properties of, from various human tissues in relation to glycogenosis type II (Pompe's disease) (Koster, Slee, Van der Klei-Van Moorsel, Rietra, Lucas) (68) 49
α-Glucosidases, two, in cultured amniotic fluid cells and their differentiation in the prenatal diagnosis of Pompe's disease (Fujimoto, Fluharty, Stevens, Kihara, Wilson) (68) 177
α-1,4-Glucosidase, in leukocytes, microfluorometry for detection of (Bakhru-Kishore. Desjardins, Kelly) (73) 89
β-Glucuronidase, in hydatidiform mole, and oestrogens (Leung, Lee, Fung, Yu, Yu) (72) 295
Glutaconate, inhibition of brain glutamate decarboxylase by glutarate, β-hydroxyglutarate, and explanation of the symptoms in glutaric aciduria? (Stokke, Goodman, Moe) (66) 411
Glutamate decarboxylase, in brain, inhibition by glutarate, glutaconate, and β-hydroxyglutarate: explanation of the symptoms in glutaric aciduria? (Stokke, Goodman, Moe) (66) 411
Glutamine, in plasma and in cerebrospinal fluid, elevation of, by anticonvulsant drugs. A potential diagnostic and therapeutic trap (Perry, Hansen, MacLean) (69) 441
Glutamine, use of, and other amino acids, in estimation of ammonia in kidney slices (Forgan-Smith, Slaughter, Cross) (69) 139
γ-Glutamyl-3-carboxy-4-nitroanilide, substrate of choice for routine determinations of γ-glutamyltransferase activity in serum? (Theodorsen, Strømme) (72) 205
γ-Glutamyltransferase, in serum, and alkaline phosphatase activities in serum, in epileptics receiving anticonvulsant therapy (Skillen, Pierides) (72) 245
γ-Glutamyl transferase, electrophoresis on cellogel. Appearance of the α_2-β band in positive LP-X sera (Degenaar, Thijssen, Van der Wal, Berends) (67) 79
γ-Glutamyltransferase, in serum, γ-glutamyl-3-carboxy-4-nitroanilide, substrate of choice for routine determinations of (Theodorsen, Strømme) (72) 205
γ-Glutamyltransferase, in serum, increased in hypertriglyceridaemia: comparison with serum pseudocholinesterase (Cucuianu, Zdrenghea, Pop, Opincaru) (71) 419
γ-Glutamyltransferase, in serum, and mean corpuscular volume, compared efficiency of, as screening tests for excess-ethanol drinkers (Baglin, Bernot, Bremond, Lamy, Leroux, Weill) (68) 321
γ-Glutamyltransferase, in serum, and physical exercise (Haralambie) (72) 363

γ-Glutamyltransferase, in serum, a sensitive automated colorimetric method for determination of (Fuke, Yagi,Takegoshi, Kondo) (69) 43
γ-Glutamyltransferase, studies on the multiple forms (Freise, Schmidt, Magerstedt) (73) 267
γ-Glutamyltransferase, in urine, studies on (Rambabu, Pattabiraman) (73) 251
γ-Glutamyl transpeptidase, see γ-Glutamyltransferase
Glutarate, inhibition of brain glutamate decarboxylase by glutaconate,β-hydroxyglutarate and, explanation of the symptoms in glutaric aciduria? (Stokke, Goodman, Moe) (66) 411
Glutaric aciduria, inhibition of brain glutamate decarboxylase by glutarate, glutaconate, and β-hydroxyglutarate: explanation of the symptoms? (Stokke, Goodman, Moe) (66) 411
Glutaric aciduria type II, report on a previously undescribed metabolic disorder (Przyrembel, Wendel, Becker, Bremer, Bruinvis, Ketting, Wadman) (66) 227
Glutathione, reduced, influence of, and of cysteine and 2-mercaptoethanol on creatine phosphokinase activity in muscular diseases (Niebroj-Dobosz) (71) 327
Glutathione synthetase, in erythrocyte, in 5-oxoprolinuria: kinetic studies of the mutant enzyme and detection of heterozygotes (Larsson, Zetterström, Hörnell, Porath) (73) 19
Gluten, of wheat, glycopeptide component of, binding to intestinal mucosa of normal and coeliac human subjects (Douglas) (73) 357
D-Glyceric acidaemia, in a patient with chronic metabolic acidosis (Wadman, Duran, Ketting, Bruinvis, De Bree, Kamerling, Gerwig, Vliegenthart, Przyrembel, Becker, Bremer) (71) 477
Glyceride, in amniotic fluid cells, as an index of foetal maturity (Gambert, Lallemant, Padieu) (68) 271
Glycine, in plasma and urine, quantitation by chemical ionization mass fragmentography (Petty, Tucker, Molinary, Flynn, Wander) (66) 111
Glycogen, type III, storage disease, some cases of (Rosenfeld, Popova, Chibisov) (67) 123
Glycogenosis type II (Pompe's disease), physico-chemical and immunological properties of acid α-glucosidase from various human tissues in relation to (Koster, Slee, Van der Klei-Van Moorsel, Rietra, Lucas) (68) 49
Glycogenosis type II (Pompe's disease), prenatal diagnosis of, two α-glucosidases in cultured amniotic fluid cells and their differentiation in (Fujimoto, Fluharty, Stevens, Kihara, Wilson) (68) 177
Glycolytic enzymes in normal cerebrospinal fluid, brain tissue and blood plasma of infants (Gumiński) (71) 61
Glycopeptides, acidic, from urine, isolation by means of anion-exchange resins. Application to some cases of glycosphingolipidosis or mucolipidosis (Calatroni, Tira) (71) 137
Glycopeptide component, of wheat gluten, binding to intestinal mucosa of normal and coeliac human subjects (Douglas) (73) 357
α_2-Glycoprotein, pregnancy-associated, in post-menopausal women receiving hormone replacement therapy (Sturdee, Burnett, Moore, Bradwell) (72) 233
Glycoproteins, in serum, maternal and total, and in amniotic fluid, during pregnancy, variations of the concentrations of certain (Bardos, Luthier, Avenet, De Russe, Muh, Soutoul, Weill) (66) 353
Glycosaminoglycans, cellular, in lymphocytes from patients with cystic fibrosis (Anderson, Smith, Shapiro) (73) 63
Glycosaminoglycans, in urine, quantitative determination (Hurst, Settine, Lorincz) (70) 427
Glycosphingolipidosis, or mucolipidosis, acidic glycopeptides from urine, isolation of, by means of anion-exchange resins, applied to some cases of (Calatroni, Tira) (71) 137
Glycylprolyl β-naphthylamidase, in serum, liver and kidney of rats in chronic carbon tetrachloride intoxication (Hino, Fuyamada, Nagatsu, Kurokawa, Okuyama) (67) 103
Golgi membranes, of liver, galactosyl transferase of, activity of, level and composition of seromucoid and nondialysable serum sugar-peptide fraction compared with, in insulin-treated rats (Guzdek, Kordowiak, Sarnecka-Keller) (72) 393

Gonadotrophin, chorionic, use of small samples of urine to monitor testicular response to (Metcalf, Hunt) (67) 29
Gout, adenosine kinase in erythrocyte (Nishizawa, Nishida, Akaoka) (67) 15
Granulocytes, amino acids in, quantitative determination of, in healthy men and women (Houpert, Tarallo, Siest) (69) 383
Granulocytes, cationic proteins from, α_1-antichymotrypsin interaction with (Ohlsson, Åkesson) (73) 285
Granulomatous disease, chronic, polymorphonuclear leukocytes of patients with, lack of cytochalasin E-induced superoxide release by (Nakagawara, Kakinuma, Shin, Miyazaki, Minakami) (70) 133
Growth hormone, in children with cystic fibrosis, prolactin and α-foetoprotein and (Biswas, Norman, Baffoe, Graves) (69) 541
5′-Guanylyl-imidodiphosphate, effects on catecholamine-sensitive adenylate cyclase of human fat cell ghosts (Kather, Simon) (73) 497

H

Haem, metabolism of, relation to low serum bilirubin in chronic renal failure (Pasternack, Tenhunen) (67) 85
Haemodialysis, maintenance, patients with end-stage renal disease on, an artefact in lactate dehydrogenase isoenzyme patterns, assayed by fluorescence, in the serum of (McKenzie, Henderson) (70) 333
Haemoglobin, foetal, determination of, in various age groups by the immunological method of Kohn and Payne (Yüregir) (72) 181
Haemoglobin, studies by isoelectrofocusing, a method of multiple applications (Krishnamoorthy, Wajcman, Labie) (69) 203
Haemoglobin S, new form of solubility .test for. Results from a survey of 3000 cases (Heredero, Granda, Dorticós) (71) 515
Haemoglobin binding capacity, kinetic method for determination of haptoglobin (Standing, Price) (66) 393
Haemiglobincyanide, reference solutions of, stability of, quality control in haemoglobinometry with special reference to (Van Assendelft, Buursma, Holtz, Van Kampen, Zijlstra) (70) 161
Haemoglobinometry, quality control in, with special reference to the stability of haemiglobincyanide reference solutions (Van Assendelft, Buursma, Holtz, Van Kampen, Zijlstra) (70) 161
Haemolysate, from blood, stability of erythrocyte aminolaevulinate dehydratase under several conditions of storage of (Tomokuni) (69) 547
Haemolysate, of human erythrocyte, a source of LDH isoenzyme (Clark, Kostuk, Henderson) (73) 207
Haemolytic disease, of the ABO system, phosphate compounds in the erythrocytes of newborns with (Jezuita) (73) 387
Haemolytic disease, neonates with, phosphate compounds in erythrocytes of (Jezuita) (66) 303
Haemostatic mechanism, plasma proteins including components of, effect of clofibrate on (Cederblad, Korsan-Bengtsen) (66) 9
Haptoglobin, as haemoglobin binding capacity, kinetic method for determination of (Standing, Price) (66) 393
Haptoglobin, in serum, as cyanmethaemoglobin-binding capacity, by the kinetic method, improved procedures (Cooper, Titheradge, Legg) (72) 371
Heat-inactivation and ethanol-precipitation, comparison of, in the identification of alkaline phosphatases from bone and liver in serum (Samuelson, Moss) (72) 157
Heparan sulphate, separation of dermatan sulphate from, in mucopolysaccharidosis urine by chromatography on Sephadex G-75 (Herd, Forrest, Tschida) (68) 1
Hepatic collagen, proline hydroxylase activity in alcoholic liver disease (Mezey, Potter, Maddrey) (68) 313
Hepatic encephalopathy, correlation between octopamine plasma levels and. A re-appraisal of the problem (Rossi-Fanelli, Cangiano, Attili, Angelico, Cascino, Capocaccia, Strom, Crifò) (67) 255
Hepatic microsomes, degradation of arylsulphate by (Ozeki, Tokawa, Ogasawara, Kubota, Takenaka, Ito, Sato, Kan) (71) 363
Hepatitis, acute, triglyceride lipases in (Sauar, Blomhoff, Gjone) (71) 403
Hepatitis-B antigen, comparative study of two methods for detection: double sequential counterimmunoelectrophoresis (DCIEP) and Ausria II-^{125}I radioimmunoassay (Szántay, Dejica, Abrudan) (69) 117
Hepatitis-B antigen, double sequential counterimmunoelectrophoresis (DCIEP): an improved method for detection of (Abrudan, Dejica) (69) 113
Hepatobiliary disorders, appearance of the α_2-β band in positive LP-X sera (Degenaar, Thijssen, Van der Wal, Berends) (67) 79

Hepatoma, primary, serum cholesterol and bile acid in (Hirayama, Irisa) (71) 15
Heterozygotes, detection of, and kinetic studies of mutant glutathione synthetase in 5-oxoprolinuria (Larsson, Zetterström, Hörnell, Porath) (73) 19
Heterozygote, and homozygote, failure to distinguish between: isoelectric focusing of serum in cystic fibrosis (Forstner, Koheil, Forstner) (70) 459
Heterozygotes, and homozygotes, of both forms of galactosaemia, biokinetics of galactose in (Sitzmann, Kaloud) (72) 343
Heterozygotes, urate production in, for glucose-6-phosphatase deficiency (Stormont, Davies, Emmerson) (71) 303
n-Hexanoylglycine, in urine, identification of, from two patients with Jamaican vomiting sickness (Baretz, Ramsdell, Tanaka) (73) 199
Hexosaminidase, in serum, for detection of G_{M2}-gangliosidosis gene carriers (Molzer, Bernheimer) (73) 163
Hexosaminidase, in urine, analysis for the identification of Tay-Sachs genotypes (Saifer, Amoroso, Perle) (67) 315
Hexosaminidase I, in amniotic fluid, electrophoretic detection of (Wysocki, Hähnel) (67) 219
Hexylation, flash-heater, before gas-liquid chromatography, for simultaneous isothermal determination of diphenylhydantoin and phenobarbital serum levels (Giovanniello, Pecci) (67) 7
Homocystinuria, cystathionine synthase activity with respect to, use of skin fibroblasts for measurement of (Griffiths, Tudball) (73) 157
Homovanillic acid, in urine, levels of vanilmandelic acid and, determined by high-speed liquid chromatography (Yoshida, Yoshioka, Yamazaki, Sakai, Tamura) (73) 315
Homozygote, and heterozygote, failure to distinguish between; isoelectric focusing of serum in cystic fibrosis (Forstner, Koheil, Forstner) (70) 459
Homozygotes, and heterozygotes, of both forms of galactosaemia, biokinetics of galactose in (Sitzmann, Kaloud) (72) 343
Hormones, in sera of healthy subjects, daily variation of lipids and (Hammond, Wentz, Statland, Phillips, Winkel) (73) 347
Hormones, thyroid, and iodide, rapid and effective separation of, by thin-layer chromatography (Hušek, Felt) (72) 195
Hormone, sex, -binding globulin, assay based on affinity chromatography (Ratajczak, Hähnel) (73) 379
Hormone replacement therapy, pregnancy-associated α_2-glycoprotein in post-menopausal women with (Sturdee, Burnett, Moore, Bradwell) (72) 233
Hurler's syndrome, detection of the carrier state of, by assay of α-L-iduronidase in leukocytes (Dulaney, Milunsky, Moser) (69) 305
Hyaluronate-binding by proteoglycans. Comparison of mildly and severely osteoarthritic regions of human femoral cartilage (Palmoski, Brandt) (70) 87
Hydatidiform mole, β-glucuronidase and oestrogens in (Leung, Lee, Fung, Yu, Yu) (72) 295
Hydrogen peroxide, production of, by leukocytes in protein-calorie malnutrition (Shilotri) (71) 511
Hydrolysis, alkaline and enzymatic, of conjugated bile acids (Roseleur, Van Gent) (66) 269
Hydrolysis, method of Bratton and Marshall, study utilizing high performance liquid chromatography (Brown, Lofberg, Gibson) (70) 239
2-Hydroxybutyrate dehydrogenase isoenzyme contents of, and of lactate dehydrogenase activity, determination in lactic dehydrogenase preparations (Komoda, Sakagishi, Mizushima) (72) 285
2-Hydroxybutyric acid, identification in human amniotic fluid, (Nicholls, Hähnel, Wilkinson, Wysocki) (69) 127
25-Hydroxycalciferol, a simplified competitive protein-binding assay for (Garcia-Pascual, Peytremann, Courvoisier, Lawson) (68) 99
25-Hydroxycholecalciferol, by radioassay without chromatography, a simple method (Justová, Stárka, Wilczek, Pacovský) (70) 97

4-Hydroxycyclohexane-1-carboxylic acid, an unusual compound isolated from the urine of children with suspected disorders of metabolism (Bindel, Fennessey, Miles, Goodman) (66) 209
β-Hydroxyglutarate, inhibition of brain glutamate decarboxylase by glutarate, glutaconate and, explanation of the symptoms in glutaric aciduria? (Stokke, Goodman, Moe) (66) 411
o-Hydroxyhippuric acid, in urine of sick children, occurrence and identification of, by thin-layer and gas-liquid chromatography, and by gas-liquid chromatography-mass spectrometry (Finnie, Ersser, Seakins, Snedden) (70) 171
5-Hydroxyindoleacetic acid, 5-hydroxytryptamine, and 5-hydroxytryptophan in plasma, determination of, following administration of 5-hydroxytryptophan to man (Joseph, Baker) (72) 125
3-Hydroxyisovaleric acid, massive urinary excretion of, and in 2-oxuglutaric acid in a patient with a deficiency of 3-methylcrotonyl-CoA carboxylase (Finnie, Cottrall, Seakins, Snedden) (73) 513
3-Hydroxy-3-methylglutaric aciduria: deficiency of 3-hydroxy-3-methylglutaryl coenzyme-A lyase (Wysocki, Hähnel) (71) 349
3-Hydroxy-3-methylglutaric aciduria, 3-hydroxy-3-methyl-glutaryl-coenzyme A lyase levels in leukocytes (Wysocki, Hähnel) (73) 373
3-Hydroxy-3-methylglutaric aciduria, combined with 3-methylglutaconic aciduria (Wysocki, Wilkinson, Hähnel, Wong, Panegyres) (70) 399
3-Hydroxy-3-methylglutaric aciduria, urinary organic acid profile associated with (Faull, Bolton, Halpern, Hammond, Danks) (73) 553
3-Hydroxy-3-methylglutaryl coenzyme-A lyase, deficiency in 3-hydroxy-3-methylglutaric aciduria (Wysocki, Hähnel) (71) 349
3-Hydroxy-3-methyl-glutaryl-coenzyme A lyase, reduced levels of, in leucocytes in 3-hydroxy-3-methylglutaric aciduria (Wysocki, Hähnel) (73) 373
p-Hydroxyphenylacetic acid, as fluorophor, for enzymatic spectrofluorimetric determination of uric acid in microsamples of plasma (Sumi, Umeda, Kishi, Takahashi, Kakimoto) (73) 233
3β-Hydroxysteroid dehydrogenase, for determination of urinary dehydroepiandrosterone (Yamaguchi, Tateishi, Hayashi) (66) 449
5-Hydroxytryptamine, 5-hydroxyindoleacetic acid, and 5-hydroxytryptophan in plasma, determination of, following administration of 5-hydroxytryptophan to man (Joseph, Baker) (72) 125
5-Hydroxytryptophan, determination of, and of its metabolites in plasma, following administration to man (Joseph, Baker) (72) 125
25-Hydroxy vitamin D, competitive protein-binding radioassay for (Morris, Peacock) (72) 383
25-Hydroxy vitamin D_3, by chromatography, novel specific assay (Björkhem, Holmberg) (68) 215
Hypercalcitoninaemia in infancy (Cannarozzi, Canale, Donabedian) (66) 387
Hyper-β-lipoproteinaemia, familial, apolipoprotein of the low density lipoprotein of human plasma (Pinon, Turpin) (70) 259
Hyperlipoproteinaemia, neonatal screening for. Methods for direct estimation of cord serum VLDL + LDL (Andersen, Nielsen) (66) 29
Hyperlipoproteinaemia, primary, in xanthomatosis (Hessel, Vermeer, Polano, De Jonge, De Pagter, Van Gent) (69) 405
Hyperlipoproteinaemia, xanthelasma and, effect of low cholesterol diets (Dean) (66) 189
Hyperlipoproteinaemia type III (broad-β disease), a suggestion of chemical criteria for diagnosis of, serum lipoprotein composition in 50-year-old men (Vessby) (69) 29
Hyperlipoproteinaemia type III, very low density lipoproteins in patients with, zero electrophoretic mobility of, during treatment (Reman, Van der Voort, Van Gent, Reinders) (71) 261
Hyperplasia, adrenal, congenital, steroid metabolism in, long-term effects of aminoglutethimide on (Hamilton) (73) 135
Hypertension, mild, the effects of therapy for, on circulating level of dopamine β-hydroxylase (Grant, Routh, Lawton, Witte) (69) 333

Hyperthyroidism, in neonates, improved assay of thyrotropin in dried blood samples on filter paper as a screening test for (Miyai, Nishi, Kawashima, Oura, Tsuruhara) (73) 241
Hypertrophy, prostatic, benign, intracellular localisation of 5α-dihydrotestosterone in (Ghanadian, Chisholm, Fotherby) (73) 521
Hypertriglyceridaemia, increased serum γ-glutamyltransferase in: comparison with serum pseudocholinesterase (Cucuianu, Zdrenghea, Pop, Opincaru) (71) 419
Hyperuricaemia, and uraemia, in acute myocardial infarction (Wiener) (73) 45
Hypoxanthine-guanine phosphoribosyl transferase, in blood, by radioassay, rapid method (Bakhru-Kishore, Kelly) (70) 149

I

α-L-Iduronidase, in leukocytes, detection of the carrier state of Hurler's syndrome by assay of (Dulaney, Milunsky, Moser) (69) 305
IFCC Section (1976) No.1, Provisional Recommendation on Quality Control in Clinical Chemistry, Part 2. Assessment of analytical methods for routine use (69) F1-F17, (69) following p.152
IFCC Section (1976) No.2, Provisional recommendations on IFCC methods for the measurement of catalytic concentrations of enzymes. Part 2. IFCC method for aspartate aminotransferase (70) F19, (70) following p. 336
IFCC Section (1976) No.3, Current general regulations for preparation of IFCC recommendations (70) F43, (70) following p.470
Immunity, normal B-cell and severe defective T-cell, abnormal form of purine nucleoside phosphorylase in a family with a child with (Siegenbeek van Heukelom, Staal, Stoop, Zegers, Van der Vlist, Bartstra) (72) 117
Immunoassay, enzyme-linked, of thyrotropin (Miyai, Ishibashi, Kumahara) (67) 263
Immunoassay, of serum apolipoprotein B in man, comparison of methods (Durrington, Whicher, Warren, Bolton, Hartog) (71) 95
Immunoassay, see also Radioimmunoassay
Immunochemistry, identification of proteins after electrophoretic runs on different supports (Groulade, Denis, Aveynier) (67) 199
Immunochemistry, for quantitation of third complement component C 3, critical role of conversion of (Spath, Gabl, Nachbaur) (73) 171
Immunocrit method, for β-lipoproteins, studies on the flotation phenomenon (Tamachi, Suzuki, Ohsawa, Matsumiya) (68) 195
Immunodiffusion, antibody radial, for quantitative determination of antigens in biological fluids (Domán) (69) 153
Immunodiffusion, radial, for quantitative estimation of secretory immunoglobulin A (Khayam-Bashi, Slaughter, Blanken) (66) 63
Immunodiffusion, radial, simple method for the quantitation of amniotic fluid α-foetoprotein throughout pregnancy (Brocklehurst, Wilde) (70) 205
Immunodiffusion, single radial, for serum IgE, comparison of radioimmunoassay and (Berrens, Bruynzeel) (70) 337
Immunoelectrophoresis, changes in the characteristics of, of serum α_1-lipoprotein induced by various dyes (Edwards, Muckle) (67) 35
Immunoelectrophoresis, crossed, for identification and characterization of proteins from human bronchial secretion (Laine, Hayem) (67) 159
Immunoelectrophoresis, radio-crossed, a new method for α-foetoprotein-like activity in sera (Nørgaard-Pedersen, Axelsen) (71) 343
Immunoelectrophoresis, see also Electrophoresis, immuno-
Immunoglobulin, cortisol-binding, unlabelled and labelled, affinity chromatography of (Gijzen) (66) 77
Immunoglobulin A, secretory, quantitative estimation of, by radial immunodiffusion technique (Khayam-Bashi, Slaughter, Blanken) (66) 63
Immunoglobulin A, secretory, of seminal fluid in normal subjects, in decreased fertility and in aspermia (Soliman, Olesen) (69) 543
Immunoglobulin E, in serum, by radioimmunoassay and by single radial immunodiffusion, comparison of (Berrens, Bruynzeel) (70) 337
Immunoglobulins G_1, G_3 and G_4, circular dichroism of myeloma proteins of (Amend, Bonnekoh, Wetter) (71) 339
Immunoglobulin M paraproteins, two types with different carbohydrate contents, in a patient with Waldenström's macroglobulinaemia (Virella, Lechner) (67) 137

Immunoglobulin M-λ paraprotein, transient, in a 15-month-old child suffering from an acute inflammatory disease (Tichý, Hrnčíř, Urbánková) (70) 201
Immunology, detection of isoferritins in normal human serum and tissue (McKeering, Halliday, Caffin, Mack, Powell) (67) 189
Immunology, for foetal haemoglobin in various age groups by the method of Kohn and Payne (Yüregir) (72) 181
Infertility, oestrogens in early morning urine specimens from infertile and normal women by fluorimetry (semi-automated) (Beastall, McVeigh) (70) 343
Infrared spectra, of calculi, system of interpretation of, for routine use in the clinical laboratory (Oliver, Sweet) (72) 17
Injury, of tissue, liver reaction to: do therapeutic measures trigger the acute phase reaction? (Smith, Bos, Esseveld, Van Eijk) (70) 127
myo-Inositol levels, in serum and urine, changes in levels in chronic glomerulonephritis (Pitkänen) (71) 461
Insulin, galactosyl transferase activity of liver Golgi membranes in rats treated with, level and composition of seromucoid and nondialysable serum sugar-peptide fraction compared with (Guzdek, Kordowiak, Sarnecka-Keller) (72) 393
Insulin, influence of, on the proportion of neutral sugars in seromucoid of diabetic patients (Guzdek, Ciba, Sarnecka-Keller) (72) 401
Insulin, rapid, column, flow-through radioimmunoassay for (Davis, Yoder, Adams) (66) 379
Interference, of fatty acids, comparison of, in the competitive binding radioassay and radioimmunoassay for serum T_4 (Shaw, Powell, Hubert, Spierto) (73) 25
Interpolation of radioimmunoassay data, simple method for (England, Cain) (72) 241
Iodide, and thyroid hormones, rapid and effective separation of, by thin-layer chromatography (Hušek, Felt) (72) 195
Iodination, see also Radioiodination
Iodine radioactivity, a low-cost gamma vial for counting ^{125}I with a liquid scintillation counter (Meunier) (66) 141
Ion monitoring, single, for simultaneous analysis of catecholamine acidic metabolites and manual control of the magnetic field (Peralta, Gelpí) (73) 13
Iopanoic acid, interaction between iophenoxic acid, bilirubin and human serum albumin as studied by fluorescence and Sephadex gel filtration (Birkett, Kapitulnik) (71) 129
Iophenoxic acid, interaction between iopanic acid, bilirubin and human serum albumin as studied by fluorescence and Sephadex gel filtration (Birkett, Kapitulnik) (71) 129
Iron, in serum, a new colorimetric method for determination of (Kyaw) (69) 351
Iron, in serum, and total binding capacity, variations with the time of intake of combined oral contraceptives (Kamyab, Kamyab) (66) 439
Iron, total binding capacity of, and serum iron, variations with the time of intake of combined oral contraceptives (Kamyab, Kamyab) (66) 439
Isoelectrofocusing, for haemoglobin studies, multiple applications (Krishnamoorthy, Wajcman, Labie) (69) 203
Isoelectric focusing, of normal human erythrocyte pyruvate kinase (PK) and PK variants with abnormal electrophoretic patterns (Oda, Nakashima, Shinohara, Miwa) (68) 93
Isoelectric focusing, of serum in cystic fibrosis: failure to distinguish between homozygote and heterozygote sera (Forstner, Koheil, Forstner) (70) 459
Isoelectrofocusing, see also Electrofocusing, iso-
Isoferritins, immunological detection of, in normal human serum and tissue (McKeering, Halliday, Caffin, Mack, Powell) (67) 189
Isothermal determination, simultaneous, of diphenylhydantoin and phenobarbital serum levels by gas-liquid chromatography following flash-heater hexylation (Giovanniello, Pecci) (67) 7
Isotope test, double, for calculation of calcium absorption; a simplified method (Roelofs, Raymakers) (67) 53
Isovaleric acidaemia, studies of, and prenatal diagnosis of methylmalonic acidaemia, using gas chromatography for microdetermination of methylmalonic acid and other short chain dicarboxylic acids (Nakamura, Rosenberg, Tanaka) (68) 127

J

Jamaican vomiting sickness, urine from two patients with, identification of n-hexanoylglycine in (Baretz, Ramsdell, Tanaka) (73) 199
Jejunoileal bypass surgery, lipid composition of bile in morbid obesity before and after (Morin, Barry) (69) 479

K

α-Ketoadipic acid, metabolism of, and of α-aminoadipic acid, studies using rat and beef liver, and human leukocytes (Wilson, Wilson, Higgins) (69) 323
Ketones and aldehydes, short chain, in the urine of infants, quantitative gas chromatographic determination (Bachmann, Baumgartner, Wick, Colombo) (66) 287
17-Ketosteroids, Zimmerman reaction for, interference of bamifylline with (Etienne, Taelman) (69) 147
Kidney, ammonia in, estimation in the presence of added glutamine and other amino acids (Forgan-Smith, Slaughter, Cross) (69) 139
Kidney, glycylprolyl β-naphthylamidase in, and in serum and liver of rats in chronic carbon tetrachloride intoxication (Hino, Fuyamada, Nagatsu, Kurokawa, Okuyama) (67) 103
Kinetic method, for determination of haptoglobin as haemoglobin binding capacity (Standing, Price) (66) 393
Kinetic method, for estimation of serum haptoglobin as cyanmethaemoglobin-binding capacity, improved procedures (Cooper, Titheradge, Legg) (72) 371
Kinetic method, for measurement of renin and renin substrate concentration in human plasma (Campillo, Garcia del Rio, Quesada, Osorio) (73) 475
Kohn and Payne, immunological method of, for determination of foetal haemoglobin in various age groups (Yüregir) (72) 181

L

Lactate, oxidation by human serum (Nowniaz, King) (71) 109
Lactate, urinary excretion of, in normal children and in children with enzyme defects of carbohydrate metabolism (Fernandes, Blom) (66) 345
Lactate dehydrogenase, colorimetric assay, modified, PMS-INT (phenazine methosulphate-2-(4-iodo-phenyl)-3-(4-nitrophenyl)-5-phenyltetrazolium chloride) of, use of NADH as a standard in (Buttery, Lim, De Witt) (73) 109
Lactate dehydrogenase, non-linearity in reaction, a quantitation of (Sims, Schoen) (69) 317
Lactate dehydrogenase isoenzyme, abnormal, in serum, in a case of laryngeal carcinoma and thyrotoxicosis (Tanaka, Amino, Hayashi, Miyai, Kumahara) (68) 235
Lactate dehydrogenase, isoenzyme patterns, spectrophotometry for clinical analysis of, with the use of a nicotinamide-adenine dinucleotide analog (Minato, Tamaoki, Mizushima) (69) 243
Lactate dehydrogenase, isoenzyme LDH-1 and LDH-5, a simple and rapid procedure for the preparation using an ion-exchange mini-column (Clark, Kostuk, Henderson) (69) 361
Lactate dehydrogenase, isoenzyme patterns of, artefact in, assayed by fluorescence, occurring in the serum of patients with end-stage renal disease requiring maintenance haemodialysis (McKenzie, Henderson) (70) 333
Lactate dehydrogenase isoenzyme contents of, and of 2-hydroxybutyrate dehydrogenase activity, determination in lactate dehydrogenase preparations (Komoda, Sakagishi, Muzushima) (72) 285
Lactate dehydrogenase, isoenzyme in serum, transient variant of (Meaney, Carey, Pollard) (73) 127
Lactate dehydrogenase isoenzymes, human erythrocyte haemolysate, a source of (Clark, Kostuk, Henderson) (73) 207
Lactoperoxidase iodination, improved method for radioiodination of glucagon. Influence of pH on iodine substitution (Von Schenck, Larsson, Thorell) (69) 225
Lactoperoxidase, ^{125}I-labelled TSH labelled with, or with chloramine-T, comparison between; advantages in the use of enzymically labelled antigen in a radioimmunoassay for human TSH (Burrin) (70) 153
Lactosyl ceramide, in leukocytes of patients with adult Gaucher's disease, accumulation of (Klibansky, Ossimi, Matoth, Pinkhas, De Vries) (72) 141
Laurell, one-dimension electrophoresis of, a modification using polyvalent antisera (Link, Schmidt-Wiederkehr) (69) 447
Lead intoxication, porphyrin biosynthesis in rabbits with, (San Martín de Viale, De Calmanovici, Del C. Ríos de Molina, Grinstein) (69) 375
Lecithin:cholesterol acyltransferase, familial deficiency of, changes in the concentration of lipoprotein-X during incubation of postheparin plasma from patients with (Ritland, Stokke, Gjone) (67) 63
Lecithin:cholesterol acyltransferase, plasma lipoproteins in, immunoelectrophoretic study in a case of familial (Salmon, Alcindor, Beucler, Ayrault-Jarrier, Infante, Chevet, Polonovski) (66) 311
Lecithin:cholesterol acyltransferase, and lipoprotein-X, a critical examination of the value of combined determinations of, in the differential diagnosis of liver disease (Miller, Johnson) (69) 81
Lecithin:cholesterol acyltransferase, in human plasma, artificial substrates and heat-inactivated plasma for, a comparison (Cheung, Christian) (69) 299
Lecithin/sphingomyelin ratio, in amniotic fluids, and in pharyngeal aspirates of newborn infants, simple and rapid determination (Stuber, Adám, Szönyi) (70) 221

Lens, human and bovine, enzymes in extract of, modifications by electrophoresis. Posttranslational "aging" of lens enzymes (Skala-Rubinson, Vibert, Dreyfus) (70) 385
Leukaemia, chronic lymphatic, membrane permeability in lymphocytes from healthy persons and from patients with, (Hallak, Wilkinson) (69) 341
Leukaemic reticuloendotheliosis, spleen cells of, studies of intracellular distribution of acid phosphatase 5 in, by isopycnic gradient centrifugation (Lam, Dekker, Castleman, Yam) (70) 289
Leukocyte, acid hydrolases in: characterization of 11 lysosomal enzymes and study of reaction conditions for their automated analysis (Kolodny, Mumford) (70) 247
Leukocytes, arylsulphatase A and B in, a rapid method for measurement as a diagnosis for sulphatidosis, mucosulphatidosis, and mucopolysaccharidosis VI (Humbel) (68) 339
Leukocyte, α-L-fucosidase in (Troost, Van der Heijden, Staal) (73) 321
Leukocytes, β-galactocerebrosidase, β-glucocerebrosidase and sphingomyelinase activities in, rapid method for estimation of (Poulos, Pollard) (72) 327
Leukocytes, α-1,4-glucosidase in, microfluorometry for detection of (Bakhru-Kishore, Desjardins, Kelly) (73) 89
Leukocytes, 3-hydroxy-3-methylglutaryl-coenzyme A lyase levels in 3-hydroxy-3-methylglutaric uciduria (Wysocki, Hähnel) (73) 373
Leukocytes, α-L-iduronidase in, detection of the carrier state of Hurler's syndrome by assay of (Dulaney, Milunsky, Moser) (69) 305
Leukocytes, lactosyl ceramide in, of patients with adult Gaucher's disease, accumulation of (Klibansky, Ossimi, Matoth, Pinkhas, De Vries) (72) 141
Leukocytes, metabolism of α-aminoadipic and α-ketoadipic acids (Wilson, Wilson, Higgins) (69) 323
Leukocytes, peptidases from, and from human and guinea pig alveolar macrophages, (Scharfman, Roussel, Biserte, Aerts, Tonnel, Voisin) (66) 371
Leukocytes, polymorphonuclear, of patients with chronic granulomatous disease, lack of cytochalasin E-induced superoxide release by (Nakagawara, Kakinuma, Shin, Miyazaki, Minakami) (70) 133
Leukocytes, producing hydrogen peroxide, in protein-calorie malnutrition (Shilotri) (71) 511
Leukocytes, phosphorylase isoenzyme pattern in, and in fibroblasts from patients with liver phosphorylase deficiency (Koster, Slee, Daegelen, Meienhofer, Dreyfus, Niermeyer, Fernandes) (69) 121
Lidocaine, in serum, simultaneous determination of procainamide and, by use of high pressure liquid chromatography (Adams, Vandemark, Schmidt) (69) 515
Liebermann-Burchard, method of, for studies on the accuracy and precision of total serum cholesterol in regional interlaboratory trials (Hohenwallner, Sommer, Wimmer) (66) 19
Liothyronine, in plasma and serum specimens, measurement of (Fyffe, Harrower) (72) 261
Lipaemia rapid determination of bilirubin in serum without interference of, single nonaqueous diazo reagent for (Morin) (71) 9
Lipase, acid, partial deficiency of, with storage of triglycerides and cholesterol esters in liver. Genetic variant of Wolman's disease? (Suzuki, Kawai, Kobayashi, Ohbe, Endo) (69) 219
Lipases, triglyceride, in acute hepatitis (Sauar, Blomhoff, Gjone) (71) 403
Lipid, in bile, composition in morbid obesity before and after jejunoileal bypass surgery (Morin, Barry) (69) 479
Lipids, in plasma, relationship of plasma uric acid to lipoproteins and to, in subjects with peripheral vascular disease (Ballantyne, Strevens, Lawrie) (70) 323
Lipids, in sera of healthy subjects, daily variation of hormones and (Hammond, Wentz, Statland, Phillips, Winkel) (73) 347
Lipid profiles, in amniotic fluid, a rapid gas chromatographic method (Cooper, Brush) (69) 211

Lipoproteins, of plasma and chylous ascites, apoprotein profile of (Malmendier, Amerijckx) (68) 259
Lipoproteins, in plasma, gel electrofocusing and polyacrylamide gradient gel electrophoresis for separation of (Emes, Latner, Rahbani-Nobar, Tan) (71) 293
Lipoproteins, in plasma, immunoelectrophoretic study in a case of familial deficiency of lecithin-cholesterol acyltransferase (Salmon, Alcindor, Beucler, Ayrault-Jarrier, Infante, Chevet, Polonovski) (66) 311
Lipoproteins, in plasma, relationship of plasma uric acid to lipids and to, in subjects with peripheral vascular disease (Ballantyne, Strevens, Lawrie) (70) 323
α_1-Lipoprotein, in serum, changes in the immunoelectrophoretic characteristics of, induced by various dyes (Edwards, Muckle) (67) 35
Lipoproteins, in serum, isolation from the other serum protein constituents, simple and rapid method for (Wille) (71) 355
α_1-Lipoprotein, polymorphism of, revealed by immunoelectrophoresis with thymol blue, third form of electrophoretic dye-induced mobility alteration (Muckle) (73) 57
β-Lipoproteins, flotation phenomenon in the determination of, by the immunocrit method (Tamachi, Suzuki, Ohsawa, Matsumiya) (68) 195
Lipoprotein, fractionation by a precipitation method. A simple quantitative procedure (Ononogbu, Lewis) (71) 397
Lipoprotein, low density, of human plasma, apolipoprotein of, structural study in familial hyperbetalipoproteinaemia (Pinon, Turpin) (70) 259
Lipoprotein, low density, radioiodination of: a comparison of four methods (Shepherd, Bedford, Morgan, Scott) (66) 97
Lipoproteins, very low density, zero electrophoretic mobility of, in type III hyperlipidaemic patients during treatment (Reman, Van der Voort, Van Gent, Reinders) (71) 261
Lipoprotein X, abnormal, appearance of the α_2-β band in sera. Electrophoresis of γ-glutamyltranspeptidase on cellogel (Degenaar, Thijssen, Van der Wal, Berends) (67) 79
Lipoprotein-X, changes in concentration during incubation of postheparin plasma from patients with familial lecithin: cholesterol acyltransferase (LCAT) deficiency (Ritland, Stokke, Gjone) (67) 63
Lipoprotein-X, in cholestasis, and serum alkaline phosphatase, nucleotide pyrophosphatase and 5′-nucleotidase (Brocklehurst, Lathe, Aparicio) (67) 269
Lipoprotein-X, and lecithin:cholesterol acyltransferase, a critical examination of the value of combined determinations of, in the differential diagnosis of liver disease (Miller, Johnson) (69) 81
Lipoprotein-X, on the metabolism of (Seidel, Büff, Fauser, Bleyl) (66) 195
Lipoprotein composition, in serum, in 50-year-old men. A suggestion of chemical criteria for diagnosis of hyperlipoproteinaemia type III (broad-β-disease) (Vessby) (69) 29
Lipoprotein pre-staining: comparison of nitroblue tetrazolium and Sudan Black B (Green) (66) 295
Lipoprotein lipase, activator for, assay of (Chu, Miller, Mills) (66) 281
Liver, alcohol dehydrogenase activity in injury of. Application of nicotinamide-adenine dinucleotide analogs for clinical enzymology (Fujisawa, Kimura, Minato, Tamaoki, Mizushima) (69) 251
Liver, alcoholic disease, hepatic collagen proline hydroxylase activity in (Mezey, Potter, Maddrey) (68) 313
Liver, bovine, ornithine carbamoyltransferase in, use of, in clinical chemistry quality control (Museur, Bagrel, Siest) (66) 209
Liver, glycylprolyl β-naphthylamidase in, and in serum and kidney of rats in chronic carbon tetrachloride intoxication (Hino, Fuyamada, Nagatsu, Kurokawa, Okuyama) (67) 103
Liver, Golgi membranes of, galactosyl transferase of, activity of, level and composition of seromucoid and non-dialysable serum sugar-peptide fraction compared with, in insulin-treated rats (Guzdek, Kordowiak, Sarnecka-Keller) (72) 393

Liver, metabolism of α-aminoadipic and α-ketoadipic acids in rat and beef liver (Wilson, Wilson, Higgins) (69) 323
Liver, ovine, Echinococcus granulosus protoscolices phosphoglucose isomerase from, partial purification and properties of (Vessal, Abdolrasulnia) (68) 59
Liver, phosphorylase deficiency, patients with, isoenzyme pattern of phosphorylase in white blood cells and fibroblasts from (Koster, Slee, Daegelen, Meienhofer, Dreyfus, Niermeyer, Fernandes) (69) 121
Liver, of the rat, pharmacological influences on thyroxine to triiodothyronine conversion in (Hüfner, Knöpfle) (72) 337
Liver, reaction to tissue injury: do therapeutic measures trigger the acute phase reaction? (Smith, Bos, Esseveld, Van Eijk) (70) 127
Liver, triglycerides and cholesterol esters in, partial deficiency of acid lipase with storage of. Genetic variant of Wolman's disease? (Suzuki, Kawai, Kobayashi, Ohbe, Endo) (69) 219
Liver cirrhosis, increased urinary excretion of L-xylulose in patients with (Oka, Suzuki, Suzuki, Oda) (67) 131
Liver disease, differential diagnosis, a critical examination of the value of combined determinations of lecithin: cholesterol acyltransferase and lipoprotein-X in (Miller, Johnson) (69) 81
Liver disease, serum non-caeruloplasmin copper in, atomic absorption spectrophotometry for direct measurement of (Frommer) (68) 303
Lung, carcinoma of, properties of amylase produced in (Sudo, Kanno) (73) 1
Lung, primate and non-primate, the role of the methylation pathway of phosphatidylcholine biosynthesis in. Studies on the biosynthesis of pulmonary surfactant (Rooney, Motoyama) (69) 525
Lung surfactant, phosphatidylcholines of, structure of, at birth in normal full term infants (Giudicelli, Pecquery, Lacasa, Boscameric, Nordmann) (71) 445
Luteinizing hormone, β and α subunit assay, evaluation of the specificity (Hagen, McNeilly) (69) 193
Lymphocytes, adenosine deaminase in, enzymatic activity of, and in erythrocytes, radiochromatography for measurement of (Cartier, Hamet) (71) 429
Lymphocytes, cellular glycosaminoglycans in, from patients with cystic fibrosis (Anderson, Smith, Shapiro) (73) 63
Lymphocytes, of human and rat, release of intracellular enzyme of human erythrocytes and, action of metabolic inhibitors on (Hallak, Wilkinson) (66) 251
Lymphocytes, membrane permeability in normal human, and in lymphocytes from patients with chronic lymphatic leukaemia, (Hallak, Wilkinson) (69) 341
Lysosomal enzymes, in cerebral atrophy (Yates, Urquhart, Wilson, Davidson, Copland) (71) 215
Lysosomal enzymes, characterization of, and study of reaction conditions for their automated analysis; human leukocyte acid hydrolases (Kolodny, Mumford) (70) 247
Lysozyme, effect of agarose variability on measurement of (Greenwald, Moy) (73) 299
Lysyl oxidase, in human normal skins and postburn scars (Hayakawa, Hino, Fuyamada, Nagatsu, Aoyama, Izawa) (71) 245

M

α_2-Macroglobulin,complexes of human, and various proteases, thin-layer electrofocusing followed by electrophoresis for demonstration and semiquantitative determination (Ohlsson, Skude) (66) 1

Macroglobulinaemia, see also Waldenström's disease

Macrophages, alveolar, peptidases from, of human and guinea pig and human leukocytes (Scharfman, Roussel, Biserte, Aerts, Tonnel, Voisin) (66) 371

Magnesium ammonium phosphate, and other constituents of urinary calculi, saturation of urine with, nomograms for analysis of (Marshall, Robertson) (72) 253

Magnetic particle solid-phase radioimmunoassay (Nye, Forrest, Greenwood, Gardner, Jay, Roberts, Landon) (69) 387

Malate, substrate for assay of serum NAD-dependent malate dehydrogenase (Wong, Smith) (72) 409

Malate dehydrogenase, NAD-dependent, in serum, assay of, using malate as substrate (Wong, Smith) (72) 409

Malnutrition, protein-calorie: study of red blood cell and serum enzymes during and after crisis (Verjee, Behal) (70) 139

Malnutrition, protein-calorie, hydrogen peroxide production by leukocytes in (Shilotri) (71) 511

Manganese, in blood and urine, by flameless atomic absorption spectrophotometry (Buchet, Lauwerys, Roels, De Vos) (73) 481

Manganese, distribution in human brain tissue (Smeyers-Verbeke, Bell, Lowenthal, Massart) (68) 343

Mannitol, conversion of sorbitol to, when used parenterally (Soummer-Dauphant, Chambon, Chabert) (67) 325

Mass fragmentography, chemical ionization, for quantitation of glycine in plasma and urine (Petty, Tucker, Molinary, Flynn, Wander) (66) 111

Mass fragmentography, for quantitation of plasma phytanic acid (Phillipou, Poulos) (72) 319

Mass fragmentography, for triglycerides in serum (Björkhem, Blomstrand, Svensson) (71) 191

Mass fragmentography, for urea in serum (Björkhem, Blomstrand, Öhman) (71) 199

Mass fragmentography, use of, in the evaluation of routine methods for glucose determination (Björkhem, Blomstrand, Falk, Öhman) (72) 353

Mass fragmentography, and gas chromatography, for the quantitative determination of unconjugated pterins in urine (Röthler, Karobath) (69) 457

Mass spectrometry, chemical ionization, for diagnosis of disorders in amino acid metabolism (Issachar, Yinon) (73) 307

Mass spectrometry, for identification of dipeptides in the urine of a patient with chronic skin ulceration and oedema (Faull, Schier, Schlesinger, Halpern) (70) 313

Mass spectrometry-gas-liquid chromatography, and thin-layer and gas-liquid chromatography for identification of o-hydroxyhippuric acid in the urine of sick children (Finnie, Ersser, Seakins, Snedden) (70) 171

Mass spectrometry, and high pressure liquid chromatography, for determination of deuterium-labelled phenylalanine and tyrosine in human plasma (Trefz, Byrd, Blaskovics, Kochen, Lutz) (73) 431

Melanogenesis, and psoralene, in relation to vitiligo (Chakraborty, Roy Choudhury, Dey) (72) 219

Melanoma, malignant, human, sialyltransferase in (Simonnet, Martel, Got) (72) 33

Membrane, of erythrocyte, diphenoloxidases identified in (Tuil, Berthelon, Demos, Dautreaux, Caut) (72) 173

Membranes, of erythrocytes, photodynamic modification of proteins in, induced by protoporphyrin (De Goeij, Van Straalen, Van Steveninck) (71) 485

Membrane, glomerular basement, isolated from normal and nephrotic rabbits, molecular sieving by (Igarashi, Nagase, Oda, Honda) (68) 255
Membrane, permeability in normal human lymphocytes, and lymphocytes patients with chronic lymphatic leukaemia (Hallak, Wilkinson) (69) 341
2-Mercaptoethanol, influence of, and of cysteine and reduced glutathione on creatine phosphokinase activity in muscular diseases (Niebroj-Dobosz) (71) 327
Metabolic acidosis, chronic, D-glyceric acidaemia in a patient with (Wadman, Duran, Ketting, Bruinvis, De Bree, Kamerling, Gerwig, Vliegenthart, Przyrembel, Becker, Bremer) (71) 477
Metabolic disorder, glutaric aciduria type II (Przyrembel, Wendel, Becker, Bremer, Bruinvis, Ketting, Wadman) (66) 227
Metabolic disorders, in children, 4-hydroxycyclohexane-1-carboxylic acid in urine: an unusual compound isolated (Bindel, Fennessey, Miles, Goodman) (66) 209
Metabolic inhibitors, action on the release of intracellular enzymes from human and rat lymphocytes and human erythrocytes (Hallak, Wilkinson) (66) 251
Metabolism, inborn errors of, difficulties and pitfalls in the interpretation of screening tests for (Review) (Hill, Casey, Zaleski) (72) 1
Metabolites, acidic, of catecholamine, simultaneous analysis of, by single ion monitoring and manual control of the magnetic field (Peralta, Gelpí) (73) 13
Metanephrines, total, seasonal variation of urinary excretion (Yamamoto, Doi, Takeuchi, Baba, Tanaka) (68) 241
Metanephrine, in urine, separation of normetanephrine, and, for automated fluorimetric routine determination (Schwedt, Bussemas, Blödorn, Deutschmann) (69) 175
p-Methoxybenzene diazoniumfluoborate, suitability for determination of urinary urobilinogens (Gorgels, Van Manen, Peters) (73) 179
3-Methoxy-4-hydroxyphenylethylene glycol, in urine, fluorometry for measurement of (Zawad, Brown) (73) 187
Methylation pathway, role of, of phosphatidylcholine biosynthesis in primate and non-primate lung. Studies on the biosynthesis of pulmonary surfactant (Rooney, Motoyama) (69) 525
3-Methylcrotonyl-CoA carboxylase, deficiency of, massive urinary excretion of 2-oxoglutaric acid and 3-hydroxyisovaleric acid in a patient with (Finnie, Cottrall, Seakins, Snedden) (73) 513
3-Methylglutaconic aciduria, 3-hydroxy-3-methylglutaric aciduria combined with (Wysocki, Wilkinson, Hähnel, Wong, Panegyres) (70) 399
Methylmalonic acid, by gas chromatography, microdetermination of, and of other short chain dicarboxylic acids. Use in prenatal diagnosis of methylmalonic acidaemia and in studies of isovaleric acidaemia (Nakamura, Rosenberg, Tanaka) (68) 127
Methylmalonic acid, in urine, by thin-layer chromatography (Das, Sharma, Mohanty, Chachra) (66) 263
Methylmalonic acidaemia, prenatal diagnosis of, and studies of isovaleric acidemia, using gas chromatography for microdetermination of methylmalonic acid and other short chain dicarboxylic acids (Nakamura, Rosenberg, Tanaka) (68) 127
Methyl methacrylate, toxicology of. The rate of disappearance of methyl methacrylate in human blood in vitro (Corkill, Lloyd, Hoyle, Crout, Ling, James, Piper) (68) 141
Methylthymol blue, used in colorimetry, for determination of calcium in serum (Ripoll) (72) 133
Methyl urea, in blood and urine, of patients with chronic renal disease, a search for using a specific gas-liquid chromatographic method (Evans) (69) 357
Microdetermination, of copper in plasma protein fractions (Delves) (71) 495
Microfluorimetry, see Fluorimetry, micro-
α_1-Microglobulin, a new low molecular weight plasma protein (Svensson, Ravnskov) (73) 415
β_2-Microglobulin, levels in cancerous and other disease states (Shuster, Gold, Poulik) (67) 307

β_2-Microglobulin, in human colostrum and milk. Effect of breast feeding and physico-chemical characterization (Čejka, Van Nieuwkoop, Mood, Kithier, Rádl) (67) 71

β_2-Microglobulin, in semen, occurrence of, and of post-γ-globulin (Colle, Guinet, Leclercq, Manuel) (67) 93

β_2-Microglobulin, by solid-phase radioimmunoassay (Taniguchi, Tanaka, Kobayashi, Matsuda, Ohno, Sato, Takakuwa) (69) 471

Micromethod, ultra-, for arginase in the presence of urea (Nishibe) (71) 413

Micromethods, ultra-, for biochemical analysis of cutaneous capillary blood. IV. Selection of the glucose oxidase-2,2' -azino-di-(3-ethyl-benzthiazolin-sulphonic acid-6)diammonium method for measuring blood sugar of neonates (Uete, Hori, Fukutani) (70) 329

Microsomes, hepatic, degradation of arylsulphate by (Ozeki, Tokawa, Ogasawara, Kubota, Takenaka, Ito, Sato, Kan) (71) 363

Molecular sieving, by glomerular basement membrane isolated from normal and nephrotic rabbits (Igarashi, Nagase, Oda, Honda) (68) 255

Molybdenum, in blood, by neutron activation analysis (Baert, Cornelis, Hoste) (68) 355

Monoamine oxidase, routine assay procedure for, and its application to human blood platelets (Demisch, Bochnik, Seiler) (70) 357

Monoiodinated gastrin, isolation using DEAE-Sephadex and its characteristics in the gastrin radioimmunoassay (Brown, Bagchi, Mack, Booth, Jones) (67) 321

Mucolipidosis, or glycosphingolipidosis, acidic glycopeptides from urine, isolation of, by means of anion-exchange resins, applied to some cases of (Calatroni, Tira) (71) 137

Mucopolysaccharidosis, separation of dermatan sulphate from heparan sulphate in urine by chromatography on Sephadex G-75 (Herd, Forrest, Tschida) (68) 1

Mucopolysaccharidosis VI, sulphatidosis and mucosulphatidosis, rapid method for measurement of arylsulphatase A and B in leukocytes as a diagnosis for (Humbel) (68) 339

Mucosulphatidosis, sulphatidosis and mucopolysaccharidosis VI, rapid method for measurement of arylsulphatase A and B in leukocytes as a diagnosis for (Humbel) (68) 339

Mucosa, intestinal, of normal and coeliac human subjects, binding of a glycopeptide component of wheat gluten to (Douglas) (73) 357

Muscle, normal and dystrophic, calcium-activated neutral protease in (Kar, Pearson) (73) 293

Muscular disease, arylamidases in (Kar, Pearson) (69) 311

Muscular diseases, creatine phosphokinase activity in, influence of cysteine, reduced glutathione and 2-mercaptoethanol on (Niebroj-Dobosz) (71) 327

Muscular dystrophy, Duchenne's , phospholipid composition of cultivated skin fibroblasts in (Kohlschütter, Wiesmann, Herschkowitz, Ferber) (70) 463

Muscular dystrophy, Duchenne's, total and immunologically reacting muscle enolase in blood serum of patients and carriers of (Goldberg, Rider, Taylor) (71) 89

Myeloma, multiple, and Waldenström's macroglobulinemia sera, electrophoresis of, in sodium dodecyl sulphate polyacrylamide gels (Hayes, Plapp, Brewer, Rucker, Moore, Tilzer, Chiga) (66) 119

Myeloma proteins, circular dichroism of, of IgG_1, IgG_2 and IgG_4 subclass specificity (Amend, Bonnekoh, Wetter) (71) 339

Myocardial infarction, creatine kinase isoenzyme MB activity in serum, activity kinetics and diagnostic significance in, using immunological inhibition of creatine kinase M subunit activity (Neumeier, Prellwitz, Würzburg, Brundobler, Olbermann, Just, Knedel, Lang) (73) 445

Myocardial infarction, acute, dopamine-β-hydroxylase activity in serum following. An evaluation of this parameter for routine use as an index of sympathetic activity (Gutteberg, Borud, Strømme) (69) 61

Myocardial infarction, acute, uraemia and hyperuricaemia in (Wiener) (73) 45

Myocardial infarction, acute, urinary excretion of dihydroxyphenylalanine in patients with (Wocial, Januszewicz, Sznajderman, Skórka) (66) 273

N

NADH, use of, as a standard in a modified PMS-INT (phenazine methosulphate-2-(4-iodo-phenyl)-3-(4-nitrophenyl)-5-phenyltetrazolium chloride) colorimetric assay of lactate dehydrogenase (Buttery, Lim, De Witt) (73) 109
Neonatal screening test, for glucose-6-phosphate dehydrogenase deficiency in erythrocyte, modification of, (Schoos-Barbette, Dodinval-Versie, Lambotte) (71) 239
Neonates, amniotic fluids and pharyngeal aspirates of, lecithin/sphingomyelin ratio in, simple and rapid determination of (Stuber, Adám, Szönyi) (70) 221
Neonates, blood sugar of, glucose oxidase-2,2′-azino-di-(3-ethyl-benzthiazolin-sulphonic acid-6) diammonium method for measuring (Uete, Hori, Fukutani) (70) 329
Neonates, erythrocytes of, with haemolytic disease, phosphate compounds in (Jezuita) (66) 303
Neonates, hyperlipoproteinemia in, detection. Methods for direct estimation of cord serum VLDL + LDL (Andersen, Nielsen) (66) 29
Neonates, hyperthyroidism in, improved assay of thyrotropin in dried blood samples on filter paper as a screening test for (Miyai, Nishi, Kawashima, Oura, Tsuruhara) (73) 241
Neonates, phosphate compounds in the erythrocytes of, with ABO systems haemolytic disease (Jezuita) (73) 387
Neonates, (premature and full-term), phosphatidylcholine content and fatty acid composition of tracheal and gastric liquids (Motoyama, Namba, Rooney) (70) 449
Neonates, (normal full term), structure of the phosphatidylcholines of the lung surfactant at birth (Giudicelli, Pecquery, Lacasa, Boscameric, Nordmann) (71) 445
Neonates, uric acid in blood of, enzymatic fluorometric method (Uete, Yamashita) (69) 143
Nephropathies, glomerular and tubular, retinol-binding protein in serum and in urine of (Scarpioni, Dall'Aglio, Poisetti, Buzio) (68) 107
Nervous system, serum creatine kinase isoenzyme pattern in atrophies and in neuromuscular disorders (Jockers-Wretou, Grabert, Müller, Pfleiderer) (73) 183
Neuraminic acid, content of, and ganglioside pattern of human gastric and colonic carcinoma (Keränen, Lempinen, Puro) (70) 103
Neuraminic acid, -containing trisaccharides, urinary excretion of, during pregnancy (Maury) (71) 335
Neuraminidase, effect on of serum α_1-antitrypsin, electrophoretic variation (Inokuma, Harada, Koyasako, Miyamoto, Horiuchi) (69) 185
Neurogenic tumours, chemical parameters for diagnosis of, and evaluation of treatment. Gas chromatographic determination of urinary vanilglycolic acid, vanilglycol, vanilacetic acid and vanillactic acid (Wadman, Ketting, Voûte) (72) 49
Neurolipidosis, enzymatic diagnosis of, potential source of error when radiolabelled sphingolipids are used as substrates (Poulos, Pollard) (73) 353
Neuromuscular disorders, serum creatine kinase isoenzyme pattern in, and in nervous system atrophies (Jockers-Wretou, Grabert, Müller, Pfleiderer) (73) 183
Nicotinamide-adenine dinucleotide, analogs of, application for clinical enzymology. A spectrophotometric method for clinical analysis of lactate dehydrogenase patterns with the use of a nicotinamide-adenine dinucleotide analog (Minato, Tamaoki, Mizushima) (69) 243
Nicotinamide-adenine dinucleotide, analogs of, application of, for clinical enzymology. Alcohol dehydrogenase activity in liver injury (Fujisawa, Kimura, Minato, Tamaoki, Mizushima) (69) 251

Nitroblue tetrazolium, and Sudan Black B, comparison of, lipoprotein pre-staining (Green) (66) 295
Nitrogen, photometry for determination of. Wet incineration followed by formation of indophenol blue with salicylate/hypochlorite (Lauber) (67) 107
Nomograms, for saturation analysis of urine with the major constituents of urinary calculi (Marshall, Robertson) (72) 253
Noradrenalin-secreting pheochromocytoma, plasma dopamine β-hydroxylase in (Aunis, Miras-Portugal, Coquillat, Warter, Mandel) (70) 455
Normetanephrine, in urine separation of metanephrine and, for automated fluorimetric routine determination (Schwedt, Bussemas, Blödorn, Deutschmann) (69) 175
5′-Nucleotidase, in cholestasis, and serum alkaline phosphatase, nucleotide pyrophosphatase and lipoprotein-X (Brocklehurst, Lathe, Aparicio) (67) 269
Nucleotide pyrophosphatase, in cholestasis, and serum alkaline phosphatase, 5′-nucleotidase and lipoprotein-X (Brocklehurst, Lathe, Aparicio) (67) 269

O

Obesity, morbid, lipid composition of bile in, before and after jejunoileal bypass surgery (Morin, Barry) (69) 479
Octopamine, plasma levels of, correlation with hepatic encephalopathy. A re-appraisal of the problem (Rossi-Fanelli, Cangiano, Attili, Angelico, Cascino, Capocaccia, Strom, Crifò) (67) 255
Oedema, and chronic skin ulceration, dipeptides in the urine of a patient with, mass spectrometry for identification of (Faull, Schier, Schlesinger, Halpern) (70) 313
Oestriol, by gas chromatography, some remarks on the simultaneous determination of pregnanediol and (Bottema, Belderok) (68) 199
Oestriol, in urine, on-column derivatization procedure for rapid determination of (Millner, Taber) (71) 67
Oestriol, total, in plasma during pregnancy, radioimmunology for determination of (Craig) (68) 277
Oestrogens, in hydatidiform mole, and β-glucuronidase (Leung, Lee, Fung, Yu, Yu) (72) 295
Oestrogens, in pregnancy urine, new rapid assay using the substrate native fluorescence (Bramhall, Britten) (68) 203
Oestrogens, in urine, by fluorimetry (semi-automated) in early morning urine specimens from normal and infertile women (Beastall, McVeigh) (70) 343
Oestrogen, rapid automated fluorimetric assay, an improved manifold design for (Moore, Ryan, Penfold) (67) 1
Oestrogens, secretion into saliva during pregnancy in the human (Joshi, Sankolli, Rajani) (73) 565
Oestrogen receptors, and corticosteroid sulphate excretion in breast cancer (Rose, Liskowski) (67) 183
Oestrogen receptor assay, in breast cancer, experience with a simple method for (Liskowski, Rose) (67) 175
Oliver-Rosalki assay, for detection of Arrhenius relationships of the human creatine kinase isoenzymes (Nealon, Henderson) (66) 131
Organic acids, preparation of trimethylsilyl derivatives of sodium salts of, for gas chromatography (Poole, Slater, Orrell) (73) 527
Organic acids, in urine, gas chromatographic examination of, a new method (Horrocks, Hindle, Lawson, Orrell, Poole) (69) 93
Organic acid, in urine, profile associated with 3-hydroxy-3-methylglutaric aciduria (Faull, Bolton, Halpern, Hammond, Danks) (73) 553
Ornithine carbamoyltransferase, use of a bovine liver extract in quality control (Museur, Bagrel, Siest) (66) 209
Ornithine carbamoyltransferase, in serum, a direct method (Ohshita, Takeda, Kamiyama, Ozawa, Honjo) (67) 145
Ornithine carbamoylasetransferase, in urease, used as reagent in OCT activity measurement in biological fluids (Van der Heiden, Desplanque) (73) 117
Orthophosphate, radioactive, titration with, of human placental alkaline phosphatase (Whitaker, Moss) (71) 277
Osteoarthritic regions, mildly and severely, of human femoral cartilage, comparison of. Hyaluronate-binding by proteoglycans (Palmoski, Brandt) (70) 87
Osteoarthrosis, cartilage collagen in (Adam, Musilová, Deyl) (69) 53
Oxalic acid, in plasma, determination (Krugers Dagneaux, Klein Elhorst, Olthuis) (71) 319
Oxalic acid, in urine, determination by atomic absorption spectrophotometry (Koehl, Abecassis) (70) 71
Oxidation, of lactate, by human serum (Nowniaz, King) (71) 109
2-Oxoglutaric acid, massive urinary excretion of, and of 3-hydroxyisovaleric acid in a patient with a deficiency of 3-methylcrotonyl-CoA carboxylase (Finnie, Cottrall, Seakins, Snedden) (73) 513
5-Oxoproline, overproduction of, in 5-oxoprolinuria, on the mechanism of (Larsson, Mattsson) (67) 245

5-Oxoprolinuria, erythrocyte glutathione synthetase in: kinetic studies of the mutant enzyme and detection of heterozygotes (Larsson, Zetterström, Hörnell, Porath) (73) 19
5-Oxoprolinuria, 5-oxoproline overproduction in, on the mechanism of (Larsson, Mattsson) (67) 245
Oxygen, in blood, a new reference method for the determination (Dijkhuizen, Kwant, Zijlstra) (68) 79
Oxygen electrode, in a modified glucose analyzer, used for enzymatic measurement of free and esterified cholesterol levels in plasma and other biological preparations (Dietschy, Weeks, Delente) (73) 407

P

Paget's disease of bone, proline iminopeptidase activity in serum, in normal adults and in patients with (Whiteley, Francis, Walton, Smith) (71) 157
Pancreas, proteolytic enzymes of, structural modifications of human serum albumin by (Rousseaux, Debeaumont, Scharfman, Pommelet, Dautrevaux, Biserte) (71) 35
Pancreatic α-amylase, human, antiserum raised against (Carney) (67) 153
Pancreatic α-amylase, isoenzymes of, and of salivary α-amylase, isolation and characterization (Rosenmund, Kaczmarek) (71) 185
Pancreatic fibrosis, in childhood, diagnosis of, and purification and properties of human acid-thermostable ribonucleases (Bardoń, Sierakowska, Shugar) (67) 231
Pancreatic-function test, indirect, preliminary results of, using N-benzoyl-L-tyrosyl-p-aminobenzoic acid (Bornschein, Goldmann, Otte) (67) 21
Pancreatic juice, human, activation of (Rinderknecht, Renner, Carmack) (73) 369
Pancreatitis, bisalbuminaemia in: structural modifications of human serum albumin by proteolytic enzymes of the pancreas (Rousseaux, Debeaumont, Scharfman, Pommelet, Dautrevaux, Biserte) (71) 35
Pancreozymin, generation of antibodies against secretin, gastrin and, reliable method for (Schlegel, Raptis) (73) 439
Paraprotein, IgM-λ, transient, in a 15-month-old child suffering from an acute inflammatory disease (Tichý, Hrnčíř, Urbánková) (70) 201
Parathyroid extract-induced bone resorption in vitro, effect of uraemic metabolites on (Wills, Jenkins) (73) 121
Peptidases, from human leukocytes, and from human and guinea pig alveolar macrophages, studies on (Scharfman, Roussel, Biserte, Aerts, Tonnel, Voisin) (66) 371
Peptide, of active site, from human placental alkaline phosphatase (Whitaker, Byfield, Moss) (71) 285
Peripheral vascular disease, relationship of plasma uric acid to plasma lipids and lipoproteins in subjects with (Ballantyne, Strevens, Lawrie) (70) 323
Pharyngeal aspirates, lecithin/sphingomyelin ratio in, of newborn infants, and in amniotic fluids, simple and rapid determination of (Stuber, Adám, Szönyi) (70) 221
Phenobarbital, in serum, and diphenylhydantoin serum levels, simultaneous isothermal determination by gas-liquid chromatography following flash-heater hexylation (Giovanniello, Pecci) (67) 7
Phenobarbital, in serum, levels of carbamazepine, primidone, diphenylhydantoin, improved method for measurement by gas-liquid chromatography (Nishina, Okoshi, Kitamura) (73) 463
Phenylacetic oil, a possible simple test for fat absorption (Turjuman, Nasrallah, Al-Khalidi) (67) 113
Phenylalanine, effect of cotrimoxazole on the response to loading of, (Andrews, Purkiss, Chalmers, Watts) (68) 17
Phenylalanine, in plasma, deuterium-labelled, and tyrosine, determination with high pressure liquid chromatography and mass spectrometry (Trefz, Byrd, Blaskovics, Kochen, Lutz) (73) 431
2-Phenylethylamine, in urine, by gas chromatography (Reynolds, Gray) (70) 213
Pheochromocytoma, noradrenalin-secreting, plasma dopamine β-hydroxylase in (Aunis, Miras-Portugal, Coquillat, Warter, Mandel) (70) 455
Phosphatase, acid, band 5, studies of intracellular distribution of, in the spleen cells of leukaemic reticuloendotheliosis

by isopycnic gradient centrifugation (Lam, Dekker, Castleman, Yam) (70) 289
Phosphatase, acid, unusual alkaline phosphatase isoenzyme in a patient with concomitant marked elevation of, without clinical evidence of prostatic carcinoma (Lee) (71) 221
Phosphatase, alkaline, atypical, in serum, transient presence of (Rosalki, Hurst) (73) 149
Phosphatases, alkaline, from bone and liver, in serum, comparison of ethanol-precipitation and heat-inactivation in the identification of (Samuelson, Moss) (72) 157
Phosphatase, alkaline, (unusual isoenzyme in a patient with concomitant marked elevation of acid phosphatase without clinical evidence of prostatic carcinoma (Lee) (71) 221
Phosphatase, alkaline, isoenzyme patterns in normal sera of Nigerians (Afonja, Boyo) (73) 177
Phosphatase, alkaline, isoenzymes, serum activity of, modified inactivation-inhibition method for determining (Štěphán, Volek, Kolar) (69) 1
Phosphatase, alkaline, placental, active site peptide from (Whitaker, Byfield, Moss) (71) 285
Phosphatase, alkaline, placental, determination by an electroimmunoassay ("rocket") technique (Forman, Moss, Whitaker) (68) 287
Phosphatase, alkaline, placental, titration of, with radioactive orthophosphate (Whitaker, Moss) (71) 277
Phosphatase, alkaline, in serum in, cholestasis, and nucleotide pyrophosphatase, 5′-nucleotidase and lipoprotein-X (Brocklehurst, Lathe, Aparicio) (67) 269
Phosphatase, alkaline, in serum, and γ-glutamyltransferase activities in serum, in epileptics receiving anticonvulsant therapy (Skillen, Pierides) (72) 245
Phosphate, inorganic, in serum, the ultrafiltrability of calcium and of, a new device for ultrafiltration (Trechsel, Aeby, Fleisch) (69) 367
Phosphate, compounds in the erythrocytes of newborns with ABO systems haemolytic disease (Jezuita) (73) 387
Phosphate compounds, in the erythrocytes of newborns with haemolytic disease (Jezuita) (66) 303
Phosphatidylcholine, biosynthesis of, in primate and non-primate lung, the role of the methylation pathway of. Studies on the biosynthesis of pulmonary surfactant (Rooney, Motoyama) (69) 525
Phosphatidylcholines, of the lung surfactant, structure of, at birth in normal full term infants (Giudicelli, Pecquery, Lacasa, Boscameric, Nordmann) (71) 445
Phosphatidylcholine content, and fatty acid composition of tracheal and gastric liquids from premature and full-term newborn infants (Motoyama, Namba, Rooney) (70) 449
Phosphoglucose isomerase, from ovine liver Echinococcus granulosus protoscolices, partial purification and properties (Vessal, Abdolrasulnia) (68) 59
Phosphoglycerate kinase deficiency, in human erythrocyte, Presence in a deficient patient of a stable variant with lowered catalytic activity (Kahn, Cottreau, Galand, Boivin) (69) 21
Phospholipids, in bile, estimation of (Murison, Festi, Ross, Bouchier) (68) 159
Phospholipids, in serum, automated determination of (Taylor, Watts) (73) 547
Phospholipid composition, of cultivated skin fibroblasts in Duchenne's muscular dystrophy (Kohlschütter, Wiesmann, Herschkowitz, Ferber) (70) 463
Phosphorylase, isoenzyme pattern of, in white blood cells and fibroblasts from patients with liver phosphorylase deficiency (Koster, Slee, Daegelen, Meienhofer, Dreyfus, Niermeyer, Fernandes) (69) 121
Photodynamic modification, of proteins in erythrocyte membranes, induced by protoporphyrin (De Goeij, Van Straalen, Van Steveninck) (71) 485
Photometry, nitrogen determination by. Wet incineration followed by formation of indophenol blue with salicylate/hypochlorite (Lauber) (67) 107
Phytanic acid, in plasma, quantitation by mass fragmentography (Phillipou, Poulos) (72) 319

Placenta, alkaline phosphatase in, active site peptide from (Whitaker, Byfield, Moss) (71) 285
Placenta, alkaline phosphatase in, titration with radioactive orthophosphate (Whitaker, Moss) (71) 277
Placental alkaline phosphatase, determination by an electroimmunoassay ("rocket") technique (Forman, Moss, Whitaker) (68) 287
Plasma, aldosterone in, and deoxycorticosterone in plasma, radioimmunoassay for. Comparison of various antisera and determination of normal values (Sulon, Palem-Vliers, Genard, Cittanova, Desfosses) (72) 275
Plasma, α-amino nitrogen in, alternative colorimetric technique for determination of (Twigger, Johnson, Payne) (72) 161
Plasma, angiotensin II in, measurement of. Technical modifications and practical experience (Kappelgaard, Damkjaer Nielsen, Giese) (67) 299
Plasma, angiotensin II in, radioimmunoassay for determination of, during furosemide administration (Küppers, Wiesen, Schnurr) (71) 469
Plasma, antiepileptic drugs in, high-speed liquid chromatographic determination of (Kitazawa, Komuro) (73) 31
Plasma, apolipoprotein of low density lipoprotein of, structural study in familial hyperbetalipoproteinaemia (Pinon, Turpin) (70) 259
Plasma, apolipoprotein B in, by double antibody radioimmunoassay (Bedford, Shepherd, Morgan) (70) 267
Plasma, calcium ion in, and in blood, comparative determinations of, with a new calcium ion analyzer (Fuchs, Dorn, McIntosh, Scheler, Kraft) (67) 99
Plasma, carnitine in, and body composition (Cederblad) (67) 207
Plasma, catecholamines in, estimation of, by the radiometric method of Passon and Peuler (Moerman, Bogaert, De Schaepdryver) (72) 89
Plasma, cholesterol in, comparison of gas-liquid chromatographic, colorimetric and enzymatic analyses (Lillienberg, Svanborg) (68) 223
Plasma, cholesterol (free and esterified) in, enzymatic measurement of, and in other biological preparations using the oxygen electrode in a modified glucose analyzer (Dietschy, Weeks, Delente) (73) 407
Plasma, cholesterol (total and free) in, a two-step determination of, by gas-liquid chromatography (Ambert, Cahour, Hartmann) (68) 31
Plasma, cholesteryl esters in turnover in man. Comparison of in vivo and in vitro methods (Kudchodkar, Sodhi) (68) 187
Plasma, copper in protein fractions in, microdetermination of (Delves) (71) 495
Plasma, cortisol in, direct radioimmunoassay of (Rolleri, Zannino, Orlandini, Malvano) (66) 319
Plasma, (free) cortisol in, a simple method for the determination with normal levels in men and women, including women taking low oestrogen contraceptives (Durber, Daly) (68) 43
Plasma, deoxycorticosterone in, radioimmunoassay for, and for plasma aldosterone. Comparison of various antisera and determination of normal values (Sulon, Palem-Vliers, Genard, Cittanova, Desfosses) (72) 275
Plasma, dopamine β-hydroxylase in, in a noradrenalin-secreting pheochromocytoma (Aunis, Miras-Portugal, Coquillat, Warter, Mandel) (70) 455
Plasma, effect of incubation in, on electrophoretic mobility of brain-type creatine phosphokinase (Cho, Meltzer, Joung, Goode) (73) 257
Plasma, (non-esterified) fatty acids in, relationship between concentration and conditions of storage (Trichopoulou, Kalaidzidou, Kalandidi) (69) 355
Plasma, fibrinogen in, clot-weight method for determination of, suitability and limitation (Dyr, Vodrážka) (66) 277
Plasma, fibrinogen concentration of, from patients undergoing thrombolytic therapy, comparison of sulphite and thrombin methods for measurement (Lane, Rampling, Kakkar) (71) 15
Plasma, glucose concentration in, a rapid method for measurement (Telfer Brunton, Percy-Robb) (69) 131
Plasma, glutamine in, and in cerebrospinal fluid, elevation of, by anticonvulsant drugs. A potential diagnostic and therapeutic trap (Perry, Hansen, MacLean) (69) 441

Plasma, glycine in, and in urine, quantitation by chemical ionization mass fragmentography (Petty, Tucker, Molinary, Flynn, Wander) (66) 111
Plasma, heat-inactivated, and artificial substrates for lecithin:cholesterol acyltransferase assay in human plasma, a comparison of (Cheung, Christian) (69) 299
Plasma, heparinized, total calcium in, or in serum, titrimetric method (Ferguson, Vaughan, Swale) (67) 281
Plasma, 5-hydroxytryptophan and its metabolites 5-hydroxytryptamine and 5-hydroxyindoleacetic acid in, determination of, following administration of 5-hydroxytryptophan to man (Joseph, Baker) (72) 125
Plasma, liothyronine in serum and in, measurement of (Fyffe, Harrower) (72) 261
Plasma, lipids and lipoproteins in, relationship of plasma uric acid to, in subjects with peripheral vascular disease (Ballantyne, Strevens, Lawrie) (70) 323
Plasma, lipoproteins in, apoprotein profile of, and in chylous ascites (Malmendier, Amerijckx) (68) 259
Plasma, lipoproteins in immunoelectrophoretic study in a case of familial deficiency of lecithin-cholesterol acyltransferase (Salmon, Alcindor, Beucler, Ayrault-Jarrier, Infante, Chevet, Polonovski) (66) 311
Plasma, lipoproteins in, separation using gel electrofocusing and polyacrylamide gradient gel electrophoresis (Emes, Latner, Rahbani-Nobar, Tan) (71) 293
Plasma, maternal, prolactin in, correlation of prolactin in amniotic fluid with (Biswas) (73) 363
Plasma, α_1-microglobulin in, a new low molecular weight protein (Svensson, Ravnskov) (73) 415
Plasma, octopamine in, correlation with hepatic encephalopathy. A re-appraisal of the problem (Rossi-Fanelli, Cangiano, Attili, Angelico, Cascino, Capocaccia, Strom, Crifò) (67) 255
Plasma, (total) oestriol in, during pregnancy, determination by radioimmunology (Craig) (68) 277
Plasma, oxalic acid in, determination of (Krugers Dagneaux, Klein Elhorst, Olthuis) (71) 319
Plasma, (deuterium-labelled) phenylalanine and tyrosine in, determination with high pressure liquid chromatography and mass spectrometry (Trefz, Byrd, Blaskovics, Kochen, Lutz) (73) 431
Plasma, phytanic acid in, quantitation by mass fragmentography (Phillipou, Poulos) (72) 319
Plasma, postheparin, from patients with familial lecithin:cholesterol acyltransferase (LCAT) deficiency, changes in the concentration of lipoprotein-X during incubation of (Ritland, Stokke, Gjone) (67) 63
Plasma, progesterone in, comparison of, in women by competitive protein binding (CPB) and radioimmunoassay (RIA) (Wajchenberg, Sugawara, Mesquita, Lerário, Wachslicht, Ribeiro Pieroni, Mattar) (68) 67
Plasma, proteins in, effect of clofibrate on, including components of the hemostatic mechanism (Cederblad, Korsan-Bengtsen) (66) 9
Plasma, renin and renin substrate in, simultaneous measurement by a simple kinetic method (Campillo, Garcia del Rio, Quesada, Osorio) (73) 475
Plasma, renin activity assay in, effect of proteolytic activity on (Tewksbury, Premeau) (73) 67
Plasma, ribonuclease assays, assessment of clinical usefulness of (Shenkin, Citrin, Rowan) (72) 223
Plasma, sulthiame in, determination by gas-liquid chromatography (Hackett, Dusci) (66) 443
Plasma testosterone and androstenedione in blood and in, stability (Wickings, Nieschlag) (71) 439
Plasma, tetracycline hydrochloride in, half life of, undernutrition and (Shastri, Krishnaswamy) (66) 157
Plasma, thyroxine-binding globulin in, radioimmunoassay of (Hesch, Gatz, McIntosh, Janzen, Hehrmann) (70) 33
Plasma, triglycerides in, stereospecific distribution of fatty acids in (Parijs, De Weerdt, Beke, Barbier) (66) 43
Plasma, triiodothyronine in, solid-phase radioimmunoassay of (Quihillalt, Rolleri, Malvano) (72) 187

Plasma, uric acid in, by enzymatic spectrofluorimetry of microsamples using p-hydroxyphenylacetic acid as a fluorophor (Sumi, Umeda, Kishi, Takahashi, Kakimoto) (73) 233
Plasma, uric acid in, relationship to plasma lipids and lipoproteins in subjects with peripheral vascular disease (Balantyne, Strevens, Lawrie) (70) 323
Plasma protein profiling: the diagnostic evaluation of disorders in plasma protein composition by a new immunoelectrophoretic method (Scherer, Ruhenstroth-Bauer) (66) 417
Polarography, for comparative studies on cholesterol oxidases from different sources (Noma, Nakyama) (73) 487
Polarisation fluoroimmunoassay of gentamicin (Watson, Landon, Shaw, Smith) (73) 51
Polyacrylamide gel electrophoresis, a simple cuvette for densitometric scanning of. Quantitation of aggrevates in preparations of human serum albumin (Scherz, Morris) (69) 551
Polyamide thin-layer chromatography, see Chromatography, polyamide thin-layer
Polyamine, distribution of, in cellular compartments of blood and in aging erythrocytes (Cooper, Shukla, Rennert) (73) 71
Polymorphonuclear leukocytes, of patients with chronic granulomatous disease, lack of cytochalasin E-induced superoxide release by (Nakagawara, Kakinuma, Shin, Miyazaki, Minakami) (70) 133
Pompe's disease, see Glycogenosis type II
Porphyrin, biosynthesis in lead-intoxicated rabbits (San Martín de Viale, De Calmanovici, Del C. Ríos de Molina, Grinstein) (69) 375
Portal cirrhosis, diagnostic triad for (Goldberg, Ellis, Ward) (72) 379
Post-γ globulin, in semen, occurrence of, and of β_2-microglobulin (Colle, Guinet, Leclercq, Manuel) (67) 93
Post-menopausal women, pregnancy-associated α_2-glycoprotein in, receiving hormone replacement therapy (Sturdee, Burnett, Moore, Bradwell) (72) 233
Potassium, in erythrocytes, concentration of sodium and age and sex differences (Nagaki, Teraoka) (66) 453
Potentiometry, automatic, and gas-liquid chromatography of underivatised free fatty acids (Wirth, Eckhard, Weicker) (71) 47
Precipitation method, for lipoprotein fractionation. A simple quantitative procedure (Ononogbu, Lewis) (71) 397
Pregnancy, amniotic fluid α-foetoprotein in, radial immunodiffusion for quantitation of (Brocklehurst, Wilde) (70) 205
Pregnancy, certain glycoproteins in maternal serum, total serum and amniotic fluid during, variations of the concentrations of (Bardos, Luthier, Avenet, De Russe, Muh, Soutoul, Weill) (66) 353
Pregnancy, α_2-glycoprotein associated to, in post-menopausal women receiving hormone replacement therapy (Sturdee, Burnett, Moore, Bradwell) (72) 233
Pregnancy, oestriol (total) in plasma by a simple radioimmunological method (Craig) (68) 277
Pregnancy, oestrogens in urine, new rapid assay using the substrate native fluorescence (Bramhall, Britten) (68) 203
Pregnancy, oestrogen secretion into saliva (Joshi, Sankolli, Rajani) (73) 565
Pregnancy, serum protein in, in rats, evaluation of (Sudbury, Dolan, Klein, Ove) (71) 81
Pregnancy, urinary excretion of neuraminic acid-containing trisaccharides (Maury) (71) 335
Pregnancy zone protein, radioimmunoassay for (Damber, Von Schoultz, Stigbrand, Carlström) (66) 85
Pregnanediol, by gas chromatography, some remarks on the simultaneous determination of oestriol and (Bottema, Belderok) (68) 199
Primidone, in serum, levels of, diphenylhydantoin, phenobarbital, carbamazepine and, improved method for measurement by gas-liquid chromatography (Nishina, Okoshi, Kitamura) (73) 463
Procainamide, by fluorimetry, a new method (Ambler, Masarei) (70) 379
Procainamide, in serum, simultaneous determination of lidocaine and, by use of high pressure liquid chromatography (Adams, Vandemark, Schmidt) (69) 515
Progesterone, in plasma, comparison of, in women by competitive protein binding

and radioimmunoassay (Wajchenberg, Sugawara, Mesquita, Lerário, Wachslicht, Ribeiro Pieroni, Mattar) (68) 67
Progesterone receptors, in breast cancer, determination of, and relationship to estrogen receptors (Liskowski, Rose, Dondlinger, Olenick) (71) 309
Prolactin, in amniotic fluid: its correlation with maternal plasma prolactin (Biswas) (73) 363
Prolactin, in children with cystic fibrosis, growth hormone and α-foetoprotein and (Biswas, Norman, Baffoe, Graves) (69) 541
Proline hydroxylase, in hepatic collagen, in alcoholic liver disease (Mezey, Potter, Maddrey) (68) 313
Proline imino-peptidase, in serum, in normal adult subjects and in patients with Paget's disease of bone (Whiteley, Francis, Walton, Smith) (71) 157
Prostatic hypertrophy, benign, intracellular localization of 5α-dihydrotestosterone in (Ghanadian, Chisholm, Fotherby) (73) 521
Proteases, complexes of, and human α_2-macroglobulin, thin-layer electrofocusing followed by electrophoresis for demonstration and semiquantitative determination (Ohlsson, Skude) (66) 1
Protease, neutral, calcium-activated, in normal and dystrophic human muscle (Kar, Pearson) (73) 293
Protein, basic, of atheromatous arteries, an increase in (Skrzydlewski, Worowski) (66) 435
Proteins, Bence Jones, polyacrylamide-gel disc electrophoresis of unconcentrated urine samples with special reference to (Takeoka, Gotoh, Furumi, Mori) (71) 149
Proteins, from bronchial secretion, identification and characterization by crossed immunoelectrophoresis (Laine, Hayem) (67) 159
Proteins, cationic, from granulocytes, interaction of α_1-antichymotrypsin with (Ohlsson, Akesson) (73) 285
Protein, conjugates of, protein-protein coupling reactions and the applications of (Kennedy, Kricka, Wilding) (70) 1
Protein, constituents in serum, isolation of serum lipoproteins from, simple and rapid method (Wille) (71) 355
Proteins, in erythrocyte membranes, photodynamic modification of, induced by protoporphyrin (De Goeij, Van Straalen, Van Steveninck) (71) 485
Protein, folate-binding, in serum, limits of the estimate by radioassay (Leonard, Beckers) (70) 119
Proteins, immunochemical methods for identification of, after electrophoretic runs on different supports (Groulade, Denis, Aveynier) (67) 199
Proteins, of myeloma, of IgG_1, IgG_2 and IgG_4 subclass specificity, circular dichroism of (Amend, Bonnekoh, Wetter) (71) 339
Proteins, in plasma, effect of clofibrate on, including components of the hemostatic mechanism (Cederblad, Korsan-Bengtsen) (66) 9
Protein, in plasma, with low molecular weight: α_1-microglobulin (Svensson, Ravnskov) (73) 415
Protein, in plasma, profiling of: the diagnostic evaluation of disorders in plasma protein composition by a new immunoelectrophoretic method (Scherer, Ruhenstroth-Bauer) (66) 417
Protein, pregnancy zone, radioimmunoassay for (Damber, Von Schoultz, Stigbrand, Carlström) (66) 85
Protein, retinol-binding, in serum and in urine of glomerular and tubular nephropathies (Scarpioni, Dall'Aglio, Poisetti, Buzio) (68) 107
Proteins, in serum, binding of 3,5-diiodotyrosine to (Bismuth, Castay, Lissitzky) (69) 417
Protein, in serum, in pregnant rats, evaluation of (Sudbury, Dolan, Klein, Ove) (71) 81
Protein binding, competitive, for 25-hydroxycalciferol, simplified assay (Garcia-Pascual, Peytremann, Courvoisier, Lawson) (68) 99
Protein binding, competitive, and radioimmunoassay, for comparison of plasma progesterone assay in women (Wajchenberg, Sugawara, Mesquita, Lerário, Wachslicht, Ribeiro Pieroni, Mattar) (68) 67
Protein binding, competitive radioassay, for 25-hydroxy vitamin D (Morris, Peacock) (72) 383

Protein-binding analysis, semi-automated competitive, of serum thyroxine on reusable Sephadex columns and its advantages over radioimmunoassay (Alexander) (69) 293
Protein-calorie malnutrition: study of red blood cell and serum enzymes during and after crisis (Verjee, Behal) (70) 139
Protein fractions, in plasma, copper in, microdetermination of (Delves) (71) 495
Protein-protein coupling reactions and the applications of protein conjugates (Kennedy, Kricka, Wilding) (70) 1
Proteoglycans, hyaluronate-binding by. Comparison of mildly and severely osteoarthritic regions of human femoral cartilage (Palmoski, Brandt) (70) 87
Proteolytic activity, effect of, on plasma renin activity assay (Tewksbury, Premeau) (73) 67
Protoporphyria, photodynamic effects of protoporphyrin on cholesterol and unsaturated fatty acids in erythrocyte membranes in (De Goeij, Van Steveninck) (68) 115
Protoporphyrin, inducing photodynamic modification of proteins in human erythrocyte membranes (De Goeij, Van Straalen, Van Steveninck) (71) 485
Protoporphyrin, photodynamic effects of, on cholesterol and unsaturated fatty acids in erythrocyte membranes in protoporphyria and in normal red blood cells (De Goeij, Van Steveninck) (68) 115
Pseudocholinesterase, in serum, increased serum γ-glutamyltransferase in hypertriglyceridaemia compared with (Cucuianu, Zdrenghea, Pop, Opincaru) (71) 419
Pseudouridine, in urine, gas chromatography for the determination of (Casale, Gerber) (69) 545
Psoralene and melanogenesis in relation to vitiligo (Chakraborty, Roy Choudhury, Dey) (72) 219
Pterins, unconjugated, in urine, quantitative determination of, by gas chromatography/mass fragmentography (Röthler, Karobath) (69) 457
Pulmonary surfactant, studies on the biosynthesis of. The role of the methylation pathway of phosphatidylcholine biosynthesis in primate and non-primate lung (Rooney, Motoyama) (69) 525
Purine nucleoside phosphorylase, abnormal form of, in a family with a child with severe defective T-cell- and normal B-cell immunity (Siegenbeek van Heukelom, Staal, Stoop, Zegers, Van der Vlist, Bartstra) (72) 117
Pyridoxal 5′-phosphate, activation of aspartate transaminase by, in serum of normal subjects (Lustig, Patten) (69) 101
Pyrophosphate, inorganic, rapid enzymatic assay for measurement in biological samples (Lust, Seegmiller) (66) 241
Pyruvate kinase, congenital, deficiencies, in erythrocyte, molecular alterations in (Garreau, Buc, Columelli, Najman) (68) 245
Pyruvate kinase, deficiency, in erythrocytes, effect of riboflavin treatment (Blume, Arnold, Hasslinger, Löhr) (71) 331
Pyruvate kinase, defective, in erythrocyte (Staal, Geerdink, Vlug, Hamelink) (68) 11
Pyruvate kinase, in erythrocyte, biphasic reaction kinetics in an anomalous isozyme of (Paglia, Konrad, Wolff, Valentine) (73) 395
Pyruvate kinase, and variants, in normal human erythrocyte and variants with abnormal electrophoretic patterns, isoelectric focusing of (Oda, Nakashima, Shinohara, Miwa) (68) 93

Q

Quality control surveys, external, method for statistical evaluation of (De Leenheer, De Ruyter, Steyaert) (71) 229
Quinidine, in serum, determination by fluorimetry in the presence of diuretics (Osinga, De Wolff) (73) 505

R

Radioassay, competitive binding, optimization of, using thyroxine radioassay as a model system (Shaw, Hubert, Agnese, Spierto) (72) 69
Radioassay, competitive binding, for serum T_4, comparison of the interference of fatty acids in, and in radioimmunoassay (Shaw, Powell, Hubert, Spierto) (73) 25
Radioassay, competitive protein-binding, for 25-hydroxy vitamin D (Morris, Peacock) (72) 383
Radioassay, for estimation of serum folate-binding protein, limits of (Leonard, Beckers) (70) 119
Radioassay, for 25-hydroxycholecalciferol without chromatography, a simple method (Justová, Stárka, Wilczek, Pacovský) (70) 97
Radioassay, for hypoxanthine-guanine phosphoribosyl transferase in blood, rapid method (Bakhru-Kishore, Kelly) (70) 149
Radioassay, for thyroxine and triiodothyronine, purification with Sephadex (Faerch) (66) 137
Radiochemical esterolytic assays, sensitive, for urokinase (Imanari, Wilcox, Pisona) (71) 267
Radiochromatography, see Chromatography, radio-
Radioimmunoassay, of (urinary) aldosterone, methodological simplifications (Malvano, Orlandini, Cozzani, Duranti, Simonini, Salvetti) (66) 331
Radioimmunoassay, for aldosterone and deoxycorticosterone in human plasma. Comparison of various antisera and determination of normal values (Sulon, Palem-Vliers, Genard, Cittanova, Desfosses) (72) 275
Radioimmunoassay, for aldosterone and tetrahydroaldosterone, after isolation comparison of, with gas-liquid chromatography (Scandrett, Wilson, Ross) (72) 97
Radioimmunoassay, (simplified), for (urinary) aldosterone, comparison of, with gas-liquid chromatographic method (Etienne, Pardaens) (72) 201
Radioimmunoassay, for (plasma) angiotensin-II concentration during furosemide administration: reliability of a practical method for clinical purposes (Küppers, Wiesen, Schnurr) (71) 469
Radioimmunoassay, Ausria II-^{125}I, double sequential counterimmunoelectrophoresis and, comparative study of two methods for hepatitis B antigen detection (Szántay, Dejica, Abrudan) (69) 117
Radioimmunoassay, column type, flow-through, rapid, for insulin (Davis, Yoder, Adams) (66) 379
Radioimmunoassay, and competitive protein binding, for comparison of plasma progesterone assay in women (Wajchenberg, Sugawara, Mesquita, Lerário, Wachslicht, Ribeiro Pieroni, Mattar) (68) 67
Radioimmunoassay, of (serum) conjugated cholic acid (Matern, Krieger, Gerok) (72) 39
Radioimmunoassay, direct, of plasma cortisol (Rolleri, Zannino, Orlandini, Malvano) (66) 319
Radioimmunoassay, double antibody, for apolipoprotein B in human plasma (Bedford, Shepherd, Morgan) (70) 267
Radioimmunoassay, for α_1-foetoprotein, effect of aggregates on the radioimmunoassay (Young, Reid, Crawford) (69) 11
Radioimmunoassay, for gastrin, using DEAE-Sephadex, isolation and characteristics, of monoiodinated gastrin (Brown, Bagchi, Mack, Booth, Jones) (67) 321
Radioimmunoassay, for (serum) IgE, comparison of single radial immunodiffusion and (Berrens, Bruynzeel) (70) 337

Radioimmunoassay, interpolation of data, simple method for (England, Cain) (72) 241
Radioimmunoassay of iodinated gentamicin (Broughton, Strong) (66) 125
Radioimmunoassay for "the pregnancy zone protein" (Damber, Von Schoultz, Stigbrand, Carlström) (66) 85
Radioimmunoassay, solid-phase, for conjugated cholic acid in serum (Van den Berg, Van Blankenstein, Bosman-Jacobs, Frenkel, Hörchner, Oost-Harwig, Wilson) (73) 277
Radioimmunoassay, solid-phase, for magnetic particles (Nye, Forrest, Greenwood, Gardner, Jay, Roberts, Landon) (69) 387
Radioimmunoassay, solid-phase, for β_2-microglobulin (Taniguchi, Tanaka, Kobayashi, Matsuda, Ohno, Sato, Takakuwa) (69) 471
Radioimmunoassay, solid-phase, of plasma triiodothyronine (Quihillalt, Rolleri, Malvano) (72) 187
Radioimmunoassays, solid-phase, for total tri-iodothyronine and thyroxine in serum, and their clinical evaluation (Seth, Toft, Irvine) (68) 291
Radioimmunoassay, specificity of, and the "first-come, first-served effect" (Pratt, Woldring) (68) 87
Radioimmunoassay, for steroid assay using ammonium sulphate, improvement of standard curves (Sonnenberg, Von Lilienfeld-Toal) (70) 191
Radioimmunoassay, of thyroxine, simple and rapid, in unextracted human serum; a comparison of thyroxine radioimmunoassay and thyroxine displacement assay, in normal and pathologic sera (Premachandra, Ibrahim) (70) 43
Radioimmunoassay, for (serum) T_4, comparison of the interference of fatty acids in, and in competitive binding radioassay (Shaw, Powell, Hubert, Spierto) (73) 25
Radioimmunoassay, of thyroxine-binding globulin in human plasma (Hesch, Gatz, McIntosh, Janzen, Hehrmann) (70) 33
Radioimmunoassay, for 3,3′,5′-triiodothyronine (reverse T_3, R-T_3) in unextracted human serum (Hüfner, Grussendorf) (69) 497
Radioimmunoassay, for (human) TSH, use of enzymically labelled antigen in; comparison between ^{125}I-labelled TSH labelled with lactoperoxidase or chloramine-T (Burrin) (70) 153
Radioimmunoassay tracer, specific radioactivity of, determined by self-displacement: a re-evaluation (Morris) (73) 213
Radioimmunology, determination of 3,4-dimethoxyphenylethylamine in urine (Knoll, Wisser) (68) 327
Radioimmunology, determination of plasma total oestriol during pregnancy (Craig) (68) 277
Radioiodination of human low density lipoprotein: a comparison of four methods (Shepherd, Bedford, Morgan, Scott) (66) 97
Radioiodination, improved, of glucagon with the lactoperoxidase method. Influence of pH on iodine substitution (Von Schenck, Larsson, Thorell) (69) 225
Radiometric method, of Passon and Peuler, for estimation of plasma catecholamines in man (Moerman, Bogaert, De Schaepdryver) (72) 89
Reference solution, bilirubin, diluted human serum as a suitable diluent in the preparation of (Franzini, Panseri) (69) 73
Renal disease, chronic, patients with, a search for methyl urea in the blood and urine of, using a specific gas-liquid chromatographic method (Evans) (69) 357
Renal disease, end-stage, artefact in lactate dehydrogenase isoenzyme patterns in serum of patients with, requiring maintenance haemodialysis, assayed by fluorescence (McKenzie, Henderson) (70) 333
Renal failure, chronic, catalase activity of erythrocytes in (Melissinos, Vlassopoulos, Drivas, Tsoukantas) (66) 267
Renal failure, chronic, low serum bilirubin in. Relation to haem metabolism (Pasternack, Tenhunen) (67) 85
Renin, in plasma, effect of proteolytic activity on (Tewksbury, Premeau) (73) 67
Renin, in plasma, and renin substrate, simultaneous measurement by a simple kinetic method (Campillo, Garcia del Rio, Quesada, Osorio) (73) 475

Reticuloendotheliosis, leukaemic, spleen cells of, studies of intracellular distribution of acid phosphatase 5 in, by isopycnic gradient centrifugation (Lam, Dekker, Castleman, Yam) (70) 289
Retina, β-N-acetylglucosaminidase in, and in tear and serum, in diabetic patients (Fushimi, Tarui) (71) 1
Retinol-binding protein, in serum and in urine of glomerular and tubular nephropathies (Scarpioni, Dall'Aglio, Poisetti, Buzio) (68) 107
Reverse T_3, see 3,3′,5′-Triiodothyronine
Rheumatoid arthritis, collagen in (Adam, Vitášek, Deyl, Felsch, Musilová, Olšovská) (70) 61
Rheumatoid arthritis, erythrocyte copper levels in patients with, and in normals subjects, and erythrocyte superoxide dismutase activity, relationship between (Scudder, Stocks, Dormandy) (69) 397
Riboflavin, treatment with, effect on human red cell pyruvate kinase deficiency (Blume, Arnold, Hasslinger, Löhr) (71) 331
Ribonucleases, acid-thermostable, purification and properties of, and diagnosis of childhood pancreatic fibrosis (Bardoń, Sierakowska, Shugar) (67) 231
Ribonuclease, in plasma, assays of, assessment of clinical usefulness of (Shenkin, Citrin, Rowan) (72) 223
Rocket immunoelectrophoresis, see Electrophoresis, rocket immuno-

S

Saccharoid fraction, in blood, studies on, in normal and diabetic subjects (Khanam, Rahman) (71) 389
Salicyluric acid, see o-Hydroxyhippuric acid
Saliva, calcium loss in, in electrolyte analysis of, sample treatment to prevent (Sebesta, Danzer) (68) 309
Saliva, oestrogen secretion into, during pregnancy in the human (Joshi, Sankolli, Rajani) (73) 565
Salivary α-amylase, isoenzymes of, and of pancreatic α-amylase, isolation and characterization (Rosenmund, Kaczmarek) (71) 185
Sandhoff disease, see G_{M_2}-Gangliosidosis
Sarcolemma, cardiac, transport ATPases of, in experimental uraemia (Fiehn, Seiler, Heimberg) (73) 93
Saturation analysis, of urine with the major constituents of urinary calculi, nomograms for (Marshall, Robertson) (72) 253
Schistosomiasis, nutritional status and serum carnitine levels of patients with relationship between (Mikhail, Mansour) (71) 207
Scintillation counter, liquid, low cost gamma-vial for counting ^{125}I (Meunier) (66) 141
Screening test, for detection of inborn errors of metabolism, difficulties and pitfalls in interpretation of (Review) (Hill, Casey, Zaleski) (72) 1
Secretin, generation of antibodies against pancreozymin, gastrin and, reliable method for (Schlegel, Raptis) (73) 439
Self-displacement, method for determination of specific radioactivity of radioimmunoassay tracer (Morris) (73) 213
Semen, β_2-microglobulin and post-γ globulin in (Colle, Guinet, Leclercq, Manuel) (67) 93
Semen, zinc and copper in (Stanković, Mikac-Dević) (70) 123
Seminal fluid, secretory immunoglobulin A of, in normal subjects, in decreased fertility and in aspermia (Soliman, Olesen) (69) 543
Sephadex columns, reusable, semi-automated competitive protein-binding analysis of serum thyroxine on, and its advantages over radioimmunoassay (Alexander) (69) 293
Sera, alkaline phosphatase isoenzyme patterns in, of healthy Nigerians (Afonja, Boyo) (73) 177
Seromucoid, neutral sugars in, of diabetic patients, influence of insulin on the proportion of (Guzdek, Ciba, Sarnecka-Keller) (72) 401
Seromucoid, and nondialysable serum sugar-peptide fraction, level and composition of, compared with the activity of galactosyl transferase of liver Golgi membranes in insulin-treated rats (Guzdek, Kordowiak, Sarnecka-Keller) (72) 393
Serum, β-N-acetylglucosaminidase in, and in retina and tear, in diabetic patients (Fushimi, Tarui) (71) 1
Serum, albumin in, quantitation of aggregates in preparations of. A simple cuvette for densitometric scanning of polyacrylamide gel electrophoresis cylinders (Scherz, Morris) (69) 551
Serum, albumin in, structural modifications of, by proteolytic enzymes of the pancreas (Rousseaux, Debeaumont, Scharfman, Pommelet, Dautrevaux, Biserte) (71) 35
Serum, alkaline phosphatase (atypical) in, transient presence of (Rosalki, Hurst) (73) 149
Serum, alkaline phosphatases from bone and liver in, comparison of ethanol-precipitation and heat-inactivation in the identification of (Samuelson, Moss) (72) 157
Serum, alkaline phosphatase in, in cholestasis, and nucleotide pyrophosphatase, 5′-nucleotidase and lipoprotein-X (Brocklehurst, Lathe, Aparicio) (67) 269
Serum, alkaline phosphatase isoenzyme activity, modified inactivation-inhibition method for determining (Štěphán, Volek, Kolar) (69) 1

Serum, amino-acid arylpeptidase in, in man, resting muscle levels and the influence of exercise on (Haralambie, Berg) (69) 433
Serum, aminopeptidase B in (Mäkinen, Virtanen) (67) 213
Serum, amoxycillin in, and in urine, a simple chemical method for the assay of (Davidson) (69) 67
Serum, antitrypsin in, automated determination (Hoffmann, Van den Broek, Jansen) (71) 251
Serum, α_1-antitrypsin in, electrophoretic variation of, treated with neuraminidase (Inokuma, Harada, Koyasako, Miyamoto, Horiuchi) (69) 185
Serum, α_1-antitrypsin in, separation of different molecular forms (Musiani, Massi, Piantelli) (73) 561
Serum, α_1-antitrypsin in, with unusual behaviour (Lie-Injo) (72) 83
Serum, apolipoprotein B in, comparison of methods for immunoassay of (Durrington, Whicher, Warren, Bolton, Hartog) (71) 95
Serum, aspartate aminotransferase in, apoenzyme of, reactivation of (Moss) (67) 169
Serum, aspartate transaminase in, of normal subjects, activation by pyridoxal 5′-phosphate (Lustig, Patten) (69) 101
Serum, bile acid in, and serum cholesterol in primary hepatoma (Hirayama, Irisa) (71) 21
Serum, (total) bile acids in, fluorimetry for quantification of (Mashige, Imai, Osuga) (70) 79
Serum, bile acids, sulphated and non-sulphated, isolation from, by a simple batch adsorption procedure (Van Berge Henegouwen, Hofmann, Ruben) (73) 469
Serum, bilirubin in, low values of, in chronic renal failure. Relation to haem metabolism (Pasternack, Tenhunen) (67) 85
Serum, bilirubin in, single nonaqueous diazo reagent for rapid determination of, without lipaemic interference (Morin) (71) 9
Serum, bilirubin reference solutions, diluted human serum as a suitable diluent in the preparation of (Franzini, Panseri) (69) 73
Serum, calcium in, determination of, by colorimetry using methylthymol blue (Ripoll) (72) 133
Serum, calcium in, a new device for ultrafiltration of, and of inorganic phosphate (Trechsel, Aeby, Fleisch) (69) 367
Serum, (total calcium in, or in heparinized plasma, titrimetric method (Ferguson, Vaughan, Swale) (67) 281
Serum, carnitine levels in, relationship between and nitritional status of patients with schistosomiasis (Mikhail, Mansour) (71) 207
Serum, cholesterol in, and bile acid in serum in primary hepatoma (Hirayama, Irisa) (71) 21
Serum, cholesterol in, quantitation of, interference of sodium azide with, a comparative study (Khayam-Bashi, Sims, Parekh) (66) 69
Serum, (free and esterified) cholesterol content of, and of tissues, enzymatic determination of (Morin) (71) 75
Serum (total) cholesterol, studies on the accuracy and precision of, by the method of Liebermann-Burchard, in regional interlaboratory trials (Hohenwallner, Sommer, Wimmer) (66) 19
Serum, (conjugated) cholic acid in, radioimmunoassay of (Matern, Krieger, Gerok) (72) 39
Serum, (conjugated) cholic acid in, solid-phase radioimmunoassay for determination of (Van den Berg, Van Blankenstein, Bosman-Jacobs, Frenkel, Hörchner, Oost-Harwig, Wilson) (73) 277
Serum, copper in, non-caeruloplasmin, in liver disease, direct measurement by atomic absorption spectrophotometry (Frommer) (68) 303
Serum, copper and zinc in, in burn patients, evolution of (Lafargue, Couture, Monteil, Guilbaud, Saliou) (66) 181
Serum, creatine kinase in, application of an exponential curve equation for calculation of (Niebrój-Dobosz) (66) 165
Serum, creatine kinase in, effect of dilution (Farrington, Chalmers) (73) 217
Serum, creatine kinase and thyroid hormones, the relationship between, in vivo and in vitro studies (Smith) (68) 333
Serum, creatine kinase in, and in uric acid solution (Warren, Madelian) (70) 285

Serum, creatine kinase isoenzyme MB in, determination using immunological inhibition of creatine kinase M subunit activity. Activity kinetics and diagnostic significance in myocardial infarction (Neumeier, Prellwitz, Würzburg, Brundobler, Olbermann, Just, Knedel, Lang) (73) 445
Serum, creatine kinase isoenzyme pattern in, in nervous system atrophies and neuromuscular disorders (Jockers-Wretou, Grabert, Müller, Pfleiderer) (73) 183
Serum, creatinine in, new method for determination of, based on its reaction with 3,5-dinitrobenzoyl chloride in an organic medium (Parekh, Cook, Sims, Jung) (73) 221
Serum, in cystic fibrosis, isoelectrofocusing of: failure to distinguish between homozygote and heterozygote sera (Forstner, Koheil, Forstner) (70) 459
Serum, diphenylhydantoin and phenobarbital in, simultaneous isothermal determination by gas-liquid chromatography following flash-heater hexylation (Giovanniello, Pecci) (67) 7
Serum, dopamine-β-hydroxylase activity in, following acute myocardial infarction. An evaluation of this parameter for routine use as an index of sympathetic activity (Gutteberg, Borud, Strømme) (69) 61
Serum, enzymes in, and in erythrocyte, during and after treatment of protein-calorie malnutrition (Verjee, Behal) (70) 139
Serum, (elevated) enzymes in, in patients with wasp/bee sting and their clinical significance (Lim, Tan, Feng) (66) 405
Sera, enzymes in, of healthy young men, effect of a short burst of exercise on activity values of, (King, Statland, Savory) (72) 211
Serum, α-1-foetoprotein in, by electro-immunodiffusion on agarose (Borel-Giraud, Maillavin, Vernet-Nyssen) (71) 117
Serum, α-foetoprotein-like activity in, from patients with malignant and non-malignant disease and healthy individuals by radio-crossed immunoelectrophoresis (Nørgaard-Pedersen, Axelsen) (71) 343
Serum, folate-binding protein in, limits of the estimate by radioassay (Leonard, Beckers) (70) 119
Serum, γ-glutamyltransferase in, in epileptics receiving anticonvulsant therapy, and serum alkaline phosphatase (Skillen, Pierides) (72) 245
Serum, γ-glutamyltransferase in, γ- glytamyl-3-carboxy-4-nitroanilide, substrate of choice for routine determination of, ? (Theodorsen, Strømme) (72) 205
Serum γ-glutamyltransferase, increased, in hypertriglyceridaemia: comparison with serum pseudocholinesterase (Cucuianu, Zdrenghea, Pop, Opincaru) (71) 419
Serum, γ-glutamyltransferase in, and physical exercise (Haralambie) (72) 363
Serum, γ-glutamyltransferase in, as screening test for excess-ethanol drinkers, and mean corpuscular volume compared efficiency of, (Baglin, Bernot, Bremond, Lamy, Leroux, Weill) (68) 321
Serum, γ-glutamyltransferase in, a sensitive automated colorimetric method for determination of (Fuke, Yagi, Takegoshi, Kondo) (69) 43
Serum, glycylprolyl β-naphthylamidase in, and in liver and kidney of rats, in chronic carbon tetrachloride intoxication (Hino, Fuyamada, Nagatsu, Kurokawa, Okuyama) (67) 103
Serum, haptoglobin in, as cyanmethaemoglobin-binding capacity, kinetic method for estimation of, improved procedures (Cooper, Titheradge, Legg) (72) 371
Serum, hexosaminidase in, for detection of G_{M_2}-gangliosidosis gene carriers (Molzer, Bernheimer) (73) 163
Serum, immunoglobulin E in, by radioimmunoassay and by single radial immunodiffusion, comparison of (Berrens, Bruynzeel) (70) 337
Serum, myo-inositol in, and in urine, changes in levels in chronic glomerulonephritis (Pitkänen) (71) 461
Serum, iron in, a new colorimetric method for determination of (Kyaw) (69) 351
Serum, iron in, and total iron binding capacity, variations with the time of intake of combined oral contraceptives (Kamyab, Kamyab) (66) 439
Serum, isoferritins in normal human, and in tissue, immunological detection of

(McKeering, Halliday, Caffin, Mack, Powell) (67) 189
Serum, lactate dehydrogenase isoenzyme in, abnormal, in a case of laryngeal carcinoma and thyrotoxicosis (Tanaka, Amino, Hayashi, Miyai, Kumahara) (68) 235
Serum, lactate dehydrogenase isoenzyme patterns in, artefact of, of patients with end-stage renal disease requiring maintenance haemodialysis, assayed by fluorescence (McKenzie, Henderson) (70) 333
Serum, lactate dehydrogenase isoenzymes in, transient variant of (Meaney, Carey, Pollard) (73) 127
Serum, lidocaine and procainamide in, simultaneous determination of, by use of high pressure liquid chromatography (Adams, Vandemark, Schmidt) (69) 515
Serum, liothyronine in plasma and in, measurement of (Fyffe, Harrower) (72) 261
Serum, lipids and hormones in, of healthy subjects, daily variation of (Hammond, Wentz, Statland, Phillips, Winkel) (73) 347
Serum, with (abnormal) lipoprotein X, appearance of the α_2-β band in. Electrophoresis of γ-glutamyltranspeptidase on cellogel (Degenaar, Thijssen, Van der Wal, Berends) (67) 79
Serum, α_1-lipoprotein in, changes in the immunoelectrophoretic characteristics of, induced by various dyes (Edwards, Muckle) (67) 35
Serum, lipoprotein in, composition of, in 50-year-old men. A suggestion of chemical criteria for diagnosis of hyperlipoproteinaemia type III (broad-β-disease) (Vessby) (69) 29
Serum, lipoproteins in, isolation from the other serum protein constituents, simple and rapid method for (Wille) (71) 355
Serum, maternal and total, certain glycoproteins in, and in amniotic fluid during pregnancy, variations of the concentrations of (Bardos, Luthier, Avenet, De Russe, Muh, Soutoul, Weill) (66) 353
Serum, NAD-dependent malate dehydrogenase in, assay of, using malate as substrate (Wong, Smith) (72) 409
Serum, ornithine carbamoyltransferase in, a direct method (Ohshita, Takeda, Kamiyama, Ozawa, Honjo) (67) 145
Serum, oxidation of lactate by (Nowniaz, King) (71) 109
Serum, phenobarbital, carbamazepine, primidone and diphenylhydantoin in, improved method for measurement of, by gas-liquid chromatography (Nishina, Okoshi, Kitamura) (73) 463
Serum, (inorganic) phosphate in, a new device for ultrafiltration of, and of calcium (Trechsel, Aeby, Fleisch) (69) 367
Serum, phospholipids in, automated determination of (Taylor, Watts) (73) 547
Serum, proline imino-peptidase in, in normal adult subjects and in patients with Paget's disease of bone (Whiteley, Francis, Walton, Smith) (71) 157
Serum, proteins in, binding of 3,5-diiodotyrosine to (Bismuth, Castay, Lissitzky) (69) 417
Serum, protein in, in pregnant rats, evaluation of (Sudbury, Dolan, Klein, Ove) (71) 81
Serum, pseudocholinesterase in, increased serum γ-glutamyltransferase in hypertriglyceridaemia compared with (Cucuianu, Zdrenghea, Pop, Opincaru) (71) 419
Serum, quinidine in, determination of by fluorimetry in the presence of diuretics (Osinga, De Wolff) (73) 505
Serum, retinol-binding protein in, and in urine of glomerular and tubular nephropathies (Scarpioni, Dall'Aglio, Poisetti, Buzio) (68) 107
Serum, theophylline in, in the presence of barbiturates, by a modified ultraviolet spectrophotometric method (Vasiliades, Turner) (69) 491
Serum, thyroxine in, comparison of the interference of fatty acids in competitive binding radioassay and radioimmunoassay for (Shaw, Powell, Hubert Spierto) (73) 25
Serum, thyroxine radioimmunoassay in unextracted; comparison of thyroxine radioimmunoassay and thyroxine displacement assay, in normal and pathologic sera (Premachandra, Ibrahim) (70) 43
Serum, thyroxine in, semi-automated competitive protein-binding analysis of,

on reusable Sephadex columns and its advantages over radioimmunoassay (Alexander) (69) 293
Serum, tetraiodothyronine in, an evaluation of three commercially prepared anion-exchange resin columns for separation of (Agnese, Shaw, Spierto) (69) 285
Serum, transcortin in, by electroimmunodiffusion (Racadot, Racadot-Leroy, Le Gaillard, Dautrevaux) (66) 171
Serum, triglycerides in, factors involved in the determination: an international study (Carter, Wilding) (70) 433
Serum, triglycerides in, by mass fragmentography (Björkhem, Blomstrand, Svensson) (71) 191
Serum, (free) triiodothyronine concentration in, influence of thyroxine on (Yamamoto, Doi, Miyai, Kumahara) (67) 223
Serum, tri-iodothyronine and thyroxine in, total, solid-phase radioimmunoassays for determination and their clinical evaluation (Seth, Toft, Irvine) (68) 291
Serum, 3,3′,5′-triiodothyronine (reverse T_3, R-T_3) in unextracted, radioimmunoassay for (Hüfner, Grussendorf) (69) 497
Serum, uraemic, β-aminoisobutyric acid in, identification of (Gejyo, Kinoshita, Ikenaka) (70) 407
Serum, urea in, by mass fragmentography (Björkhem, Blomstrand, Ohman) (71) 199
Serum, VLDL + LDL in, of cord, methods for direct estimation of. Neonatal screening for hyperlipoproteinemia (Andersen, Nielsen) (66) 29
Sialyltransferase, in human malignant melanoma (Simonnet, Martel, Got) (72) 33
Silicates, in urinary calculi, determination of (Burr) (69) 259
Skin ulceration, chronic, and oedema, dipeptides in the urine of a patient with, mass spectrometry for identification of (Faull, Schier, Schlesinger, Halpern) (70) 313
Sodium, in erythocytes, concentration of, potassium and, age and sex differences (Nagaki, Teraoka) (66) 453
Sodium acid urate, and other constituents of urinary calculi, saturation of urine with, nomograms for analysis of (Marshall, Robertson) (72) 253
Sodium azide, interference with the quantitation of serum cholesterol, a comparative study (Khayam-Bashi, Sims, Parekh) (66) 69
Sodium salts, trimethylsilyl derivatives of, of organic acids, preparation of, for gas chromatography (Poole, Slater, Orrell) (73) 527
Solubility test, for haemoglobin S, new form of. Results from a survey of 3000 cases (Heredero, Granda, Dorticós) (71) 515
Sorbitol, conversion to mannitol, when used parenterally (Soummer-Dauphant, Chambon, Chabert) (67) 325
Spectrin, components of, in hereditary spherocytosis, isoelectric focusing (Boivin, Galand) (71) 165
Spectrofluorimetry, enzymatic, for uric acid in microsamples of plasma by using p-hydroxyphenylacetic acid as a fluorophor (Sumi, Umeda, Kishi, Takahashi, Kakimoto) (73) 233
Spectrophotometry, atomic absorption, a continuous ultraviolet spectrum of NaCl enhanced by trichloroacetic acid and HCl (Siertsema) (69) 533
Spectrophotometry, atomic absorption, of copper and zinc in human brain tissue. A critical investigation of two digestion techniques (Wuyts, Smeyers-Verbeke, Massart) (72) 405
Spectrophotometry, atomic absorption, for direct measurement of serum non-caeruloplasmin copper in liver disease (Frommer) (68) 303
Spectrophotometry, atomic absorption, for determination of oxalic acid in urine (Koehl, Abecassis) (70) 71
Spectrophotometry, atomic absorption, flameless, for determination of manganese in blood and urine (Buchet, Lauwerys, Roels, De Vos) (73) 481
Spectrophotometry, a rapid and sensitive method for carbamazepine in blood, for micro determination (Fellenberg, Pollard) (69) 423

Spectrophotometry, for the simultaneous micro determination of carbamazepine and 5,5-diphenylhydantoin in blood, a rapid method (Fellenberg, Pollard) (69) 429
Spectrophotometry, for lactate dehydrogenase patterns (clinical analysis) with the use of a nicotinamide-adenine dinucleotide analog (Minato, Tamaoki, Mizushima) (69) 243
Spectrophotometry, for determination of uroporphyrinogen I synthetase activity (Grandchamp, Phung, Grelier, Nordmann) (70) 113
Spectrophotometry, ultraviolet, a modified method for the determination of theophylline in serum in the presence of barbiturates (Vasiliades, Turner) (69) 491
Spectroscopy, atomic absorption, flameless, for zinc in fingernails (Sohler, Wolcott, Pfeiffer) (70) 391
Spherocytosis, hereditary, isoelectric focusing of spectrin components in (Boivin, Galand) (71) 165
Sphingolipids, radiolabelled, used as substrates, a potential source of error in the enzymatic diagnosis of neurolipidosis (Poulos, Pollard) (73) 353
Sphingomyelinase, in leukocytes, and β-glucocerebrosidase activities in leukocytes, rapid method for estimation of (Poulos, Pollard) (72) 327
Spleen cells, of leukaemic reticuloendotheliosis, studies of intracellular distribution of acid phosphatase 5 in, by isopycnic gradient centrifugation (Lam, Dekker, Castleman, Yam) (70) 289
Statistical evaluation, of results in external quality control surveys, method for (De Leenheer, De Ruyter, Steyaert) (71) 229
Steroids, in urine, simultaneous estimation by semi-automated gas chromatography. Investigation of neonatal infants and children with abnormal steroid synthesis (Shackleton, Honour) (69) 267
Steroid assay, by radioimmunoassay, using ammonium sulphate, improvement of the radioimmunological standard curve (Sonnenberg, Von Lilienfeld-Toal) (70) 191
Steroid 21-hydroxylase, defect in, congenital adrenal hyperplasia caused by. Establishment of definitive urinary steroid excretion pattern during first weeks of life (Shackleton) (67) 287
Steroid metabolism, in congenital adrenal hyperplasia, long-term effects of aminoglutethimide on (Hamilton) (73) 135
Sterols, other, contribution of, to the estimation of cholesterol (Munster, Lever, Carrell) (68) 167
Suberylglycine, excretion in urine from a patient with dicarboxylic aciduria (Gregersen, Lauritzen, Rasmussen) (70) 417
Sudan Black B, and nitroblue tetrazolium, comparison of, lipoprotein pre-staining (Green) (66) 295
Sugars, neutral, influence of insulin on the proportion of, in seromucoid of diabetic patients (Guzdek, Ciba, Sarnecka-Keller) (72) 401
Sugar-peptide fraction, nondialysable serum level and composition of, and of seromucoid, compared with the activity of galactosyl transferase of liver Golgi membranes in insulin-treated rats (Guzdek, Kordowiak, Sarnecka-Keller) (72) 393
Sulphatidosis, mucosulphatidosis and mucopolysaccharidosis VI, rapid method for measurement of arylsulphatase A and B in leukocytes as a diagnosis for (Humbel) (68) 339
Sulphite, precipitation method for fibrinogen measurement; its use on small samples in the presence of fibrinogen degradation products (Rampling, Gaffney) (67) 43
Sulphite method, and thrombin method, comparison of, for measuring fibrinogen concentration of plasma from patients undergoing thrombolytic therapy (Lane, Rampling, Kakkar) (71) 15
Sulphur, amino acids containing, and their derivatives, automated microanalysis of (Bowie, Crawhall, Gochman, Johnson, Schneider) (68) 349
Sulthiame, in plasma, determination by gas-liquid chromatography (Hackett, Dusci) (66) 443

Superoxide, cytochalasin E-induced release of, lack of, by polymorphonuclear leukocytes of patients with chronic granulomatous disease: a new diagnostic test (Nakagawara, Kakinuma, Shin, Miyazaki, Minakami) (70) 133

Superoxide dismutase, in erythrocytes, relationship between, and erythrocyte copper levels in normal subjects and in patients with rheumatoid arthritis (Scudder, Stocks, Dormandy) (69) 397

T

Tay-Sachs disease, see G_{M_2}-Gangliosidosis
Tay-Sachs genotypes, urinary hexosaminidase analysis for the identification of (Saifer, Amoroso, Perle) (67) 315
Tears, β-N-acetylglucosaminidase in, and in retina and serum, in diabetic patients (Fushimi, Tarui) (71) 1
Testosterone, in blood and plasma samples stability of, and of androstenedione, (Wickings, Nieschlag) (71) 439
Tetracycline in plasma, half life, and undernutrition (Shastri, Krishnaswamy) (66) 157
Tetrahydroaldosterone, isolation system for, and for aldosterone, prior to estimation by gas-liquid chromatography or radioimmunoassay (Scandrett, Wilson, Ross) (72) 97
Tetraiodothyronine, in serum, an evaluation of three commercially prepared anion-exchange resin columns for separation of (Agnese, Shaw, Spierto) (69) 285
Theophylline, in serum, in the presence of barbiturates, a modified ultraviolet spectrophotometric method (Vasiliades, Turner) (69) 491
Thrombin method, and sulphite method, comparison of, for measuring fibrinogen concentration of plasma from patients undergoing thrombolytic therapy (Lane, Rampling, Kakkar) (71) 15
Thrombolytic therapy, fibrinogen concentration of plasma from patients undergoing, comparison of sulphite and thrombin methods for measurement of (Lane, Rampling, Kakkar) (71) 15
Thymol blue, immunoelectrophoresis with, revealing polymorphism of α_1-lipoprotein, third form of electrophoretic dye-induced mobility alteration (Muckle) (73) 57
Thyroid function tests, effect of fatty acids in vitro and in vivo (Liewendahl, Helenius) (72) 301
Thyroid hormones, and iodide, rapid and effective separation of, by thin-layer chromatography (Hušek, Felt) (72) 195
Thyroid hormones, and serum creatine kinase, relationship between, in vivo and in vitro studies (Smith) (68) 333
Thyroid stimulating hormone, ^{125}I-labelled, labelled with lactoperoxidase or chloramine-T, comparison between; advantages in the use of enzymically labelled antigen in a radioimmunoassay for human TSH (Burrin) (70) 153
Thyrotoxicosis, and laryngeal carcinoma, abnormal serum lactate dehydrogenase isoenzyme in a case of (Tanaka, Amino, Hayashi, Miyai, Kumahara) (68) 235
Thyrotropin, in dried blood samples on filter paper, improved assay of, as a screening test for neonatal hyperthyroidism (Miyai, Nishi, Kawashima, Oura, Tsuruhara) (73) 241
Thyrotropin, enzyme-linked immunoassay of (Miyai, Ishibashi, Kumahara) (67) 263
Thyroxine, conversion to triiodothyronine in rat liver, pharmacological influences on (Hüfner, Knöpfle) (72) 337
Thyroxine, influence on the serum free triiodothyronine concentration (Yamamoto, Doi, Miyai, Kumahara) (67) 223
Thyroxine, and triiodothyronine, purification with Sephadex for radioassay (Faerch) (66) 137
Thyroxine, in serum, comparison of the interference of fatty acids in competitive binding radioassay and radioimmunoassay for (Shaw, Powell, Hubert, Spierto) (73) 25
Thyroxine, in serum, semi-automated competitive protein-binding analysis of, on reusable Sephadex columns and its advantages over radioimmunoassay (Alexander) (69) 293
Thyroxine total, in serum, solid-phase radioimmunoassays for determination of tri-iodothyronine and, and their clinical evaluation (Seth, Toft, Irvine) (68) 291
Thyroxine, radioassay for, model system for optimization of competitive binding radioassays (Shaw, Hubert, Agnese, Spierto) (72) 69

Thyroxine, radioimmunoassay, simple and rapid in unextracted human serum; a comparison of thyroxine radioimmunoassay and thyroxine displacement assay, in normal and pathologic sera (Premachandra, Ibrahim) (70) 43
Thyroxine-binding globulin, monospecific antiserum to, preparation of, for its quantitation by rocket immunoelectrophoresis (Bradwell, Burnett, Ramsden, Burr, Prince, Hoffenberg) (71) 501
Thyroxine-binding globulin, radioimmunoassay in human plasma (Hesch, Gatz, McIntosh, Janzen, Hehrmann) (70) 33
Titration, of human placental alkaline phosphatase, with radioactive orthophosphate (Whitaker, Moss) (71) 277
Titrimetry, for the estimation of total calcium in serum or heparinized plasma (Ferguson, Vaughan, Swale) (67) 281
Tissue injury, liver reaction to: do therapeutic measures trigger the acute phase reaction? (Smith, Bos, Esseveld, Van Eijk) (70) 127
o-Toluidine reagent, modified, for blood glucose analysis (Abraham) (70) 209
Tracheal liquids, and gastric liquids, phosphatidylcholine content and fatty acid composition of, from premature and full-term newborn infants (Motoyama, Namba, Rooney) (70) 449
Transcortin, in serum, by electroimmunodiffusion (Racadot, Racadot-Leroy, Le Gaillard, Dautrevaux) (66) 171
Trentadil®, see Bamifylline
Triglycerides, in liver, and cholesterol esters in liver, partial deficiency of acid lipase with storage of. Genetic variant of Wolman's disease? (Suzuki, Kawai, Kobayashi, Ohbe, Endo) (69) 219
Triglycerides, in plasma, stereospecific distribution of fatty acids in, (Parijs, De Weerdt, Beke, Barbier) (66) 43
Triglycerides in serum, factors involved in the determination of: an international study (Carter, Wilding) (70) 433
Triglycerides, in serum, by mass fragmentography (Björkhem, Blomstrand, Svensson) (71) 191
Triglyceride lipases, in acute hepatitis (Sauar, Blomhoff, Gjone) (71) 403
Triiodothyronine, conversion of thyroxine to, in rat liver, pharmacological influences on (Hüfner, Knöpfle) (72) 337
Triiodothyronine in serum, free, concentration, influence of thyroxine on (Yamamoto, Doi, Miyai, Kumahara) (67) 22
Triiodothyronine, and thyroxine, purification with Sephadex for radioassay (Faerch) (66) 137
Triiodothyronine, in plasma, solid-phase radioimmunoassay of (Quihillalt, Rolleri, Malvano) (72) 187
Triiodothyronine total, in serum, solid-phase radioimmunoassays for determination of thyroxine and, and their clinical evaluation (Seth, Toft, Irvine) (68) 291
3,3′,5′-Triiodothyronine, (reverse T_3, R-T_3), radioimmunoassay for, in unextracted human serum (Hüfner, Grussendorf) (69) 497
Trimethylsilyl derivatives, of sodium salts of organic acids for gas chromatography preparation of (Poole, Slater, Orrell) (73) 527
Trisaccharides, containing neuraminic acids, urinary excretion during pregnancy (Maury) (71) 335
Tryptaminuria, increased, after an acid load (Price) (72) 269
Tumours, neurogenic, chemical parameters for diagnosis of, and evaluation of treatment. Gas chromatographic determination of urinary vanilglycolic acid, vanilglycol, vanilacetic acid and vanillactic acid (Wadman, Ketting, Voûte) (72) 49
Tyrosine, in plasma, deuterium-labelled, and phenylalanine, determination with high pressure liquid chromatography and mass spectrometry (Trefz, Byrd, Blaskovics, Kochen, Lutz) (73) 431

U

Ulceration, of the skin, chronic, and oedema, dipeptides in the urine of a patient with, mass spectrometry for identification of (Faull, Schier, Schlesinger, Halpern) (70) 313
Ultrafiltration, a new device for. The ultrafiltrability of calcium and inorganic phosphate in human serum (Trechsel, Aeby, Fleisch) (69) 367
Ultramicromethod, see Micromethod, ultra-
Undernutrition and tetracycline half life (Shastri, Krishnaswamy) (66) 157
Uraemia, experimental, transport ATPases of cardiac sarcolemma in (Fiehn, Seiler, Heimberg) (73) 93
Uraemia, and hyperuricaemia in acute myocardial infarction (Wiener) (73) 45
Uraemia, metabolites, effect on parathyroid extract-induced bone resorption in vitro (Wills, Jenkins) (73) 121
Uraemic serum, β-aminoisobutyric acid in, identification of (Gejyo, Kinoshita, Ikenaka) (70) 407
Urate, production in heterozygotes for glucose-6-phosphatase deficiency (Stormont, Davies, Emmerson) (71) 303
Urea, arginase in the presence of, ultramicromethod for determination of (Nishibe) (71) 413
Urea, in serum, by mass fragmentography (Björkhem, Blomstrand, Öhman) (71) 199
Urea cycle defects, increased excretion of N-carbamoyl compounds in patients with (Oberholzer, Palmer) (68) 73
Urease, ornithine transcarbamylase in, used as reagent in OCT activity measurement in biological fluids (Van der Heiden, Desplanque) (73) 117
Uric acid, in blood of neonates, enzymatic fluorometric method (Uete, Yamashita) (69) 143
Uric acid, and other constituents of urinary calculi, saturation of urine with, nomograms for analysis of (Marshall, Robertson) (72) 253
Uric acid, in plasma, by enzymatic spectrofluorimetry in microsamples of plasma using p-hydroxyphenylacetic acid as a fluorophor (Sumi, Umeda, Kishi, Takahashi, Kakimoto) (73) 233
Uric acid, in plasma, relationship to plasma lipids and lipoproteins in subjects with peripheral vascular disease (Ballantyne, Strevens, Lawrie) (70) 323
Uric acid solution, creatine kinase in, and in serum (Warren, Madelian) (70) 285
Urinary calculi, silicates in, determination of (Burr) (69) 259
Urinary cholesterol, the method of Cox, a rapid and simple procedure for the determination of (Bigham, Farrant, Phillipou, Seamark) (69) 537
Urinary erythropoietin, specific precipitating antibody to (Kozuru, Nakashima, Ibayashi) (66) 53
Urinary excretion, of albumin, in normal and diabetic subjects (Jarrett, Verma, Keen) (71) 55
Urinary excretion, of cyclic AMP in children of different ages, effect of severe trauma on (Vitek, Gill, Conn, Lang, Cowley) (70) 227
Urinary excretion, of dihydroxyphenylalanine (DOPA) in patients with acute myocardial infarction (Wocial, Januszewicz, Sznajderman, Skórka) (66) 273
Urinary excretion, of lactate, in normal children and in children with enzyme defects of carbohydrate metabolism (Fernandes, Blom) (66) 345
Urinary excretion, of neuraminic acid-containing trisaccharides during pregnancy (Maury) (71) 335
Urinary excretion, (massive), of 2-oxoglutaric acid and 3-hydroxyisovaleric acid in a patient with a deficiency of 3-methylcrotonyl-CoA carboxylase (Finnie, Cottrall, Seakins, Snedden) (73) 513
Urinary excretion, seasonal variation of total metanephrines (Yamamoto, Doi, Takeuchi, Baba, Tanaka) (68) 241

Urinary excretion, of steroid, establishment of definitive pattern during first weeks of life. Congenital adrenal hyperplasia caused by defect in steroid 21-hydroxylase (Shackleton) (67) 287
Urinary glycosaminoglycans, quantitative determination (Hurst, Settine, Lorincz) (70) 427
Urinary hexosaminidase, analysis for the identification of Tay-Sachs genotypes (Saifer, Amoroso, Perle) (67) 315
Urinary pseudouridine, gas chromatography for the determination of (Casale, Gerber) (69) 545
Urinary steroids, simultaneous estimation of, by semi-automated gas chromatography. Investigation of neonatal infants and children with abnormal steroid synthesis (Shackleton, Honour) (69) 267
Urine, N-acetyl-β-glucosaminidase in, practical aspects of the assay (Wellwood, Price, Ellis, Thompson) (69) 85
Urine, acidic glycopeptides from, isolation of, by means of anion-exchange resins. Application to some cases of glycosphingolipidosis or mucolipidosis (Calatroni, Tira) (71) 137
Urine, (short chain) aldehydes and ketones in, of infants, quantitative gas chromatographic determinations of (Bachmann, Baumgartner, Wick, Colombo) (66) 287
Urine, aldosterone in, comparison of simplified radioimmunoassay with gas-liquid chromatography for measurement of (Etienne, Pardaens) (72) 201
Urine, aldosterone in, radioimmunoassay of, methodological simplifications (Malvano, Orlandini, Cozzani, Duranti, Simonini, Salvetti) (66) 331
Urine, amoxycillin in, and in serum, a simple chemical method for the assay of (Davidson) (69) 67
Urine, aspartylglycosylamine in, enzymatic determination of, to detect aspartylglycosylaminuria (Sugahara, Nishimura, Aula, Yamashina) (72) 265
Urine, γ-carboxyglutamic acid in (Fernlund) (72) 147
Urine, cryoglobulins in (Leathem, Wiggins) (71) 353
Urine, dehydroepiandrosterone in, determination of, using 3β-hydroxysteroid dehydrogenase (Yamaguchi, Tateishi, Hayashi) (66) 449
Urine, 11-deoxy-17-oxo-steroids in, by colorimetry using the Zimmerman reaction, semi-automated method (Rademaker, Jongejan-Timmer, Poortman, Thijssen) (70) 349
Urine, dermatan sulphate in, quantitave determination (Humbel) (69) 137
Urine, 3,4-dihydroxyphenylglycol in, gas chromatographic estimation as the diacetyl-phenyl-bis(trimethyl)silyl ether (Kahane, Jindal, Vestergaard) (73) 203
Urine, 3,4-dimethoxyphenylethylamine in, radioimmunology for determination of (Knoll, Wisser) (68) 327
Urine, dipeptides in, mass spectrometry for identification of, of a patient with chronic skin ulceration and oedema (Faull, Schier, Schlesinger, Halpern) (70) 313
Urine, ethylmalonic acid in, identification, of two patients with the vomiting sickness of Jamaica (Tanaka, Ramsdell, Baretz, Keefe, Kean, Johnson) (69) 105
Urine, formiminoglutamate in, in man. Normal values related to sex and age. Effects of low calorie intake and alcohol consumption (Rosenauerová-Ostrá, Hilgertová, Šonka) (73) 39
Urine, β-galactosidase and N-acetyl-β-glucosaminidase in, rapid colorimetric assay (Maruhn) (73) 453
Urine, γ-glutamyltransferase in, studies on (Rambabu, Pattabiraman) (73) 251
Urine, glycine in, and in plasma, quantitation by chemical ionization mass fragmentography (Petty, Tucker, Molinary, Flynn, Wander) (66) 111
Urine, n-hexanoylglycine in, identification of, from two patients with Jamaican vomiting sickness (Baretz, Ramsdell, Tanaka) (73) 199
Urine, 4-hydroxycyclohexane-1-carboxylic acid in, an unusual compound isolated from children with suspected disorder of metabolism, (Bindel, Fennessey, Miles, Goodman) (66) 209
Urine, o-hydroxyhippuric acid in, of sick children, occurrence and identification

of, by thin-layer and gas-liquid chromatography, and by gas-liquid chromatography-mass spectrometry (Finnie, Ersser, Seakins, Snedden) (70) 171
Urine, 3-hydroxy-3-methylglutaric acid in, combined with 3-methylglutaconic acid (Wysocki, Wilkinson, Hähnel, Wong, Panegyres) (70) 399
Urine, myo-inositol in, and in serum, changes in levels in chronic glomerulonephritis (Pitkänen) (71) 461
Urine, manganese in, and in blood, by flameless atomic absorption spectrophotometry (Buchet, Lauwerys, Roels, De Vos) (73) 481
Urine, metanephrine and normetanephrine in, separation of, for automated fluorimetric routine determination (Schwedt, Bussemas, Blödorn, Deutschmann) (69) 175
Urine, 3-methoxy-4-hydroxyphenylethylene glycol in, fluorometry for measurement of (Zawad, Brown) (73) 187
Urine, methylmalonic acid in, by thin-layer chromatography (Das, Sharma, Mohanty, Chachra) (66) 263
Urine, methyl urea in, and blood, of patients with chronic renal disease, a search for, using a specific gas-liquid chromatographic method (Evans) (69) 357
Urine, of mucopolysaccharidosis patients, separation of dermatan sulphate from heparan sulphate in, by chromatography on Sephadex G-75 (Herd, Forrest, Tschida) (68) 1
Urine, oestriol in, on-column derivatization procedure for rapid determination of (Millner, Taber) (71) 67
Urine, oestrogens in, in early morning specimens from normal and infertile women by fluorimetry (semi-automated) (Beastall, McVeigh) (70) 343
Urine, oestrogens in pregnancy, new rapid assay using the substrate native fluorescence (Bramhall, Britten) (68) 203
Urine, organic acids in, gas chromatographic examination of, a new method (Horrocks, Hindle, Lawson, Orrell, Poole) (69) 93
Urine, organic acid profile in, associated with 3-hydroxy-3-methylglutaric aciduria (Faull, Bolton, Halpern, Hammond, Danks) (73) 553
Urine, oxalic acid in, determination of, by atomic absorption spectrophotometry (Koehl, Abecassis) (70) 71
Urine, 2-phenylethylamine in, by gas chromatography (Reynolds, Gray) (70) 213
Urine, polyacrylamide-gel disc electrophoresis of unconcentrated samples of, with special reference to Bence Jones proteins (Takeoka, Gotoh, Furumi, Mori) (71) 149
Urine, (unconjugated) pterins in, quantitative determination of, by gas chromatography/mass fragmentography (Röthler, Karobath) (69) 457
Urine, retinol-binding protein in, and in serum of glomerular and tubular nephropathies (Scarpioni, Dall'Aglio, Poisetti, Buzio) (68) 107
Urine, suberylglycine excretion in, from a patient with dicarboxylic aciduria (Gregersen, Lauritzen, Rasmussen) (70) 417
Urine L-xylulose in, increased excretion in patients with liver cirrhosis (Oka, Suzuki, Suzuki, Oda) (67) 131
Urine, urobilinogens in, suitability of p-methoxybenzene diazoniumfluoborate for determination (Gorgels, Van Manen, Peters) (73) 179
Urine, use of small samples of, to monitor testicular response to human chorionic gonadotrophin (Metcalf, Hunt) (67) 29
Urine, vanilglycolic acid, vanilglycol, vanilacetic acid and vanillactic acid in, gas chromatography for determination of. Chemical parameters for the diagnosis of neurogenic tumours and the evaluation of their treatment (Wadman, Ketting, Voûte) (72) 49
Urine, vanilmandelic acid and homovanillic acid in, determined by high-speed liquid chromatography (Yoshida, Yoshioka, Yamazaki, Sakai, Tamura) (73) 315
Urobilinogens, in urine, suitability of p-methoxybenzene diazoniumfluoborate for determination (Gorgels, Van Manen, Peters) (73) 179
Urokinase, radiochemical esterolytic assays, sensitive, for (Imanari, Wilcox, Pisano) (71) 267
Uroporphyrinogen I synthetase, spectrophotometry for determination of (Grandchamp, Phung, Grelier, Nordmann) (70) 113

V

Vanilacetic acid, in urine, vanilglycolic acid, vanilglycol and vanillactic acid in urine, gas chromatographic determination of. Chemical parameters for the diagnosis of neurogenic tumours and the evaluation of their treatment (Wadman, Ketting, Voûte) (72) 49
Vanilglycol, in urine, vanilglycolic acid, vanilacetic acid and vanillactic acid in urine, gas chromatographic determination of. Chemical parameters for the diagnosis of neurogenic tumours and the evaluation of their treatment (Wadman, Ketting, Voûte) (72) 49
Vanilglycolic acid, in urine, vanilglycol, vanilacetic acid and vanillactic acid in urine, gas chromatographic determination of. Chemical parameters for the diagnosis of neurogenic tumours and the evaluation of their treatment (Wadman, Ketting, Voûte) (72) 49
Vanillactic acid, vanilglycolic acid, vanilglycol and vanilacetic acid, in urine, gas chromatographic determination of. Chemical parameters for the diagnosis of neurogenic tumours and the evaluation of their treatment (Wadman, Ketting, Voûte) (72) 49
Vanilmandelic acid, in urine, levels of homovanillic acid and, determined by high-speed liquid chromatography (Yoshida, Yoshioka, Yamazaki, Sakai, Tamura) (73) 315
Vitamin D, 25-hydroxy, competitive protein-binding radioassay for (Morris, Peacock) (72) 383
Vitamin D_3, 25-hydroxy, by a novel specific chromatographic assay (Björkhem, Holmberg) (68) 215
Vitatron "AKES", evaluation. Modification for optimal use in routine enzyme analysis (Smit, De With, Bezemer, Smits) (71) 371
Vitiligo, psoralene and melanogenesis in relation to (Chakraborty, Roy Choudhury, Dey) (72) 219
Vomiting sickness of Jamaica, two patients with, identification of ethylmalonic acid in urine of (Tanaka, Ramsdell, Baretz, Keefe, Kean, Johnson) (69) 105

W

Waldenström's disease, two IgM paraproteins differing in carbohydrate content in a patient with (Virella, Lechner) (67) 137
Waldenström's macroglobulinemia, and human multiple myeloma sera, electrophoresis of, in sodium dodecyl sulphate polyacrylamide gels (Hayes, Plapp, Brewer, Rucker, Moore, Tilzer, Chiga) (66) 119
Wasp/bee sting, elevated serum enzymes by, and their clinical significance (Lim, Tan, Feng) (66) 405
Wheat gluten, glycopeptide component of, binding to intestinal mucose of normal and coeliac human subjects (Douglas) (73) 357
Wolman's disease, genetic variant? Partial deficiency of acid lipase with storage of triglycerides and cholesterol esters in liver (Suzuki, Kawai, Kobayashi, Ohbe, Endo) (69) 219

X

Xanthelasma and hyperlipoproteinaemia, effect of low cholesterol diets (Dean) (66) 189
Xanthomatosis, primary hyperlipoproteinaemia in (Hessel, Vermeer, Polano, De Jonge, De Pagter, Van Gent) (69) 405
L-Xylulose, in urine, increased excretion of, in patients with liver cirrhosis (Oka, Suzuki, Suzuki, Oda) (67) 131

Z

Zimmerman reaction, colorimetry, semi-automated method for 11-deoxy-17-oxo-steroids in urine (Rademaker, Jongejan-Timmer, Poortman, Thijssen) (70) 349
Zimmerman reaction, for 17-ketosteroids, interference of bamifylline with (Etienne, Taelman) (69) 147
Zinc, and copper, atomic absorption spectrophotometry of, in human brain tissue. A critical investigation of two digestion techniques (Wuyts, Smeyers-Verbeke, Massart) (72) 405
Zinc, and copper, in human semen (Stanković, Mikac-Dević) (70) 123
Zinc and copper levels, in serum, in burn patients, evolution of (Lafargue, Couture, Monteil, Guilbaud, Saliou) (66) 181
Zinc, in fingernails, by non-flame atomic absorption spectroscopy (Sohler, Wolcott, Pfeiffer) (70) 391

RBI
CS
Index
V.66-73

A milestone for future research in the Vitamin E field

Tocopherol, Oxygen and Biomembra

Proceedings of the International Symposium on Tocopherol, Oxyge Biomembranes, held at lake Yamanaka, Japan, September 2 - 3, 1977

a Naito Foundation Symposium

edited by **C. DE DUVE** and **O. HAYAISHI**

LIBRARY USE ONLY

1978 xiv + 374 pages US $46.75/Dfl. 107.00 ISBN 0-444-80043-3

Approximately 40 years ago Vitamin E was isolated from wheat germ and given the name of tocopherol and since then a great deal of effort has been devoted to the study of its biochemistry and its biological function. The symptoms, organ specificity and pathology of Vitamin E deficiency vary extensively between different animal species. As a result diverse symptoms have made it extremely difficult to study the action of tocopherol at a molecular level.

During the past decade or so, however, rapid progress has been made in the study of oxygen metabolism and biomembranes and in particular their relationship with tocopherol. The intention of this Symposium was to examine critically what is now known about the function of tocopherol with special emphasis placed on its role in oxygen metabolism and membrane function.

Containing 28 up-to-date papers by leading researchers this book is envisaged as a milestone for future research in the Vitamin E field.

Also of Interest

BBA Reviews on Biomembranes

Managing editor: **L.L.M. VAN DEENEN**

Covers all aspects of this rapidly expanding area of research, including artificial membranes – bacterial cell walls – plasma membranes – membranes of cell and intracellular organelles – structural components of membranes – application of physical techniques to membrane studies – transport phenomena – membrane interaction with drugs and hormones – relationships between structure and function.

Subscribers to all sections of BBA or to BBA-Biomembranes receive BBA Reviews on Biomembranes as part of their subscription.

Send your orders or requests for free specimen copies to: in the U.S.A. and Canada - **JOURNAL INFORMATION CENTER,** Elsevier's Science Division, 52 Vanderbilt Ave., New York, NY 10017; in all other countries - **ELSEVIER/NORTH-HOLLAND** BIOMEDICAL PRESS, P.O. Box 211, Amsterdam, The Netherlands.

Journals are automatically sent by air to the U.S.A. and Canada at no extra cost and to Japan, Australia and New Zealand with a small additional postal charge.

1978 1 volume in 4 issues (Volume 515)
Price: US $41.50/Dfl. 95.00 including postage

ELSEVIER/NORTH-HOLLAND BIOMEDICAL PRESS

P.O. Box 211, Amsterdam, The Netherlands

Distributor in the U.S.A. and Canada:
ELSEVIER NORTH-HOLLAND, INC.,
52 Vanderbilt Ave., New York, N.Y. 10017

The Dutch guilder price is definitive. US $ prices are subject to exchange rate fluctuations.

2179 BMP

four choices in a unique system

1 IRCS Medical Science: Biochemistry
2 IRCS Medical Science: Cell and Membrane Biology
3 IRCS Medical Science: Clinical Biochemistry
4 IRCS Medical Science: Developmental Biology and Medicine

These four journals are part of the unique IRCS Medical Science publishing programme. Their aim is the rapid publication of concise accounts of original research results. For the scientist who wants a guarantee of fast publication, they offer a service which traditional primary journals frequently cannot or do not provide.
This includes:

- immediate and thorough refereeing of papers followed by publication of accepted papers an average of **four weeks after receipt of the manuscript.**
- selective distribution to different specialist groups. Papers relevant to more than one discipline are included in other relevant IRCS Medical Science journals.

IRCS Medical Science: Biochemistry

Covers research on all aspects of biochemistry, including enzymology, macromolecular structure, bioenergetics, intermediary metabolism and the biochemistry of specialized tissues.
12 issues per year $71.00 / £25.00

IRCS Medical Science: Cell and Membrane Biology

Publishes studies on the structure and function of human or animal tissues at the cellular or subcellular level using physical techniques, including: cell and organelle ultrastructure, cytogenetics, cell adhesion and intercellular communication.
12 issues per year $71.00 / £25.00

IRCS Medical Science: Clinical Biochemistry

Includes all studies of human biochemistry in health and disease, including blood proteins and enzymes and the use of biochemical techniques in diagnosis.
4 issues per year $33.00 / £11.00

IRCS Medical Science: Developmental Biology and Medicine

Brings together research on cell differentiation, growth and normal and pathological development of the embryo and young animal.
4 issues per year $33.00 / £11.00

US $ rates apply to all subscribers outside the U.K. and Ireland.

FOR SPECIMEN COPIES OF THESE JOURNALS AND FULL DETAILS OF THE COMPLETE RANGE OF IRCS SERVICES WRITE TO: THE EDITOR, IRCS MEDICAL SCIENCE, ST. LEONARD'S HOUSE, ST. LEONARDGATE, LANCASTER, ENGLAND.

IRCS medical science

an answer to the information problem

Elsevier IRCS Medical Science.